

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 1: To be completed by Assessor [WEIGHT: 40%]

| | | | |
|-------------|------------------------------|-----------|------------------------|
| Name | MOHD BURHAN BIN YUSOF | COB Date | 26-Sept-23 |
| Position | Equipment Operator 2 | RTB Date | 17-Okt-23 |
| Client | PCSB | Location | DULANG C |
| Platform | DULANG | Well | C-04S |
| Assessed By | NAMA : MOHD SYUKRI BIN AWANG | Position: | Supervisor Coil Tubing |

| | |
|---------------------------|---|
| RATING LEGEND: | |
| STRONG | Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent |
| ADEQUATE | Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good |
| IMPROVEMENT NEEDED | Performance did not consistently met expectations - performance failed to meet expectations in one or more essential areas of responsibility |

| Assessment Criteria | Rating (Please ✓ where appropriate) |
|---------------------|-------------------------------------|
|---------------------|-------------------------------------|

Safety Awareness (20%)

- a. Usage of Personal Protective Equipment
- b. Participation in UAUC
- c. Understanding of PTW System
- d. Worksite House Keeping

| STRONG | | | ADEQUATE | | | IMPROVEMENT NEEDED | | |
|--------|---|---|----------|---|---|--------------------|---|---|
| 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 |
| ✓ | | | | | | | | |
| | ✓ | | | | | | | |
| | | ✓ | | | | | | |
| | ✓ | | | | | | | |


Work Performance (20%)

- e. Initiative and Creativity
- f. Decision Making Capability
- g. Understanding of Job Scope
- h. Tools Inventory and Reporting
- i. Work Quality
- j. Reporting
- k. Punctuality and Time Keeping
- l. Teamwork
- m. Communication
- n. Leadership Skills
- o. Adaptability to Work Environment/Surrounding
- p. Attitude
- q. Discipline

| | | | | | | | | |
|--|---|---|--|--|--|--|--|--|
| | | ✓ | | | | | | |
| | | ✓ | | | | | | |
| | | ✓ | | | | | | |
| | | ✓ | | | | | | |
| | ✓ | | | | | | | |
| | | ✓ | | | | | | |
| | ✓ | | | | | | | |
| | | ✓ | | | | | | |
| | | ✓ | | | | | | |
| | ✓ | | | | | | | |
| | ✓ | | | | | | | |

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

* Overall Good

| | |
|-----------------------------|---|
| Assessed By [Supervisor] |  |
| Name | MOHD SYUKRI BIN AWANG |
| Date | 17/10/2023 |

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

| Type of Task | Tasks Performed | Assessor Comment | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|------------------|---|-------------------|---|---|--------------------|---|---|--|------------------------|--------|--|--|----------|--|--|--------------------|--|--|----|---|---|---|---|---|---|---|---|
| 1. Pre-Job Preparation | 1. Attend toolbox and morning meeting with CSR. 2. Pre-check/EMC1 all CTU equipment before run the job. 3. Assisted crew in lifting all CTU equipment and spot unit. 4. Pre-check/EMC1 all CTU equipment before run the job. 5. Prepare supporting document prior load out. | * Done | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <table border="1"> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td style="border: 2px solid black;">8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table> | | | | | | | | | | Rating (by SUPERVISOR) | STRONG | | | ADEQUATE | | | IMPROVEMENT NEEDED | | | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 |
| Rating (by SUPERVISOR) | STRONG | | | ADEQUATE | | | IMPROVEMENT NEEDED | | | | | | | | | | | | | | | | | | | | | | |
| | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | | | | | | | | | | | | | | | | | | | | |
| 2. Surface Equipment Rig-up | 1. Rig up 4" hose from FST to batch mixer and single pump . 2. Rig up treating iron from single pump to combi bop . (Kill line port) 3. Assist Cetco to rig up line flowback 4. Spot/arrange flood light, control cabin and tool container electric cable to junction box. 5. Rig up water injection line from well to fluid storage tank. 6. Rig up wilden pump, 2" spring hose and air hose | * Done | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <table border="1"> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td style="border: 2px solid black;">8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table> | | | | | | | | | | Rating (by SUPERVISOR) | STRONG | | | ADEQUATE | | | IMPROVEMENT NEEDED | | | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 |
| Rating (by SUPERVISOR) | STRONG | | | ADEQUATE | | | IMPROVEMENT NEEDED | | | | | | | | | | | | | | | | | | | | | | |
| | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | | | | | | | | | | | | | | | | | | | | |
| 3. Tools / Equipment Preparation | 1. Installing air hose from compressor to SP02, BMX02 and wilden pump . 2. Perform EMC1 on Air Compressor and Genset for pre job. 3. Fuel up all CTU equipment. 4. Regrease plug valve and swivel | * Done | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <table border="1"> <tr> <th rowspan="2">Rating (by Operator)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td style="border: 2px solid black;">8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table> | | | | | | | | | | Rating (by Operator) | STRONG | | | ADEQUATE | | | IMPROVEMENT NEEDED | | | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 |
| Rating (by Operator) | STRONG | | | ADEQUATE | | | IMPROVEMENT NEEDED | | | | | | | | | | | | | | | | | | | | | | |
| | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | | | | | | | | | | | | | | | | | | | | |
| 4. Equipment | 4.1 Batch Mixer 1. Function test C-pump and actuator of batch mixer 2. Assist Batch Mixer Operator to mixing chemical. 3. Assist to mix TIW on fluid storage tank 4. Assist chemical specialist to preparation acid. | * Done | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <table border="1"> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td style="border: 2px solid black;">9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table> | | | | | | | | | | Rating (by SUPERVISOR) | STRONG | | | ADEQUATE | | | IMPROVEMENT NEEDED | | | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 |
| | Rating (by SUPERVISOR) | | | | | | | | | | | STRONG | | | ADEQUATE | | | IMPROVEMENT NEEDED | | | | | | | | | | | |
| 10 | | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | | | | | | | | | | | | | | | | | | | | |
| Employee was able to OPERATE the equipment: | | | | Under Supervision | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | Standalone | | | ✓ | | | | | | | | | | | | | | | | | | | | | | |

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

| Type of Task | Tasks Performed | Assessor Comment | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|-------------------|----------|------------|----------|--------------------|---|--------------------|--|--|----|---|---|---|---|---|---|---|---|--|---|---|--|--|--|--|--|--|--|
| | 4.2 Pump Unit 1. Connect hydraulic hose. 2. Install universal shaft. 3. Greasing shaft. 4. Replace packing plunger. 5. Rig up pumping line to ct reel and kill line to bop. 6. Priming pump before start pumping. | * Done | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Rating (by SUPERVISOR) | <table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td></td> <td style="text-align: center;">9</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | STRONG | | | ADEQUATE | | | IMPROVEMENT NEEDED | | | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | | 9 | | | | | | | | |
| STRONG | | | ADEQUATE | | | IMPROVEMENT NEEDED | | | | | | | | | | | | | | | | | | | | | | | |
| 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | | | | | | | | | | | | | | | | | | | | | |
| | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Employee was able to OPERATE the equipment: | <table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td style="text-align: center;">✓</td> </tr> </table> | Under Supervision | | Standalone | ✓ | | | | | | | | | | | | | | | | | | | | | | | | |
| Under Supervision | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standalone | ✓ | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4.3 Nitrogen Pump unit & Nitrogen Tank 1. Assist crew to rig up 2" HP treating line to CT reel and include bleed off line. 2. Assist crew to rig up cryogenic hose from N2 tank to inlet and outlet line on NCV. | * Done | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Rating (by SUPERVISOR) | <table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td style="text-align: center;">8</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | STRONG | | | ADEQUATE | | | IMPROVEMENT NEEDED | | | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | | | 8 | | | | | | | |
| STRONG | | | ADEQUATE | | | IMPROVEMENT NEEDED | | | | | | | | | | | | | | | | | | | | | | | |
| 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | | | | | | | | | | | | | | | | | | | | | |
| | | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Employee was able to OPERATE the equipment: | <table border="1"> <tr> <td>Under Supervision</td> <td style="text-align: center;">✓</td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table> | Under Supervision | ✓ | Standalone | | | | | | | | | | | | | | | | | | | | | | | | | |
| Under Supervision | ✓ | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standalone | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4.4 Power Pack 1. Assist to rig up hydraulic power hose to Injector Head. 2. Assist to rig up hose from CTU Power Pack to Control Cabin | * Done | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Rating (by SUPERVISOR) | <table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td style="text-align: center;">8</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | STRONG | | | ADEQUATE | | | IMPROVEMENT NEEDED | | | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | | | 8 | | | | | | | |
| STRONG | | | ADEQUATE | | | IMPROVEMENT NEEDED | | | | | | | | | | | | | | | | | | | | | | | |
| 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | | | | | | | | | | | | | | | | | | | | | |
| | | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Employee was able to OPERATE the equipment: | <table border="1"> <tr> <td>Under Supervision</td> <td style="text-align: center;">✓</td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table> | Under Supervision | ✓ | Standalone | | | | | | | | | | | | | | | | | | | | | | | | | |
| Under Supervision | ✓ | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standalone | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4.5 Control Cabin 1. Assist crew rig up hydraulic hose and connected to CT Reel, Injector Head and BOP. | * Done | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Rating (by SUPERVISOR) | <table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td style="text-align: center;">8</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | STRONG | | | ADEQUATE | | | IMPROVEMENT NEEDED | | | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | | | 8 | | | | | | | |
| STRONG | | | ADEQUATE | | | IMPROVEMENT NEEDED | | | | | | | | | | | | | | | | | | | | | | | |
| 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | | | | | | | | | | | | | | | | | | | | | |
| | | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Employee was able to OPERATE the equipment: | <table border="1"> <tr> <td>Under Supervision</td> <td style="text-align: center;">✓</td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table> | Under Supervision | ✓ | Standalone | | | | | | | | | | | | | | | | | | | | | | | | | |
| Under Supervision | ✓ | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standalone | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

| Type of Task | Tasks Performed | Assessor Comment | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------|--|---|-------------------|---|------------|--------------------|---|--------------------|--|--|----|---|---|---|---|---|---|---|---|--|--|---|--|--|--|--|--|--|--|
| | 4.6 CT Reel 1. Assist to connect hydraulic hose from control cabin. 2. Assist crew to flag coil at target depth 3. Assist crew to install crash guard on CIDF reel. 4. Rig up swivel in reel. 5. Assist crew install CT Drum into CIDF. 6. Assist crew to install horse head at CIDF | * Done | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Rating (by SUPERVISOR) <table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td style="text-align: center;">8</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | STRONG | | | ADEQUATE | | | IMPROVEMENT NEEDED | | | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | | | 8 | | | | | | | |
| STRONG | | | ADEQUATE | | | IMPROVEMENT NEEDED | | | | | | | | | | | | | | | | | | | | | | | |
| 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | | | | | | | | | | | | | | | | | | | | | |
| | | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Employee was able to OPERATE the equipment: | <table border="1"> <tr> <td>Under Supervision</td> <td style="text-align: center;">✓</td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table> | Under Supervision | ✓ | Standalone | | | | | | | | | | | | | | | | | | | | | | | | |
| Under Supervision | ✓ | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standalone | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4.7 Injector Head 1. Assist crew to install injector head on top of jacking frame. 2. Assist crew to install goose neck on top of injector head. 3. Assist crew to install auxiliary hose at injector head. 4. Assist crew to stab in coil to injector head. 5. Assist crew top up Injector Lube Oil before start job. | * Done | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Rating (by SUPERVISOR) <table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td style="text-align: center;">8</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | STRONG | | | ADEQUATE | | | IMPROVEMENT NEEDED | | | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | | | 8 | | | | | | | |
| STRONG | | | ADEQUATE | | | IMPROVEMENT NEEDED | | | | | | | | | | | | | | | | | | | | | | | |
| 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | | | | | | | | | | | | | | | | | | | | | |
| | | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Employee was able to OPERATE the equipment: | <table border="1"> <tr> <td>Under Supervision</td> <td style="text-align: center;">✓</td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table> | Under Supervision | ✓ | Standalone | | | | | | | | | | | | | | | | | | | | | | | | |
| Under Supervision | ✓ | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standalone | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4.8 Pressure Control Equipment 1. Assist to connect hydraulic hose from Control Cabin to SBOP and Combi. 2. Assist crew to redress Combi Bop .Clean up blind sheer and pipe slip. 3. Assist crew replace rubber stripper 4. Rig up Riser from BOP to Wellhead crossover | * Done | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Rating (by SUPERVISOR) <table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td style="text-align: center;">8</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | STRONG | | | ADEQUATE | | | IMPROVEMENT NEEDED | | | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | | | 8 | | | | | | | |
| STRONG | | | ADEQUATE | | | IMPROVEMENT NEEDED | | | | | | | | | | | | | | | | | | | | | | | |
| 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | | | | | | | | | | | | | | | | | | | | | |
| | | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Employee was able to OPERATE the equipment: | <table border="1"> <tr> <td>Under Supervision</td> <td style="text-align: center;">✓</td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table> | Under Supervision | ✓ | Standalone | | | | | | | | | | | | | | | | | | | | | | | | |
| Under Supervision | ✓ | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standalone | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4.9 Basic BHA Components 1. Assist crew to make up BHA. 2. Assist CT Supervisor to prepare BHA to be use during job. 3. Assist crew to install down hole filter (BHA) 4. Assist to break tools while surface | * Done | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Rating (by SUPERVISOR) <table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td style="text-align: center;">8</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | STRONG | | | ADEQUATE | | | IMPROVEMENT NEEDED | | | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | | | 8 | | | | | | | |
| STRONG | | | ADEQUATE | | | IMPROVEMENT NEEDED | | | | | | | | | | | | | | | | | | | | | | | |
| 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | | | | | | | | | | | | | | | | | | | | | |
| | | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Employee was able to OPERATE the tools: | <table border="1"> <tr> <td>Under Supervision</td> <td style="text-align: center;">✓</td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table> | Under Supervision | ✓ | Standalone | | | | | | | | | | | | | | | | | | | | | | | | |
| Under Supervision | ✓ | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standalone | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

| Type of Task | Tasks Performed | | | | | | Assessor Comment | | |
|--|-----------------|---|---|------------------------|---|---|--------------------|---|---|
| 5. Job Supervision (if applicable) <i>Please complete this section if you perform any supervisory role during operation</i> | | | | | | | | | |
| Rating (by SUPERVISOR) | STRONG | | | ADEQUATE | | | IMPROVEMENT NEEDED | | |
| | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 |
| Please ✓ accordingly to confirm the role of the employee during operation | | | | Full Supervisor | | | | | |
| | | | | 2nd / Night Supervisor | | | | | |

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 3: To be completed by Employee and Assessor

| DATE | Assignment/Summary Job/Duration | Supervisor's Feedback (Please indicate if employee is able to execute the job <u>UNDER SUPERVISION</u> or <u>STANDALONE</u>) |
|-----------------|--|--|
| 9/2023 TO 17/10 | CTU perform Clean out on Well C04S. 1.Preparation for Run coil tubing on well C04S 2.Make up BHA(MHA,STRAIGHT BAR,DOWNHOLE FILTER,SPINCAT) 3.Pressure test line 4. Start RIH with TIW at minimum rate and keep monitor Pumping pressure 5.RIH and clean out below SSD#2 6.Mixing acid and pump on well 7.pick up coil to surface after finish clean ou and secure well(Close MV and CV) | * Done |

Please tick (✓) category of services performed:

| | | | | | |
|---------------------------|---------------------|---|--------------------------|----------------|--|
| Standard Services: | Wellbore Cleanout | <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | Advanced Services | CT Fishing | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| | CT Cementing | | | CT Milling | |
| | Nitrogen Operations | | | CT Logging | |
| | Pumping Services | | | CT Perforation | |