

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 1: To be completed by Assessor [WEIGHT: 40%]

Name	FIRMAN LAKSANA	COB Date	16-Mar-23
Position	GENERAL EQUIPMENT OPERATOR	RTB Date	13-Apr-23
Client	PETRONAS CARIGALI	Location	ANGSI
Platform	ANGSI ANDRA	Well	A-24
Assessed By	MUHAMAD TAUFIQ ISMAIL	Position:	COILED TUBING SUPERVISOR

RATING LEGEND:

STRONG	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent
ADEQUATE	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good
IMPROVEMENT NEEDED	Performance did not consistently met expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please ✓ where appropriate)
---------------------	-------------------------------------

	STRONG		ADEQUATE			IMPROVEMENT NEEDED		
	10	9	8	7	6	5	4	3

Safety Awareness (20%)

- a. Usage of Personal Protective Equipment
- b. Participation in UAUC
- c. Understanding of PTW System
- d. Worksite House Keeping

	✓								
	✓								
	✓								
	✓								

Work Performance (20%)

- e. Initiative and Creativity
- f. Decision Making Capability
- g. Understanding of Job Scope
- h. Tools Inventory and Reporting
- i. Work Quality
- j. Reporting
- k. Punctuality and Time Keeping
- l. Teamwork
- m. Communication
- n. Leadership Skills
- o. Adaptability to Work Environment/Surrounding
- p. Attitude
- q. Discipline

	✓								
			✓						
	✓								
	✓								
			✓						
			✓						
	✓								
	✓								
			✓						
	✓								
	✓								

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

Alr stand alone supervise CTU operation

Assessed By (Supervisor)	
Name	MUHAMAD TAUFIQ ISMAIL
Date	13-April-2023

Doc.Ref.No.: CTS-FORM-90
 Revision No.: 01
 Effective Date: 21/08/2023
 (Rev.00,Dated:22/09/19-OBSOLETE)

CONTROLLED COPY

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																				
1. Pre-Job Preparation	1. Attend toolbox and morning meeting with CSR. 2. Attend pre job meeting with client PCSB 3. Pre-check/EMC1 all CTU equipment before run the job.	Done																				
	<table border="1"> <tr> <th colspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>		Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2
Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2														
2. Surface Equipment Rig-up	1. Assist crew to rig up pumping surface line from SP01 to coil reel and kill port to combi BOP. 2. Assist crew to rig up N2 line from NCV to CT reel. 3. Rig up 4" hose from fluid storage tank to SP01. 4. Rig up 4" hose from BMX tank to SP01. 5. Spot/arrange flood light, control cabin and tool container electric cable to junction box. 6. Rig up water injection line from well to fluid storage tank. 7. Rig down wilden pump, 2" spring hose and air hose from sea deck to main deck	Done																				
	<table border="1"> <tr> <th colspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>		Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2
Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2														
3. Tools / Equipment Preparation	1. Perform EMC1 on Control Cabin, Stripper, Single and Combi BOP, CT reel, CIDF 01, Injector Head, Jacking Frame and Power Pack for pre job. 2. Prepare Downhole tools to be use during job.	Done																				
	<table border="1"> <tr> <th colspan="2">Rating (by Operator)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>		Rating (by Operator)		STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2
Rating (by Operator)		STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2														
4. Equipment	4.1 Batch Mixer - Function test & mixing chemical - Perform EMC 1	Done.																				
	<table border="1"> <tr> <th colspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>		Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2
	Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED													
10	9	8	7	6	5	4	3	2														
Employee was able to OPERATE the equipment:	Under Supervision																					
	Standalone																					

Doc.Ref.No.: CTS-FORM-90

Revision No.: 01

Effective Date: 21/08/2023

(Rev.00,Dated:22/09/19-OBSOLETE)

CONTROLLED COPY

1

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment								
	4.2 Pump Unit - Understand system Pump - Perform EMC 1 line. - Rig up pumping line.	Done								
Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED		
		10	9	8	7	6	5	4	3	2
Employee was able to OPERATE the equipment:		Under Supervision								
		Standalone								
	4.3 Nitrogen Pump unit & Nitrogen Tank 1. Assist crew to rig up 2" HP treating line to CT reel and include bleed off line. 2. Assist crew to rig up cryogenic hose from N2 tank to inlet and outlet line on NCV	Done.								
Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED		
		10	9	8	7	6	5	4	3	2
Employee was able to OPERATE the equipment:		Under Supervision								
		Standalone								
	4.4 Power Pack 1. Perform EMC 1 for pre and post job	Done								
Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED		
		10	9	8	7	6	5	4	3	2
Employee was able to OPERATE the equipment:		Under Supervision								
		Standalone								
	4.5 Control Cabin 1. Setup job file before start any run. 2. Perform Sand Cleanout, Run GRCL, Re-perforation, Unload on well A-24 3. Perform EMC 1 for pre and post job. 4. Update job ticket including chemical tracking and chemical ticket	Done								
Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED		
		10	9	8	7	6	5	4	3	2
Employee was able to OPERATE the equipment:		Under Supervision								
		Standalone								

Doc.Ref.No.: CTS-FORM-90

Revision No.: 01

Effective Date: 21/08/2023

(Rev.00,Dated:22/09/19-OBSOLETE)

CONTROLLED COPY

2

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment									
	4.6 CT Reel 1. Perform EMC 1 for pre and post job	Dour									
	Rating (by SUPERVISOR)										
		10	9	8	7	6	5	4	3	2	
	Employee was able to OPERATE the equipment:				Under Supervision			Standalone			
	4.7 Injector Head 1. Top up Injector Lube Oil before start job. 2. Top up Injector gear box oil prior to start job. 3. Perform EMC 1 for pre and post job	Dour									
	Rating (by SUPERVISOR)										
		10	9	8	7	6	5	4	3	2	
	Employee was able to OPERATE the equipment:				Under Supervision			Standalone			
	4.8 Pressure Control Equipment 1. Function test Single and Combi BOP prior to start job. 2. Function test Stripper prior to start job. 3. Perform EMC 1 for pre and post job.	Dour									
	Rating (by SUPERVISOR)										
		10	9	8	7	6	5	4	3	2	
	Employee was able to OPERATE the equipment:				Under Supervision			Standalone			
	4.9 Basic BHA Components 1. Prepare BHA configuration to be use on the job	Dour									
	Rating (by SUPERVISOR)										
		10	9	8	7	6	5	4	3	2	
	Employee was able to OPERATE the tools:				Under Supervision			Standalone			

Doc.Ref.No.: CTS-FORM-90

Revision No.: 01

Effective Date: 21/08/2023

(Rev.00,Dated:22/09/19-OBSELETE)

CONTROLLED COPY

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																											
S. Job Supervision (if applicable) Please complete this section if you perform any supervisory role during operation	Stand about Supervise CTU operation	Done																											
	Rating (by SUPERVISOR) <table border="1" style="float: right; margin-left: 20px;"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td></td> <td style="text-align: center;">9</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2		9								
	STRONG			ADEQUATE			IMPROVEMENT NEEDED																						
10	9	8	7	6	5	4	3	2																					
	9																												
Please ✓ accordingly to confirm the role of the employee during operation	<table border="1" style="float: right; margin-left: 20px;"> <tr> <td>Full Supervisor</td> <td><input type="checkbox"/></td> </tr> <tr> <td>2nd / Night Supervisor</td> <td><input type="checkbox"/></td> </tr> </table>	Full Supervisor	<input type="checkbox"/>	2nd / Night Supervisor	<input type="checkbox"/>																								
Full Supervisor	<input type="checkbox"/>																												
2nd / Night Supervisor	<input type="checkbox"/>																												

Doc Ref No.: CTS-FORM-90

Revision No.: 01

Effective Date: 21/08/2023

(Rev.00, Dated: 22/09/19-OBSOLETE)

CONTROLLED COPY

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 3: To be completed by Employee and Assessor

DATE	Assignment/Summary Job/Duration	Supervisor's Feedback (Please indicate if employee is able to execute the job UNDER SUPERVISION or STANDALONE)
16-Mar-23 13-Apr-23	<p>ANGSI ANDRA A-24 SCO, ULOAD WELL, GRCCCL AND RE-PERFORATION</p> <p>Rig up all CTU equipment and hydraulic hose. Stab in 1.5" CT to Injector head and make up 2.1 external dimple connector, pull test connector for 15K LBS then pressure test connector for 5K PSI. After Pressure test Injector stack up 3000 PSI and DFCV MHA 1500 PSI, start RIH CT for Sand Clean out well. Run GRCCCL tools and dummy gun for preparation re-perforation flag CT for correlation depth when run logging tools. Perform Run Gun for re-perforation, Unload well until fluid formation on surface. Hand over well to DPIC and Rig down CT</p>	<p>Able to standalone to execute the job</p> <p><i>[Signature]</i> Taufiq Ismail</p>

Please tick (✓) category of services performed:

Standard Services:

- Wellbore Cleanout
- CT Cementing
- Nitrogen Operations
- Pumping Services

Advanced Services

- CT Fishing
- CT Milling
- CT Logging
- CT Perforation

Doc.Ref.No.: CTS-FORM-90

Revision No.: 01

Effective Date: 21/08/2023

(Rev.00,Dated:22/09/19-OBSOLETE)

CONTROLLED COPY