

DIMENSION BID

TRAINEE SLICKLINE OPERATOR PERFORMANCE ASSESSMENT FEEDBACK

ASSESSOR'S FEEDBACK

Overall Performance Rating (please tick (✓))

No.	Job Type	STRONG					ADEQUATE					IMPROVEMENT NEEDED												
		10	9	8	7	6	5	4	3	2	1	0	1	2	3	4	5	6	7	8	9	10		
1	Static Gradient Survey				✓																			
2	Tubing clearance check				✓																			
3	Wax cut				✓																			
4	Leak detection logging (Dummy run)				✓																			
5	Leak detection logging				✓																			

Please state if the employee is able to execute the job independently, with Minimal Supervision or With Full Supervision

Comments:

[By D8'S Operator]

- He able to operate wireline unit (RW) during wax cut, drift run and anchor logging tool.
- He can work independent without supervision.
- He can read and understand how plan during his up PCE.
- He know function test DHT on surface. I hope he can continue performance.

CONTROLLED COPY

TRAINEE SLICKLINE OPERATOR PERFORMANCE ASSESSMENT FEEDBACK

NAME	ELDRIAN BIN JUIL	LOCATION	SFJT-C / SJJT-A	DATE COB	18 TH APRIL 2023
POSITION	TRAINEE SLICKLINE OPERATOR			DATE RTB	16 TH May 2023

WIRELINE ACTIVITY SUMMARY					
DATE	WELL NO.	JOB TYPE	CREW ON BOARD	WIRELINE ACTIVITY <i>[FROM planning i.e Job Program, Select & Test Equipment etc TO Job Execution i.e Entering the Wellbore, Run and Manipulate Toolstring, Install and Retrieve Downhole Assemblies etc.]</i>	TOOLSTRING CONFIGURATION
27/04/2023	SF 305	STATIC GRADIENT SERVAY (SGS) None Routine	<ul style="list-style-type: none"> ATIZAN ELDRIAN Hamizan Mohd Syariffie 	<ul style="list-style-type: none"> Bleed off pressure from the CHP and leave it for 12hours prior run SGS. Dummy run to 10ft below survey depth @ 3410 ft wireline depth. Performed SGS as per program to survey depth @ 3400 ft wireline depth. 	<ul style="list-style-type: none"> Tool string configuration for SGS dummy run as follow: - 1.1/4" BDK r/socket + 1.1/4" swivel joint + 1.1/4" Malory Stem + 1.1/4" k/joint + 1.1/4" Malory stem + 1.1/4" Link jar + Bull nose . Total length 20 ft Tool string for Dummy run configuration as follow: - 1.1/4" BDK r/socket + 1.1/4" swivel joint + 1.1/4" Malory Stem + 1.1/4" k/joint + 1.1/4" Malory stem + 1.1/4" + PPS Gauges . Total length 18 ft.

TRAINEE SLICKLINE OPERATOR PERFORMANCE ASSESSMENT FEEDBACK

WIRELINE ACTIVITY SUMMARY					
DATE	WELL NO.	JOB TYPE	CREW ON BOARD	WIRELINE ACTIVITY <i>[FROM planning i.e Job Program, Select & Test Equipment etc TO Job Execution i.e Entering the Wellbore, Run and Manipulate Toolstring, Install and Retrieve Downhole Assemblies etc.]</i>	TOOLSTRING CONFIGURATION
04/05/2023	SJ 106A	Held up depth check	<ul style="list-style-type: none"> JAIDUN ELDRIAN LENNON 	<ul style="list-style-type: none"> RIH 2.735" drift c/w tandem encountered HUD at depth 1972ft. POOH. On surface observe covered hard/soft wax at bottom and shoulder drift. 	Tools string configuration as follow: 1.7/8" BDK R/Socket QLS + 1.7/8" swivel joint + 1.7/8" x 5 ft normal stem QLS + 1.7/8" Knuckle joint +1.7/8" EAJ Jar + 1.7/8" Link jar + tandem RS 2.5" + drift 2.735" Total length of tool string: 23 ft 6 inches
05/05/2023	SJ 106A	WAX CUT	<ul style="list-style-type: none"> JAIDUN ELDRIAN LENNON 	<ul style="list-style-type: none"> RIH 4x 3.0" w/ scratcher from HUD at depth 2130ft to XN No-go at depth 4641ft. RIH 3.0" wire scratcher and work through from 2313ft to 2780ft. Made yo-yo run at the tight spot. 	Tools string configuration as follow: 1.7/8" BDK R/Socket QLS + 1.7/8" swivel joint + 1.7/8" x 5 ft normal stem QLS + 1.7/8" Knuckle joint +1.7/8" EAJ Jar + 1.7/8" Link jar + w/scratcher 3". Total length of tool string: 22 ft 6 inches

TRAINEE SLICKLINE OPERATOR PERFORMANCE ASSESSMENT FEEDBACK

WIRELINE ACTIVITY SUMMARY					
DATE	WELL NO.	JOB TYPE	CREW ON BOARD	WIRELINE ACTIVITY <i>[FROM planning i.e Job Program, Select & Test Equipment etc TO Job Execution i.e Entering the Wellbore, Run and Manipulate Toolstring, Install and Retrieve Downhole Assemblies etc.]</i>	TOOLSTRING CONFIGURATION
11/05/2023	SJ 105B	TUBING CLEARANCE CHECK (TCC)	<ul style="list-style-type: none"> JAIDUN ELDRIAN LENNON 	<ul style="list-style-type: none"> RIH 2.735" drift C/W tandem RS 2.5" to XN No-Go at 3597ft WLD. Pooh. On surface observed traces of hard / soft wax drift shoulder. 	Tools string configuration as follow: 1.7/8" BDK R/Socket QLS + 1.7/8" swivel joint + 1.7/8" x 5 ft normal roller stem QLS + 1.7/8" x 3 ft normal roller stem + 1.7/8" Knuckle joint + x-over 1.1/2" hyd.jar + 1.1/2" link jar. Total length 21 ft.
11/05/2023	SJ 105B	Leak detection logging. (Dummy Run) None Routine job	<ul style="list-style-type: none"> JAIDUN ELDRIAN LENNON 	<ul style="list-style-type: none"> RIH dummy to XN No-Go at 3597ft WLD as per leak detection programme. 	1.7/8" BDK R/Socket QLS + 1.7/8" swivel joint + 1.7/8" x 5 ft normal roller stem QLS + 1.7/8" x 3 ft roller normal stem + 1.7/8" Knuckle joint + X-over 1.1/16" to 15/16" + 1.1/2" Hyd. Jar + 1.1/2" Link jar. Total length of tool string: 21 ft.

TRAINEE SLICKLINE OPERATOR PERFORMANCE ASSESSMENT FEEDBACK

WIRELINE ACTIVITY SUMMARY					
DATE	WELL NO.	JOB TYPE	CREW ON BOARD	WIRELINE ACTIVITY <i>[FROM planning i.e Job Program, Select & Test Equipment etc TO Job Execution i.e Entering the Wellbore, Run and Manipulate Toolstring, Install and Retrieve Downhole Assemblies etc.]</i>	TOOLSTRING CONFIGURATION
13/05/2023	SJ 105B	Leak detection logging. None Routine	<ul style="list-style-type: none"> • JAIDUN • ELDRIAN • LENNON 	<ul style="list-style-type: none"> • Assisted Acher doing surface preparation for Acher leak detection tool and create condition for logging. • Logging up from depth XN No-Go at 3597ft WLD. Recorded log up stationary every 5 ft for 15 seconds & 2 ft for 20 seconds (for 60 ft interval at top 9 5/8" top of cement and 13 3/8" casing shoe) 	1 7/8" BDK Rope socket + Integrated roller boogie (TOP) + Integrated roller boogie (MID) + 1.7/8" knuckle joint + 3ft normal stem + 1.7/8" x/over QLS + 1.1/2" knuckle joint + 1.7/8" Archer Logging Tool (OD 2.13") + x/over QLS + 2.6" roller boogie c/w bull nose (total length 31.74ft)