

DIMENSION BID

SLICKLINE ASSISTANT PERFORMANCE ASSESSMENT FEEDBACK

(PART 2: To be completed by Employee and Assessor)

| Type of Task | Tasks Performed | Assessor Comment | | | | | | | | |
|--|---|---|---|---|----------|---|---|--------------------|---|---|
| 1. Pre-Job Preparation | a. PERFORM PRE CHECKLIST ON ALL EQUIPMENT b. TO CHECK ALL HOSES WAS TIGHT AND SECURE c. ENSURE ALL TOOLS BEING PREPARED PRIOR TO JOB BEING PERFORM d. ENSURE ALL PRESSURE HOSE FROM PP TO RSU BEING SECURE WITH WEB CHECK e. BARRICADE WORKSITE & WELLHEAD AREA BEFORE PERFORME RIGGING UP f. CHECK WELL CONDITION TO KNOW IF THERES POTENTIAL PASSING ON VALVE g. WALK THE LINE BEFORE START RIGGING UP AND IDENTIFY ANY HAZARD h. TOOLBOX MEETING BEFORE PROCEED TO JOB i. PRE-CHECK POWER PACK. (HYDRAULIC, DIESEL, ENGINE OIL, COOLANT RADIATOR) j. ENDORSE PERMIT FOR HOT WORK AND COLD WORK. | a. Able to perform toolbox talk among the crew and SOR b. Able to Endorse permit at the right time. (no delay) | | | | | | | | |
| | Rating (by Operator) | STRONG | | | ADEQUATE | | | IMPROVEMENT NEEDED | | |
| | | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 |
| 2. Surface Equipment Rig-up | a. DISCARD/CUT WIRE IF NEEDED b. CHECK ANY DAMAGE ON ALL LUB THREAD c. HOOK UP ALL HOSES & CHECK ALL HOSES FOR ANY DAMAGE BEFORE USE d. CHECK ALL PCE EQUIPMENT VALIDITY BEFORE USE e. ENSURE ALL SHACKLE SECURE WITH SAFETY PIN f. ENSURE SWAB VALVE ARE CLOSED BEFORE CONNECTING PCE. g. SLOWLY OPEN SWAB VALVE UNTIL PRESSURE UP ARE EQUALIZED. h. FUNCTION TEST PRIOR JOB AND CHECK FOR THREAD DAMAGE. | | | | | | | | | |
| | Rating (by Operator) | STRONG | | | ADEQUATE | | | IMPROVEMENT NEEDED | | |
| | | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 |
| 3. Tools / Equipment Preparation | a. PCE RIG DOWN BY CHAINBLOCK b. CHECK ANY THREAD DAMAGE ON TOOLS BEFORE/AFTER USE c. PREPARE PPS GAUGES FOR FGS. d. CLEAN ANY TOOL THAT IS STUCK DUE TO WAX e. TIE THE ROPE f. CHECKING ALL SIZE OF TOOLS IS SUITABLE TO USE g. ENSURE PCE LUBRICATOR ARE SECURED BY SAFETY SLING | | | | | | | | | |
| | Rating (by Operator) | STRONG | | | ADEQUATE | | | IMPROVEMENT NEEDED | | |
| | | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 |
| 4. Equipment Problem Troubleshooting <i>[Please state type of equipment and describe troubleshooting job performed]</i> | | | | | | | | | | |
| | Rating (by Operator) | STRONG | | | ADEQUATE | | | IMPROVEMENT NEEDED | | |
| | | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 |

| Type of Task | Tasks Performed | Assessor Comment | | | | | | | | |
|--|--|------------------|---|---|----------|---|---|--------------------|---|---|
| 5. Downhole Tools Servicing/Redressing/Maintenance | a. ENSURE PPS GAUGES ARE CLEAN AFTER POOH. | | | | | | | | | |
| | Rating (by Operator) | STRONG | | | ADEQUATE | | | IMPROVEMENT NEEDED | | |
| | | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 |

| Type of Task | Tasks Performed | Assessor Comment | |
|--------------------|-----------------|------------------|-----------------------------------|
| JOB DETAIL: | | | |
| DATE | WELL NO. | JOB TYPE | STATUS (COMPLETE / INCOMPLETE) |
| 30.10.2024 | BAF-68T | FGS | COMPLETED |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

To be completed by verifier (FSM)

SUMMARY OF OVERALL PERFORMANCE

| | | Weight | Score | |
|----------|--|--------|-------|--------|
| | | | Total | % |
| A | Safety Awareness | 20 | #REF! | #REF! |
| B | Work Performance | 20 | #REF! | #REF! |
| C | Technical Skills | 60 | 52 | 44.571 |
| | 1. Pre-Job Preparation | 8 | | |
| | 2. Surface Equipment Rig-up | 7 | | |
| | 3. Tools / Equipment Preparation | 8 | | |
| | 4. Equipment Problem Troubleshooting | 9 | | |
| | 5. Downhole Tools Servicing/Redressing/Maintenance | 6 | | |
| | 6. Tools Inventory & Reporting | 7 | | |
| | 7. Equipment Operation | 7 | | |
| D | TOTAL (A+B+C) | 100 | | #REF! |