

DIMENSION BID

SLICKLINE ASSISTANT PERFORMANCE ASSESSMENT FEEDBACK

(PART 1: To be completed by Assessor)

Name	AHMAD SYAHUR BIN M. KHARUDIN	COB Date	17.3.2024
Position	TRAINE SINKING ASS	RTB Date	27.3.2024
Client	CHOC	Location	SYA
Platform	CKP	Well	SYA-19
Assessed By	Name: RIDWAN SAMAD		Position: SLICKLINE OPERATOR

RATING LEGEND:

STRONG Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent

ADEQUATE Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good

IMPROVEMENT NEEDED Performance did not consistently met expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please ✓ where appropriate)								
---------------------	-------------------------------------	--	--	--	--	--	--	--	--

Safety Awareness (20%)

- a. Usage of Personal Protective Equipment
- b. Participation in ACT
- c. Understanding of PTW System
- d. Worksite House Keeping

STRONG		ADEQUATE			IMPROVEMENT NEEDED			
10	9	8	7	6	5	4	3	2
	✓							
		✓						
	✓							
	✓							


Work Performance (20%)

- e. Initiative and Creativity
- f. Decision Making Capability
- g. Understanding of Job Scope
- h. Tools Inventory and Reporting
- i. Work Quality
- j. Reporting
- k. Punctuality and Time Keeping
- l. Teamwork
- m. Communication
- n. Leadership Skills
- o. Adaptability to Work Environment/Surrounding
- p. Attitude
- q. Discipline

		✓						
		✓						
		✓						
	✓							
	✓							
		✓						
		✓						
		✓						
	✓							
	✓							

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

Good job
Good teamwork

Assessed By [Operator]	
Name	RIDWAN S 
Date	26/3/2024

DIMENSION BID

SLICKLINE ASSISTANT PERFORMANCE ASSESSMENT FEEDBACK

(PART 2: To be completed by Employee and Assessor)

Type of Task	Tasks Performed	Assessor Comment									
1. Pre-Job Preparation	<ul style="list-style-type: none"> - TBT DISCUS were plan and review JHA - Review Job program 	Good job									
		10	9	8	7	6	5	4	3	2	
2. Surface Equipment Rig-up	<ul style="list-style-type: none"> - Setup Surface equipment as per program - rigup lower section riser + pump intake + BOP and pressure test full stackup - re arrange and erect mast 70ft 	Good job									
		10	9	8	7	6	5	4	3	2	
3. Tools / Equipment Preparation	<ul style="list-style-type: none"> - Setup and function test CP, TP, Genset and Air compressor - monitor and do daily checklist - Check connection toolstring before run and after RH 	Good job									
		10	9	8	7	6	5	4	3	2	
4. Equipment Problem Troubleshooting <i>[Please state type of equipment and describe troubleshooting job performed]</i>	N/A										
		10	9	8	7	6	5	4	3	2	
5. Downhole Tools Servicing/Redressing/Maintenance	<ul style="list-style-type: none"> - service and clean toolstring after finish job 	Good job									
		10	9	8	7	6	5	4	3	2	

Type of Task	Tasks Performed	Assessor Comment								
6. Tools Inventory & Reporting	perform laydown tools and perform inventory checklist	Access job								
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
		10	9	8	7	6	5	4	3	2
7. Equipment Operation	[Operator to rate TSA / SA / SSA competency in operating the equipment]									
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
		10	9	8	7	6	5	4	3	2
	Power Pack		✓							
	Air Compressor			✓						
	GenSet		✓							
	Control Panel		✓							
	Test Pump			✓						
	Pressure Control Equipment		✓							
	Mast			✓						
	Weight & Measuring Devices		✓							
	Downhole Tools		✓							
	Total	0	0	0	0	0	0	0	0	0
	Comments by Operator [please specify competency gaps / area of improvement]									
EXECUTE THE WELL SERVICES OPERATION (IF ANY) (Operating Winch)										
Date / Location / Well No. / Job Type	Activity Summary	Toolstring Configuration								
- 18/3/2021 - 25/3/2021 Set KX Valve and LBQH	- set KX VALVE ASSEMBLY IN 4.562 RPV LOCKMANDLEI - set LARGE BORE GAUGE HANGER (LBQH) ON TUBING POINT OF KX VALVE ASSEMBLY	- 1-7/8" = RS + SWJ + 5'NS + 3'NS + LSS - 2-1/2" = RS + SWJ + 5'NS + 3'NS + LSS								
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
		10	9	8	7	6	5	4	3	2
	Comments by Operator [please specify competency gaps / area of improvement]									

