

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 1: To be completed by Assessor [WEIGHT: 40%]

Name	AHMAD SHAZMEER BIN MOHAMAD	COB Date	19.4.2024
Position	EQUIPMENT OPERATOR TRAINEE	RTB Date	17.5.2024
Client	PCSB	Location	DULANG
Platform	CHARLIE	Well	C-15L
Assessed By	Name: MAT NOR HISSAM		Position: COILED TURBING SUPERVISOR

RATING LEGEND:

STRONG Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent

ADEQUATE Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good

IMPROVEMENT NEEDED Performance did not consistently meet expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please ✓ where appropriate)								
---------------------	-------------------------------------	--	--	--	--	--	--	--	--

Safety Awareness (20%)

- a. Usage of Personal Protective Equipment
- b. Participation in UAUC
- c. Understanding of PTW System
- d. Worksite House Keeping

	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
	10	9	8	7	6	5	4	3	2
a. Usage of Personal Protective Equipment	/								
b. Participation in UAUC		/							
c. Understanding of PTW System		/							
d. Worksite House Keeping			/						


Work Performance (20%)

- e. Initiative and Creativity
- f. Decision Making Capability
- g. Understanding of Job Scope
- h. Tools Inventory and Reporting
- i. Work Quality
- j. Reporting
- k. Punctuality and Time Keeping
- l. Teamwork
- m. Communication
- n. Leadership Skills
- o. Adaptability to Work Environment/Surrounding
- p. Attitude
- q. Discipline

e. Initiative and Creativity			/						
f. Decision Making Capability			/						
g. Understanding of Job Scope			/						
h. Tools Inventory and Reporting									
i. Work Quality		/							
j. Reporting									
k. Punctuality and Time Keeping	/								
l. Teamwork		/							
m. Communication		/							
n. Leadership Skills			/						
o. Adaptability to Work Environment/Surrounding		/							
p. Attitude		/							
q. Discipline		/							

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

Able to operate BMX by under supervision.

Assessed By [Supervisor]	
Name	MAT NOR HISSAM B MOHAMAD HUROB.
Date	17/5/2024.

Doc Ref.No : CTS-FORM-90
 Revision No : 01
 Effective Date 21/08/2023
 (Rev.00,Dated:22/09/19-OBSOLETE)

CONTROLLED COPY

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2. To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment									
1. Pre-Job Preparation	1) Attend platform coordination meeting. 2) Meeting with WSS and all crew discuss for next planning. Safety sharing by crew. 3) Revalidate E-PTW. 4) Do EMC1 for pre-job.	Participate									
		10	9	8	7	6	5	4	3	2	
2. Surface Equipment Rig-up	1) Assist crew to skid well. 2) Assist crew to rig up pumping surface line from SP01 to coil reel and killport to combi BOP. 3) Assist crew to rig up N2 line from NCV to CT Reel. 4) Rig up 4" hose from fluid storage tank to SP01. 5) Rig up 4" hose from BMX tank to SP01. 6) Open hatch cover, rig up well head X-over, single BOP.	Good assist									
		10	9	8	7	6	5	4	3	2	
3. Tools / Equipment Preparation	1) Installing air hose from compressor to SP01, BMX01 and wilden pump. 2) Perform EMC1 on Air Compressor and Genset for pre job. 3) Function test spin cap nozzle and break BHA. 4) Break surface filter line and clean surface filter.	- Fast leaving -									
		10	9	8	7	6	5	4	3	2	
4. Equipment	4.1 Batch Mixer 1) Mix 100 TSW inside FST. 2) Spot chemical basket on maindeck. 3) Assist to mix TIW. 4) Mix GEL 300bbl into BMX tank. 5) Mix 200bbl pre flush solven. 6) Mix 40bbl main treatment 15% HCL.	Good Job									
		10	9	8	7	6	5	4	3	2	
Employee was able to OPERATE the equipment:					Under Supervision			<input checked="" type="checkbox"/>			
					Standalone			<input type="checkbox"/>			

Doc.Ref.No.: CTS-FORM-90
 Revision No.: 01
 Effective Date: 21/08/2023
 (Rev.00,Dated:22/09/19-OBSOLETE)

CONTROLLED COPY

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2 To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																		
	4.2 Pump Unit 1) Assist crew to rig up surface pumping line 2) Assist crew to change spring and rubber seal fluid end. 3) Pressure test pumping line at 5000psi for 3minutes. 4) Flushing coil with 26bbl.	- Good assist - OJT																		
Rating (By SUPERVISOR)		<table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td><td>9</td><td>8</td> <td>7</td><td>6</td><td>5</td> <td>4</td><td>3</td><td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
Employee was able to OPERATE the equipment:		<table border="1"> <tr> <td>Under Supervision</td> <td><input type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input checked="" type="checkbox"/></td> </tr> </table>	Under Supervision	<input type="checkbox"/>	Standalone	<input checked="" type="checkbox"/>														
Under Supervision	<input type="checkbox"/>																			
Standalone	<input checked="" type="checkbox"/>																			
	4.3 Nitrogen Pump unit & Nitrogen Tank 1) Assist crew to rig up 2" HP Treating line to CT Reel and include bleed off line 2) Assist crew to rig up cryogenic hose from N2 tank to inlet and outlet line on NCV.	- Good assist -																		
Rating (By SUPERVISOR)		<table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td><td>9</td><td>8</td> <td>7</td><td>6</td><td>5</td> <td>4</td><td>3</td><td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
Employee was able to OPERATE the equipment:		<table border="1"> <tr> <td>Under Supervision</td> <td><input type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input checked="" type="checkbox"/></td> </tr> </table>	Under Supervision	<input type="checkbox"/>	Standalone	<input checked="" type="checkbox"/>														
Under Supervision	<input type="checkbox"/>																			
Standalone	<input checked="" type="checkbox"/>																			
	4.4 Power Pack 1) Assist to rig up hydraulic power hose to injector head 2) Assist to rig up hose from CTU Power Pack to Control Cabin. 3) Disconnect CBOP and SBOP hose and roll into control cabin.	Good assist - OJT																		
Rating (By SUPERVISOR)		<table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td><td>9</td><td>8</td> <td>7</td><td>6</td><td>5</td> <td>4</td><td>3</td><td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
Employee was able to OPERATE the equipment:		<table border="1"> <tr> <td>Under Supervision</td> <td><input type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input checked="" type="checkbox"/></td> </tr> </table>	Under Supervision	<input type="checkbox"/>	Standalone	<input checked="" type="checkbox"/>														
Under Supervision	<input type="checkbox"/>																			
Standalone	<input checked="" type="checkbox"/>																			
	4.5 Control Cabin 1) Assist crew to rig up hydraulic hose and connected to CT Reel, Injector Head and BOP.	Fast learning.																		
Rating (By SUPERVISOR)		<table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td><td>9</td><td>8</td> <td>7</td><td>6</td><td>5</td> <td>4</td><td>3</td><td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
Employee was able to OPERATE the equipment:		<table border="1"> <tr> <td>Under Supervision</td> <td><input type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input checked="" type="checkbox"/></td> </tr> </table>	Under Supervision	<input type="checkbox"/>	Standalone	<input checked="" type="checkbox"/>														
Under Supervision	<input type="checkbox"/>																			
Standalone	<input checked="" type="checkbox"/>																			

Doc Ref No. CTS-FGRM-90
 Revision No.: 01
 Effective Date: 21/08/2023
 (Rev 00, Dated 22/09/19-OBSOLETE)

CONTROLLED COPY

3

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK PART 2 To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																		
	4.6 CT Reel 1) Assist crew install CT Drum into CIDF. 2) Assist crew to connect all hydraulic hose from control cabin. 3) Mixing corroded inhibitor with diesel and pour into the tank of CIDF. 4) Spray CI at coil to avoid from rusty.	- always alert the start situation.																		
Rating (by SUPERVISOR) <table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td><td>9</td><td>8</td> <td>7</td><td>6</td><td>5</td> <td>4</td><td>3</td><td>2</td> </tr> </table>		STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
Employee was able to OPERATE the equipment:		<table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input type="checkbox"/></td> </tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input type="checkbox"/>														
Under Supervision	<input checked="" type="checkbox"/>																			
Standalone	<input type="checkbox"/>																			
	4.7 Injector Head 1) Assist to stap in CT Injector Head	- Good assist.																		
Rating (by SUPERVISOR) <table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td><td>9</td><td>8</td> <td>7</td><td>6</td><td>5</td> <td>4</td><td>3</td><td>2</td> </tr> </table>		STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
Employee was able to OPERATE the equipment:		<table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input type="checkbox"/></td> </tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input type="checkbox"/>														
Under Supervision	<input checked="" type="checkbox"/>																			
Standalone	<input type="checkbox"/>																			
	4.8 Pressure Control Equipment 1) Assist to connect hydraulic hose from Control Cabin to SBOP and Combi.																			
Rating (by SUPERVISOR) <table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td><td>9</td><td>8</td> <td>7</td><td>6</td><td>5</td> <td>4</td><td>3</td><td>2</td> </tr> </table>		STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
Employee was able to OPERATE the equipment:		<table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input type="checkbox"/></td> </tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input type="checkbox"/>														
Under Supervision	<input checked="" type="checkbox"/>																			
Standalone	<input type="checkbox"/>																			
	4.9 Basic BHA Components 1) Assist crew make up connector and BHA. 2) Assist crew pull test and pressure test CT connector. 3) Assist CT Supervisor to prepare BHA to be use during job.	OJT																		
Rating (by SUPERVISOR) <table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td><td>9</td><td>8</td> <td>7</td><td>6</td><td>5</td> <td>4</td><td>3</td><td>2</td> </tr> </table>		STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
Employee was able to OPERATE the tool:		<table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input type="checkbox"/></td> </tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input type="checkbox"/>														
Under Supervision	<input checked="" type="checkbox"/>																			
Standalone	<input type="checkbox"/>																			

Doc Ref No : CTS-FORM-90
 Revision No.: 01
 Effective Date: 21/08/2023
 (Rev 00, Dated 22/09/15-OBSOLETE)

CONTROLLED COPY

4

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]


Type of Task	Tasks Performed	Assessor Comment								
5. Job Supervision (if applicable) Please complete this section if you perform any supervisory role during operation										
		STRONG			ADEQUATE			IMPROVEMENT NEEDED		
	Rating (by SUPERVISOR)	10	9	8	7	6	5	4	3	2
	Please <input checked="" type="checkbox"/> accordingly to confirm the role of the employee during operation	Full Supervisor								
		2nd / Night Supervisor								

Doc Ref No.: CTS FORM-90
 Revision No.: 01
 Effective Date: 21/08/2023
 (Rev.00, Dated: 22/09/19-OBSOLETE)

CONTROLLED COPY

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK PART 3 - To be completed by Employee and Assessor

DATE	Assignment/Summary Job/Duration	Supervisor's Feedback <small>(Please indicate if employee is able to execute the job <u>UNDER SUPERVISION</u> or <u>STANDALONE</u>)</small>
19 APR 2024 to 17 MAY 2024	DULANG CHARLIE C-15L : SAND CLEANOUT & NITROGEN UNLOADING - Assist crew to make up CT connector and perform pull test. - Assist crew rig up flowback line from flow tee to choke manifold. - Assist crew to prepared 50bbbls D801 Cleanout Gel and Drag Reducer (IMLUBE) 15gal. - Assist to mix TIW on fluid storage tank. - Assist chemical on preparation of Pickling Acid.	- know the task given - - Good learning. over accept 

Please tick (✓) category of services performed:

Standard Services:	Wellbore Cleanout <input type="checkbox"/>	Advanced Services	CT Fishing <input type="checkbox"/>
	CT Cementing <input type="checkbox"/>		CT Milling <input type="checkbox"/>
	Nitrogen Operations <input checked="" type="checkbox"/>		CT Logging <input type="checkbox"/>
	Pumping Services <input type="checkbox"/>		CT Perforation <input type="checkbox"/>

Doc Ref.No.: CTS-FORM-90
 Revision No.: 01
 Effective Date: 21/08/2023
 (Rev.00,Dated.22/09/19-OBSOLETE)

CONTROLLED COPY