

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 1: To be completed by Assessor [WEIGHT: 40%]

Name	SHAHRIL IZHAM BIN ALIAS	COB Date	20/11/2024 2/9/2024
Position	EQUIPMENT OPERATOR TRAINEE	RTB Date	1/10/2024
Client	PCSB	Location	DULANG
Platform	DULANG ALPHA	Well	A-12
Assessed By	Name: <i>Mat Nor Hissam</i>	Position:	<i>OTU Supv</i>

RATING LEGEND:

STRONG	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent
ADEQUATE	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good
IMPROVEMENT NEEDED	Performance did not consistently meet expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please ✓ where appropriate)								
	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
	10	9	8	7	6	5	4	3	2

Safety Awareness (20%)

- a. Usage of Personal Protective Equipment
- b. Participation in UAUC
- c. Understanding of PTW System
- d. Worksite House Keeping

✓									
	✓								
	✓								
		✓							

Work Performance (20%)

- e. Initiative and Creativity
- f. Decision Making Capability
- g. Understanding of Job Scope
- h. Tools Inventory and Reporting
- i. Work Quality
- j. Reporting
- k. Punctuality and Time Keeping
- l. Teamwork
- m. Communication
- n. Leadership Skills
- o. Adaptability to Work Environment/Surrounding
- p. Attitude
- q. Discipline

		✓							
		✓							
		✓							
		✓							
		✓							
		✓							
		✓							
		✓							
		✓							
✓									

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

- Demonstrate good team work -
 - Assign as a PTW applicant during working period -

Assessed By [Supervisor]	<i>[Signature]</i>
Name	<i>MAT NOR HISSAM & MOHAMMAD HUROB</i>
Date	<i>30/9/2024</i>

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2 To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																		
1. Pre-Job Preparation	1. Attend pre-job meeting before mob 2. Prepare e-ptw 3. Attend toolbox meeting conduct by wss and all intervention crew on board	Participate.																		
Rating (by SUPERVISOR) <table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td><td>9</td><td>8</td> <td>7</td><td>6</td><td>5</td> <td>4</td><td>3</td><td>2</td> </tr> </table>		STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
2. Surface Equipment Rig-up	1. Assist crew for heavy lifting to spot the equipment according to space availability 2. Assist crew to spot jacking frame at available space with sufficient height and crane capacity to rig-up the injector head and gooseneck. 3. Assist crew to rig-up 4" LP hoses from fst to batch mixer and single pump unit	- Good assist - Fast response and know the situation.																		
Rating (by SUPERVISOR) <table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td><td>9</td><td>8</td> <td>7</td><td>6</td><td>5</td> <td>4</td><td>3</td><td>2</td> </tr> </table>		STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
3. Tools / Equipment Preparation	1. Perform emc1 on all equipment 2. Connect air hose from air compressor to all equipment 3. Top up diesel to all equipment everyday before start operation	- Good job.																		
Rating (by Operator) <table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td><td>9</td><td>8</td> <td>7</td><td>6</td><td>5</td> <td>4</td><td>3</td><td>2</td> </tr> </table>		STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
4. Equipment	4.1 Batch Mixer 1. Connect hydraulic hose from batch mixer power pack to batch mixer tank 2. Rearrange chemicals and put some on the tank batch mixer. 3. Rig-up 4" LP hose from batch mixer to single pump 4. Perform mixing acid 15% for 10 barrels under supervision.	- OJT																		
Rating (by SUPERVISOR) <table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td><td>9</td><td>8</td> <td>7</td><td>6</td><td>5</td> <td>4</td><td>3</td><td>2</td> </tr> </table>		STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
Employee was able to OPERATE the equipment:		<table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input type="checkbox"/></td> </tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input type="checkbox"/>														
Under Supervision	<input checked="" type="checkbox"/>																			
Standalone	<input type="checkbox"/>																			

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																											
4.2 Pump Unit	1. Assist pump operator to rig-up single pump 2. Assist pump operator to connect hydraulic hose 3. Assist pump operator to install universal shaft 4. Assist pump operator to rig-up 2" kill line from single pump unit line to BOP kill port	- Good assist																											
Rating (by SUPERVISOR) <table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th><th>9</th><th>8</th> <th>7</th><th>6</th><th>5</th> <th>4</th><th>3</th><th>2</th> </tr> </thead> <tbody> <tr> <td></td><td></td><td></td> <td>7</td><td>6</td><td>5</td> <td>4</td><td>3</td><td>2</td> </tr> </tbody> </table>		STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2				7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED																							
10	9	8	7	6	5	4	3	2																					
			7	6	5	4	3	2																					
Employee was able to OPERATE the equipment:		<table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input type="checkbox"/></td> </tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input type="checkbox"/>																							
Under Supervision	<input checked="" type="checkbox"/>																												
Standalone	<input type="checkbox"/>																												
4.3 Nitrogen Pump unit & Nitrogen Tank	1. Assist N2 operator to rig-up cryogenic hose from nitrogen tank to nvc 2. Assist N2 operator to rig-up bleed off line. 3. Assist N2 operator during rapid cooldown. 4. Assist N2 operator for on the fly during pumping nitrogen and always monitor pressure on nitrogen tank below 4 bar.	- Good assist																											
Rating (by SUPERVISOR) <table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th><th>9</th><th>8</th> <th>7</th><th>6</th><th>5</th> <th>4</th><th>3</th><th>2</th> </tr> </thead> <tbody> <tr> <td></td><td></td><td></td> <td>7</td><td>6</td><td>5</td> <td>4</td><td>3</td><td>2</td> </tr> </tbody> </table>		STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2				7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED																							
10	9	8	7	6	5	4	3	2																					
			7	6	5	4	3	2																					
Employee was able to OPERATE the equipment:		<table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input type="checkbox"/></td> </tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input type="checkbox"/>																							
Under Supervision	<input checked="" type="checkbox"/>																												
Standalone	<input type="checkbox"/>																												
4.4 Power Pack	1. Assist crew to connect hydraulic hose from power pack to cabin 2. Assist crew to connect hydraulic hoses to CT injector hose reel.	- Good assist																											
Rating (by SUPERVISOR) <table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th><th>9</th><th>8</th> <th>7</th><th>6</th><th>5</th> <th>4</th><th>3</th><th>2</th> </tr> </thead> <tbody> <tr> <td></td><td></td><td></td> <td>7</td><td>6</td><td>5</td> <td>4</td><td>3</td><td>2</td> </tr> </tbody> </table>		STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2				7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED																							
10	9	8	7	6	5	4	3	2																					
			7	6	5	4	3	2																					
Employee was able to OPERATE the equipment:		<table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input type="checkbox"/></td> </tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input type="checkbox"/>																							
Under Supervision	<input checked="" type="checkbox"/>																												
Standalone	<input type="checkbox"/>																												
4.5 Control Cabin	1. Assist crew to jack up control cabin 2. Assist crew to secure control cabin after jack up 3. Assist crew to rig-up hydraulic hose from control cabin to jacking frame	- Good assist																											
Rating (by SUPERVISOR) <table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th><th>9</th><th>8</th> <th>7</th><th>6</th><th>5</th> <th>4</th><th>3</th><th>2</th> </tr> </thead> <tbody> <tr> <td></td><td></td><td></td> <td>7</td><td>6</td><td>5</td> <td>4</td><td>3</td><td>2</td> </tr> </tbody> </table>		STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2				7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED																							
10	9	8	7	6	5	4	3	2																					
			7	6	5	4	3	2																					
Employee was able to OPERATE the equipment:		<table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input type="checkbox"/></td> </tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input type="checkbox"/>																							
Under Supervision	<input checked="" type="checkbox"/>																												
Standalone	<input type="checkbox"/>																												

MEMORANDUM BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																												
4.6 CT Reel	1. Assist crew to connect hydraulic hose from control cabin to ct reel. 2. Assit crew to rig-up treating iron in ct reel. 3. Pefrome greasing to all treating iron in ct reel.	- Good assist -																												
			Rating (by SUPERVISOR) <table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th><th>9</th><th>8</th> <th>7</th><th>6</th><th>5</th> <th>4</th><th>3</th><th>2</th> </tr> </thead> <tbody> <tr> <td></td><td></td><td></td> <td></td><td></td><td>5</td> <td></td><td></td><td></td> </tr> </tbody> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2						5			
			STRONG			ADEQUATE			IMPROVEMENT NEEDED																					
			10	9	8	7	6	5	4	3	2																			
					5																									
Employee was able to OPERATE the equipment: <table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input type="checkbox"/></td> </tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input type="checkbox"/>																										
Under Supervision	<input checked="" type="checkbox"/>																													
Standalone	<input type="checkbox"/>																													
4.7 Injector Head	1. Assist crew to spot injector head assembly with jacking frame on top of wellhead area. 2. Assist crew to install the stab-in guide on the CT then stab the string into injector head. 3. Assist crew to connect hydraulic hose from control cabin	- Good assist. - demonstrate safety first during job.																												
			Rating (by SUPERVISOR) <table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th><th>9</th><th>8</th> <th>7</th><th>6</th><th>5</th> <th>4</th><th>3</th><th>2</th> </tr> </thead> <tbody> <tr> <td></td><td></td><td></td> <td></td><td>6</td><td>5</td> <td></td><td></td><td></td> </tr> </tbody> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2					6	5			
			STRONG			ADEQUATE			IMPROVEMENT NEEDED																					
			10	9	8	7	6	5	4	3	2																			
				6	5																									
Employee was able to OPERATE the equipment: <table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input type="checkbox"/></td> </tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input type="checkbox"/>																										
Under Supervision	<input checked="" type="checkbox"/>																													
Standalone	<input type="checkbox"/>																													
4.8 Pressure Control Equipment	1. Assist crew to rig-up single BOP with necessary lenght of riser on top of the wellhead is correct 2. Assist crew to hook up BOP hoses. 3. Assist crew to function test BOP rams and observe indicator pin to confirm that all rams are in good working condition.	- Good assist - OJT																												
			Rating (by SUPERVISOR) <table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th><th>9</th><th>8</th> <th>7</th><th>6</th><th>5</th> <th>4</th><th>3</th><th>2</th> </tr> </thead> <tbody> <tr> <td></td><td></td><td></td> <td></td><td></td><td></td> <td>4</td><td></td><td></td> </tr> </tbody> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2							4		
			STRONG			ADEQUATE			IMPROVEMENT NEEDED																					
			10	9	8	7	6	5	4	3	2																			
						4																								
Employee was able to OPERATE the equipment: <table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input type="checkbox"/></td> </tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input type="checkbox"/>																										
Under Supervision	<input checked="" type="checkbox"/>																													
Standalone	<input type="checkbox"/>																													
4.9 Basic BHA Components	1. Assist crew top make up the BHA into the string as per BHA diagram provide. 2. Assist crew to redress bha after operation so that it can be use later																													
			Rating (by SUPERVISOR) <table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th><th>9</th><th>8</th> <th>7</th><th>6</th><th>5</th> <th>4</th><th>3</th><th>2</th> </tr> </thead> <tbody> <tr> <td></td><td></td><td></td> <td></td><td></td><td></td> <td>4</td><td></td><td></td> </tr> </tbody> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2							4		
			STRONG			ADEQUATE			IMPROVEMENT NEEDED																					
			10	9	8	7	6	5	4	3	2																			
						4																								
Employee was able to OPERATE the tools: <table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input type="checkbox"/></td> </tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input type="checkbox"/>																										
Under Supervision	<input checked="" type="checkbox"/>																													
Standalone	<input type="checkbox"/>																													

DIMENSION BID

ME1

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment								
S. Job Supervision (if applicable) Please complete this section if you perform any supervisory role during operation										
	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
		10	9	8	7	6	5	4	3	2
	Please ✓ accordingly to confirm the role of the employee during operation				Full Supervisor					
					2nd / Night Supervisor					

