

# DIMENSION BID

## SLICKLINE ASSISTANT PERFORMANCE ASSESSMENT FEEDBACK

(PART 1: To be completed by Assessor)

Name	Christopher Mathew	COB Date	29.07.2024
Position	Senior Slickline Assistant I	RTB Date	18.08.2024
Client	PCSB	Location	TKJT-E
Platform	Tukau	Well	TK-40, TK-42
Assessed By	Name: Ammirol Bin Ahmad Mahmud		Position: Slickline Operator


### RATING LEGEND:

<b>STRONG</b>	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent
<b>ADEQUATE</b>	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good
<b>IMPROVEMENT NEEDED</b>	Performance did not consistently meet expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please ✓ where appropriate)								
	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
	10	9	8	7	6	5	4	3	2
<b>Safety Awareness (20%)</b>									
a. Usage of Personal Protective Equipment	✓								
b. Participation in ACT	✓								
c. Understanding of PTW System	✓								
d. Worksite House Keeping		✓							
<b>Work Performance (20%)</b>									
e. Initiative and Creativity		✓							
f. Decision Making Capability		✓							
g. Understanding of Job Scope	✓								
h. Tools Inventory and Reporting	✓								
i. Work Quality	✓								
j. Reporting		✓							
k. Punctuality and Time Keeping	✓								
l. Teamwork	✓								
m. Communication		✓							
n. Leadership Skills		✓							
o. Adaptability to Work Environment/Surrounding	✓								
p. Attitude	✓								
q. Discipline	✓								

### REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

\* understand job scope and able to perform task in safe manner  
 → Able to Apply and understand how PTW work  
 \* Good attitude during working period and able to guide his fellow assistant working with safe manner  
 → They worker should be promoted to next position once his agreement finish.

Assessed By [Operator]	
Name	Ammirol Bin Ahmad Mahmud
Date	18.08.2024

# DIMENSION BID

## SLICKLINE ASSISTANT PERFORMANCE ASSESSMENT FEEDBACK

(PART 2: To be completed by Employee and Assessor)

Type of Task	Tasks Performed	Assessor Comment									
1. Pre-Job Preparation	Morning briefing by Supervisor on site and Operator. Talk about safety and Job plan as per program to ensure all crew aware about hazard on worksite. Using full PPE during working (Safety Helmet, Safety Glasses, Hand Gloves, Safety Boots). Performed safety talk sharing on morning meeting and Hazard Hunt.										
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	8	7	6	5	4	3	2	
2. Surface Equipment Rig-up	Reposition Equipment (Power Pack, Reel Skid Unit, Lubricator Skid, BOP skid, SWCP, Wireline Mast) . Make up PCE on surface. PCE configuration. X-Over (BOWEN 4.75"-4 Pin 3.75" Standard) x 5"-4 OTISBox) + 3"x 4ft Lubricator + 3" Dual Ram BOP + 3" Quick Test Sub + 8ft x 4 Lubricator + 3" Stuffing Box.										
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	8	7	6	5	4	3	2	
3. Tools / Equipment Preparation	Prepare tool strings. 1.7/8" Rope Socket, 1.7/8" Swivel Joint, 1.7/8" x 5ft Roller Stem, 1.7/8" Knuckle Joint, 1.3/4" Hydraulic Jar, 1.7/8" Link Jar. Perforation Tool String. 1.7/8" Rope Socket, 1.7/8" Swivel Joint, 1.7/8" x 5ft Normal Stem, 1.7/8" Knuckle Jar. Prepared Tools To Set Sand Screen. 3" X-Running Tool. Prepared Tools For GLVC. 1.7/8" Rope Socket, 1.7/8" Swivel Joint, 1.7/8" x 5ft Normal Stem, 1.7/8" Knuckle Joint, 1.3/4" Hydraulic Jar, 1.7/8" Link Jar. 3" X-Running Tool To Set Tool Catcher, 3" KOT c/w JK-1, 1.1/4" JDC (To latch Bottom Latch GLV)										
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	8	7	6	5	4	3	2	
4. Equipment Problem Troubleshooting <i>[Please state type of equipment and describe troubleshooting job performed]</i>											
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	8	7	6	5	4	3	2	
5. Downhole Tools Servicing/Redressing/Maintenance	Preparing tools as per program, 2.735" Drift, 3" X-Running Tool to set Sand Screen. 3" Kick Over Tool c/w JK-1, 1.1/4" JDC (Long Core) to retrieved Bottom Latch GLV, 3" X-Running Tool to set Tool Catcher. To check and function test tools on surface before proceed RIH. Check tools once it was on surface, Check on pin and the connection. Preventive maintenance tools onsite after POOH to keep tools maintain and function well for next operation. To check all tool connection and pin before proceed RIH.										
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	8	7	6	5	4	3	2	

Type of Task	Tasks Performed	Assessor Comment								
6. Tools Inventory & Reporting	Performed tools inventory based on inventory list									
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
		10	9	8	7	6	5	4	3	2
7. Equipment Operation	[Operator to rate TSA / SA / SSA competency in operating the equipment]									
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
		10	9	8	7	6	5	4	3	2
	Power Pack		✓							
	Air Compressor									
	GenSet									
	Control Panel	✓								
	Test Pump									
	Pressure Control Equipment	✓								
	Mast	✓								
Weight & Measuring Devices		✓								
Downhole Tools	✓									
Total		0	0	0	0	0	0	0	0	0
Comments by Operator [please specify competency gaps / area of improvement]										
<b>EXECUTE THE WELL SERVICES OPERATION (IF ANY)</b> (Operating Winch)										
Date / Location / Well No. / Job Type	Activity Summary	Toolstring Configuration								
		STRONG			ADEQUATE			IMPROVEMENT NEEDED		
		10	9	8	7	6	5	4	3	2
Comments by Operator [please specify competency gaps / area of improvement]										

