



DIMENSION BID



Equipment Maintenance Checklist 1		PRE JOB	LOCATION	ON JOB	LOCATION	POST JOB	LOCATION
		✓	Kesak				
Equipment type : CTU Control Cabin		Location Mob/Demob : Kesak					
Equipment number : CT4/CC/01		Date : 23/11/23					
Y	N	Checklist					
Appearance & Safety Equipment:							
✓		Ensure unit is clean					
✓		Skid condition - visually check for any damage					
✓		Fire extinguisher is present and certified					
Cabin - General:							
✓		Inspect hoses for excessive wear					
✓		Check all attaching hardware for tightness					
✓		Check under panels for sign of leaking hoses					
✓		Check hoses for signs of weeping					
✓		Inspect cabling and fittings for excessive wear/damage					
✓		Check horn operation					
✓		Check internal and external lighting is operational					
✓		Lighting system all in working condition					
✓		Windscreen in good condition (No crack or damage)					
✓		Air conditioner working in good condition					
✓		Frame locking pins					
✓		Clean Cabin Interior					
✓		Secure all drain plug					
✓		Roof in good condition					
✓		Electronics & electrical system in good condition					
✓		Computers and monitor in working condition/secured					
NA		Condition/Operation of rain cap					
NA		Condition of exhaust wrap					
Controls:							
✓		Function test emergency kill					
✓		Function test engine shut-down					
✓		Manual stripper control in working condition					
✓		Manual BOP control in working condition					
✓		Chain tension and traction in working condition					
✓		Injector chains lube valve in working condition					
✓		Injector Head in working condition					
✓		Levelwind override clutch and raise/lower condition					
✓		Reel drive in working condition					
✓		Reel brake in working condition					
Please state the equipment readiness							
Ready							
- Unit is ready to perform job				- Need to install additional power supply inside Cabin.			
Maintenance type done. (Please state if any spare used)							
Preventive Maintenance				Corrective Maintenance			
- Install Stawlink Internet Inside Cabin.							
NAME	POSITION	EXAMINER SIGNATURE	VERIFIED BY				
Fairiz		EO					

Doc.Ref.No.: CTS-FORM-16
 Rev. No.: 01
 Effective Date: 01/02/2022
 (Rev.00 Dated 01/11/16-CRSC/FTF)



CONTROLLED COPY

1

DIMENSION BID

Equipment Maintenance Checklist 1		PRE JOB	LOCATION	ON JOB	LOCATION	POST JOB	LOCATION
		<input checked="" type="checkbox"/>	Reak				
Equipment type : Dual Combi BOP				Location Mob/Demob : Reak			
Equipment number : C14/BOP/01				Date : 23/11/23			
Y	N	Checklist		Y	N	Checklist	
Appearance & Safety Equipment:				Certifications:			
<input checked="" type="checkbox"/>		Ensure unit is clean				Sling condition/ Due on _____	
<input checked="" type="checkbox"/>		Visually check for any damage				MPI due _____	
<input checked="" type="checkbox"/>		Guard and shield in place				Visual Test due _____	
Rams & Body:							
<input checked="" type="checkbox"/>		Check for any damage. Thoroughly clean the unit.					
<input checked="" type="checkbox"/>		Inspect all blades condition					
<input checked="" type="checkbox"/>		Equalizing valve - inspect and clean					
<input checked="" type="checkbox"/>		Check all seals condition					
<input checked="" type="checkbox"/>		Visual check of bottom O- ring / back-up					
<input checked="" type="checkbox"/>		Visual check of bottom ring gasket BX155					
Hydraulics & BOP Functions:							
<input checked="" type="checkbox"/>		Check hydraulic hoses and connectors condition					
<input checked="" type="checkbox"/>		Check condition of hose canvas					
<input checked="" type="checkbox"/>		Manual lock - grease and function test					
<input checked="" type="checkbox"/>		Ram functions - cycle all rams (open & close)					
<input checked="" type="checkbox"/>		Indicators/ pins - ensure full movement					
<input checked="" type="checkbox"/>		Ram equalizing valve - function test					
Pressure Test:							
<input checked="" type="checkbox"/>		Pipe/Slip to 5000psi for 10 min					
<input checked="" type="checkbox"/>		Blind/Shear ram to 5000 psi for 10 min					
<input checked="" type="checkbox"/>		Body to 5000 psi for 10 min					
X-Overs:							
<input checked="" type="checkbox"/>		BX155 Flange x CB44 Pin - Valid on certification					
<input checked="" type="checkbox"/>		BX155 Flange x CB44 Box - Valid on certification					
Connections:							
<input checked="" type="checkbox"/>		Studs, bolts and nuts for flanges - clean and check condition					
<input checked="" type="checkbox"/>		2 1/16" to Fig1502 thread installed and pressure tested					
<input checked="" type="checkbox"/>		Lifting cap installed - Clean and grease					
<input checked="" type="checkbox"/>		Grease CB44 Pin & box connection					
<input checked="" type="checkbox"/>		Thread / Flanges protectors - installed					
Please state the equipment readiness							
Ready				Not Ready			
- Unit is ready to perform job							
Maintenance type done. (Please state if any spare used)							
Preventive Maintenance				Corrective Maintenance			
NAME		POSITION		EXAMINER SIGNATURE		VERIFIED BY	
Fairz		EO					

DIMENSION BID

Equipment Maintenance Checklist 1		PRE JOB <input checked="" type="checkbox"/>	LOCATION Resak	ON JOB <input type="checkbox"/>	LOCATION	POST JOB <input type="checkbox"/>	LOCATION
Equipment type : Single BOP Shear/Seal		Location Mob/Demob : Resak		Date : 23/11/23			
Equipment number : CTU/SBOP/01							
Y	N	Checklist					
Appearance & Safety Equipment:							
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Ensure unit is clean					
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Visually check for any damage					
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Guard and shield in place					
Rams & Body:							
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Check for any damage. Thoroughly clean the unit.					
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Inspect all blades condition					
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Equalizing valve - inspect and clean					
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Check all seals condition					
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Visual check of bottom O- ring / back-up					
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Visual check of bottom ring gasket BX155					
Hydraulics & BOP Functions:							
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Check hydraulic hoses and connectors condition					
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Check condition of hose canvas					
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Manual lock - grease and function test					
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Ram functions - cycle all rams (open & close)					
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Indicators/ pins - ensure full movement					
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Ram equalizing valve - function test					
Pressure Test:							
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Blind/Shear ram to 5000psi for 10 min					
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Body to 5000psi for 10 min					
X-Overs:							
<input checked="" type="checkbox"/>	<input type="checkbox"/>	BX155 Flange x CB44 Pin - Valid on certification					
<input checked="" type="checkbox"/>	<input type="checkbox"/>	BX155 Flange x CB44 Box - Valid on certification					
Connections:							
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Studs, bolts and nuts for flanges - clean and check condition					
<input checked="" type="checkbox"/>	<input type="checkbox"/>	2 1/16" to Fig1502 thread installed and pressure tested					
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Lifting cap installed - Clean and grease					
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Grease CB44 Pin & box connection					
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Thread / Flanges protectors - installed					
Please state the equipment readiness							
Ready				Not Ready			
- Unit is ready to perform job							
Maintenance type done. (Please state if any spare used)							
Preventive Maintenance				Corrective Maintenance			
NAME Fadz	POSITION EO	EXAMINER SIGNATURE 		VERIFIED BY 			

Doc. Ref. No.: CTS-FORM-19
 Rev. No.: 01
 Effective Date: 01/02/2022
 (Rev.00, Dated: 01/11/16-OBSOLETE)

CONTROLLED COPY

DIMENSION BID

Equipment Maintenance Checklist 1		PRE JOB	LOCATION	ON JOB	LOCATION	POST JOB	LOCATION																																																																																																																																							
		✓	Resak																																																																																																																																											
Equipment type : CTU Injector Head HR680		Running Feet : <u>1100</u> 1200																																																																																																																																												
Location Mob/Demob : <u>Resak</u>		Date : <u>23/11/22</u>																																																																																																																																												
Equipment number : <u>CTU/1H/01</u>																																																																																																																																														
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Y</th> <th>N</th> <th>Checklist</th> </tr> </thead> <tbody> <tr> <td colspan="3">Appearance & Safety Equipment:</td> </tr> <tr> <td>✓</td> <td></td> <td>Ensure unit is clean</td> </tr> <tr> <td>✓</td> <td></td> <td>Skid condition - visually check for any damage</td> </tr> <tr> <td>✓</td> <td></td> <td>Walkway/Ladders - check for any damage</td> </tr> <tr> <td colspan="3">Lubrication:</td> </tr> <tr> <td>✓</td> <td></td> <td>Chain lube oil tank level</td> </tr> <tr> <td>✓</td> <td></td> <td>Grease at all grease point</td> </tr> <tr> <td colspan="3">Hydraulic System:</td> </tr> <tr> <td>✓</td> <td></td> <td>Check all hydraulic Hoses for damage, leaks or wear</td> </tr> <tr> <td>✓</td> <td></td> <td>Fitting & coupling condition</td> </tr> <tr> <td>✓</td> <td></td> <td>Check accumulators for correct precharge:</td> </tr> <tr> <td>✓</td> <td></td> <td>Upper Traction <u>500</u> psi</td> </tr> <tr> <td>✓</td> <td></td> <td>Middle Traction <u>500</u> psi</td> </tr> <tr> <td>✓</td> <td></td> <td>Lower Traction <u>500</u> psi</td> </tr> <tr> <td>✓</td> <td></td> <td>Outside Tension <u>500</u> psi</td> </tr> <tr> <td colspan="3">Chains:</td> </tr> <tr> <td>✓</td> <td></td> <td>Chains in clean condition</td> </tr> <tr> <td>✓</td> <td></td> <td>Check chain, rollers, bearings, pins & gripper blocks condition</td> </tr> <tr> <td>✓</td> <td></td> <td>Check chain alignment</td> </tr> <tr> <td>✓</td> <td></td> <td>Check for unusual noise when running</td> </tr> <tr> <td colspan="3">Chain Tensioner System:</td> </tr> <tr> <td>✓</td> <td></td> <td>Check all sprockets for wear and damage</td> </tr> <tr> <td>✓</td> <td></td> <td>Grease all bearings - drive and idler sprocket</td> </tr> <tr> <td>✓</td> <td></td> <td>Check cylinders for wear and damage</td> </tr> <tr> <td colspan="3">Drive Motor & Gear Box:</td> </tr> <tr> <td>✓</td> <td></td> <td>Check gearbox lubricant level</td> </tr> <tr> <td>✓</td> <td></td> <td>Function test drive and brake system</td> </tr> <tr> <td>✓</td> <td></td> <td>Check for any leak or damage</td> </tr> <tr> <td colspan="3">Gooseneck:</td> </tr> <tr> <td>✓</td> <td></td> <td>Check gooseneck alignment (prior to stab in)</td> </tr> <tr> <td>✓</td> <td></td> <td>Check gooseneck rollers for damages</td> </tr> <tr> <td>✓</td> <td></td> <td>Check linkages, pins, locking, covers and supports condition</td> </tr> </tbody> </table>		Y	N	Checklist	Appearance & Safety Equipment:			✓		Ensure unit is clean	✓		Skid condition - visually check for any damage	✓		Walkway/Ladders - check for any damage	Lubrication:			✓		Chain lube oil tank level	✓		Grease at all grease point	Hydraulic System:			✓		Check all hydraulic Hoses for damage, leaks or wear	✓		Fitting & coupling condition	✓		Check accumulators for correct precharge:	✓		Upper Traction <u>500</u> psi	✓		Middle Traction <u>500</u> psi	✓		Lower Traction <u>500</u> psi	✓		Outside Tension <u>500</u> psi	Chains:			✓		Chains in clean condition	✓		Check chain, rollers, bearings, pins & gripper blocks condition	✓		Check chain alignment	✓		Check for unusual noise when running	Chain Tensioner System:			✓		Check all sprockets for wear and damage	✓		Grease all bearings - drive and idler sprocket	✓		Check cylinders for wear and damage	Drive Motor & Gear Box:			✓		Check gearbox lubricant level	✓		Function test drive and brake system	✓		Check for any leak or damage	Gooseneck:			✓		Check gooseneck alignment (prior to stab in)	✓		Check gooseneck rollers for damages	✓		Check linkages, pins, locking, covers and supports condition	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Y</th> <th>N</th> <th>Checklist</th> </tr> </thead> <tbody> <tr> <td colspan="3">Recording & Monitoring Devices:</td> </tr> <tr> <td>✓</td> <td></td> <td>Check operation & condition of friction wheel</td> </tr> <tr> <td>✓</td> <td></td> <td>Electronics - check cables/connectors condition</td> </tr> <tr> <td>✓</td> <td></td> <td>Depth counter - check alignment and condition</td> </tr> <tr> <td>✓</td> <td></td> <td>Depth encoder - check condition and function test</td> </tr> <tr> <td>✓</td> <td></td> <td>Wellhead pressure transducer - check condition</td> </tr> <tr> <td>NA</td> <td></td> <td>Secure Load Cell - weight off load cell</td> </tr> <tr> <td colspan="3">Certifications:</td> </tr> <tr> <td>✓</td> <td></td> <td>Sling condition/ Due on <u>2/24</u></td> </tr> <tr> <td>✓</td> <td></td> <td>MPI due <u>11/25</u></td> </tr> <tr> <td>✓</td> <td></td> <td>Visual Test due <u>2/24</u></td> </tr> </tbody> </table>						Y	N	Checklist	Recording & Monitoring Devices:			✓		Check operation & condition of friction wheel	✓		Electronics - check cables/connectors condition	✓		Depth counter - check alignment and condition	✓		Depth encoder - check condition and function test	✓		Wellhead pressure transducer - check condition	NA		Secure Load Cell - weight off load cell	Certifications:			✓		Sling condition/ Due on <u>2/24</u>	✓		MPI due <u>11/25</u>	✓		Visual Test due <u>2/24</u>
Y	N	Checklist																																																																																																																																												
Appearance & Safety Equipment:																																																																																																																																														
✓		Ensure unit is clean																																																																																																																																												
✓		Skid condition - visually check for any damage																																																																																																																																												
✓		Walkway/Ladders - check for any damage																																																																																																																																												
Lubrication:																																																																																																																																														
✓		Chain lube oil tank level																																																																																																																																												
✓		Grease at all grease point																																																																																																																																												
Hydraulic System:																																																																																																																																														
✓		Check all hydraulic Hoses for damage, leaks or wear																																																																																																																																												
✓		Fitting & coupling condition																																																																																																																																												
✓		Check accumulators for correct precharge:																																																																																																																																												
✓		Upper Traction <u>500</u> psi																																																																																																																																												
✓		Middle Traction <u>500</u> psi																																																																																																																																												
✓		Lower Traction <u>500</u> psi																																																																																																																																												
✓		Outside Tension <u>500</u> psi																																																																																																																																												
Chains:																																																																																																																																														
✓		Chains in clean condition																																																																																																																																												
✓		Check chain, rollers, bearings, pins & gripper blocks condition																																																																																																																																												
✓		Check chain alignment																																																																																																																																												
✓		Check for unusual noise when running																																																																																																																																												
Chain Tensioner System:																																																																																																																																														
✓		Check all sprockets for wear and damage																																																																																																																																												
✓		Grease all bearings - drive and idler sprocket																																																																																																																																												
✓		Check cylinders for wear and damage																																																																																																																																												
Drive Motor & Gear Box:																																																																																																																																														
✓		Check gearbox lubricant level																																																																																																																																												
✓		Function test drive and brake system																																																																																																																																												
✓		Check for any leak or damage																																																																																																																																												
Gooseneck:																																																																																																																																														
✓		Check gooseneck alignment (prior to stab in)																																																																																																																																												
✓		Check gooseneck rollers for damages																																																																																																																																												
✓		Check linkages, pins, locking, covers and supports condition																																																																																																																																												
Y	N	Checklist																																																																																																																																												
Recording & Monitoring Devices:																																																																																																																																														
✓		Check operation & condition of friction wheel																																																																																																																																												
✓		Electronics - check cables/connectors condition																																																																																																																																												
✓		Depth counter - check alignment and condition																																																																																																																																												
✓		Depth encoder - check condition and function test																																																																																																																																												
✓		Wellhead pressure transducer - check condition																																																																																																																																												
NA		Secure Load Cell - weight off load cell																																																																																																																																												
Certifications:																																																																																																																																														
✓		Sling condition/ Due on <u>2/24</u>																																																																																																																																												
✓		MPI due <u>11/25</u>																																																																																																																																												
✓		Visual Test due <u>2/24</u>																																																																																																																																												
Please state the equipment readiness																																																																																																																																														
Ready				Not Ready																																																																																																																																										
<p>- Unit is ready to perform job</p> <p>- Change several Quick Connect O ring.</p>																																																																																																																																														
Maintenance type done. (Please state if any spare used)																																																																																																																																														
Preventive Maintenance				Corrective Maintenance																																																																																																																																										
				<p>- Some Quick Connect was overworn and tear. need to change when unit back.</p>																																																																																																																																										
NAME		POSITION		EXAMINER'S SIGNATURE		VERIFIED BY																																																																																																																																								
Fairz		EO		