

Site Visit Report

By Clement Emang

General Platform System

Platform Layout – Tembungo Bravo (satellite platform)






Figure 3: Tembungo Bravo Platform

Note: TBG-B is a satellite platform.



General Platform System

Platform Layout – Personnel Transfer



BOAT
LANDING

Figure 5: Location of Personnel Transfer for mob/demob
from Platform/Standby Boat

General Platform System

Rules on Mother Platform

- Stop Work is permitted to ALL Personnel
- Any Works to be done need to have PTW prior to operation
- UAUC is a must to every personnel with one for each day
- PPE is MANDATORY – Helmet, Ear muffs, Safety Glasses, Gloves, Coveralls, and Safety Boots
- Phones/Laptops are not PERMITTED outside LQ areas.

Time	Task	Remarks
06:30	Morning Meeting	1. Interrig (optional) 2. Morning Shift Starts
07:30	Operation Starts	
12:30	Lunch Hour	
16:30	Tea Break	
18:30	Dinner / Night Shift	1. Night Shift Starts
21:30	Supper	
06:30	End of Night Shift	

Figure 6: Timetable on Platform



Well Intervention Team

Typical EMITE Jobs Crew

- Supervised by the Company Man/Company Service Rep. (CSR)/Well Intervention Supervisor (WIS) / Wellsite Supervisor (WSS).
 - Representative from Client's team to supervise Job to be performed.
 - Responsible for Equipment and Personnel from Well Intervention Team.
 - Any signatures or Job Witness on site will be on the WIS responsible.
 - Mobilization and Demobilization of Well Intervention Team.
- Slickline Crews. (DELEUM/DIMENSION BID/GEOWELL)
 - Being mobbed by a team of 3; Operator, 2nd Man, and 3rd Man.
 - Slickline Mandatory operations includes:
 - Flapper Probe – To confirm TRSSSV in open condition
 - Tubing Clearance – Usually runs with Gauge Ring to clear tubing pathway/detect fluid level
 - Tag TD – To confirm possible lowest depth prior to Jobs
 - Responsible for:
 - Operator – The person who decides SL BHA, winch driver, and PCE stack ups planning.
 - 2nd Man – Assist operator with PCE/BHA Rig ups, may back to back with Operator with Winch Control
 - 3rd Man – Assist crew with PTW applications, JHA writeups
- EMITE Crew.
 - Being mobbed by 1 or 2 Engineer/Field Specialist.
 - Responsible for:
 - Engineers/Field Specialist – To communicate with WSS, plan and execute the job.



Well Intervention Team

Job Site – Overview on Main Deck



**SOLID HATCH
COVER**

Figure 7: Example of Site Key points



Well Intervention Team

Job Site – Overview on Wells and Xmas Tree




Figure 9: Wellhead/Xmas Tree configurations

HYDRAULIC
SSV

TUBING HEAD
FLANGE

PRODUCTION
WING VALVE

SWAB VALVE

MASTER VALVE

Thank you !

Questions and Answering Session

Prepared by,



Name: Clement Emang Yusup Ngau

Designation: Junior Field Engineer

Date: 1/1/2024

Verified by,

Verified by,

Name : Faris M. Firdaus

Designation : Field Service Manager

Date :

Name: Mohd Zahir Bin Abdul Manan

Designation: Operation Manager

Date: