

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 1: To be completed by Assessor [WEIGHT: 40%]

Name	WAN MUBARAK AHMAD bin WAN MUKHTAR	COB Date	27/3/2023
Position	EQUIPMENT OPERATOR TRAINEE	RTB Date	2/5/2023
Client	PETRONAS CARIGALI	Location	DULANG
Platform	DULANG BRAVO	Well	B-26 L
Assessed By	Name:	Position:	

RATING LEGEND:

STRONG Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent

ADEQUATE Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good

IMPROVEMENT NEEDED Performance did not consistently met expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please ✓ where appropriate)								
---------------------	-------------------------------------	--	--	--	--	--	--	--	--


	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
	10	9	8	7	6	5	4	3	2
Safety Awareness (20%)									
a. Usage of Personal Protective Equipment	✓								
b. Participation in UAUC			✓						
c. Understanding of PTW System			✓						
d. Worksite House Keeping	✓								

	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
	10	9	8	7	6	5	4	3	2
Work Performance (20%)									
e. Initiative and Creativity			✓						
f. Decision Making Capability			✓						
g. Understanding of Job Scope				✓					
h. Tools Inventory and Reporting				✓					
i. Work Quality			✓						
j. Reporting					✓				
k. Punctuality and Time Keeping				✓					
l. Teamwork		✓							
m. Communication			✓						
n. Leadership Skills				✓					
o. Adaptability to Work Environment/Surrounding			✓						
p. Attitude			✓						
q. Discipline	✓								

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

→ overall good

→ need to learn about single pump unit

Assessed By [Supervisor]	
Name	MHD SYUKUR B AWANG
Date	1/5/2023

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																		
1. Pre-Job Preparation	1. Attend Toolbox And Morning Meeting with CSR 2. Do Lifting All CTU Equipment To Main Deck And Spot The Unit. 3. Prepare EPTW Before Do The Job	* Done																		
	Rating (by SUPERVISOR) <table border="1"> <tr> <td colspan="3">STRONG</td> <td colspan="3">ADEQUATE</td> <td colspan="3">IMPROVEMENT NEEDED</td> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
2. Surface Equipment Rig-up	1. Assist crew Rig up Surface Line From SPO2 To CTU Reel And Kill port Line To COMBI BOP. 2. Assist Rig up 4" hose From FST TO SPO2 And BMX O2.	* Done																		
	Rating (by SUPERVISOR) <table border="1"> <tr> <td colspan="3">STRONG</td> <td colspan="3">ADEQUATE</td> <td colspan="3">IMPROVEMENT NEEDED</td> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
3. Tools / Equipment Preparation	1. Assist crew / Learn Do EMC 1 Before Do The Job. 2. Connect Air Hose To All CTU Equipment 3. Install Filter At Line Diesel Hose, Top up Diesel On Equipment.	* Done																		
	Rating (by Operator) <table border="1"> <tr> <td colspan="3">STRONG</td> <td colspan="3">ADEQUATE</td> <td colspan="3">IMPROVEMENT NEEDED</td> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
4. Equipment	4.1 Batch Mixer 1. Assist BMX Operator mixing D801 Cleanout Gel. 2. Assist BMX Operator mixing 15% HCL And mixing Neutralization Fluid (soda Ash).	* Done																		
	Rating (by SUPERVISOR) <table border="1"> <tr> <td colspan="3">STRONG</td> <td colspan="3">ADEQUATE</td> <td colspan="3">IMPROVEMENT NEEDED</td> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
	STRONG			ADEQUATE			IMPROVEMENT NEEDED													
10	9	8	7	6	5	4	3	2												
Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td> <td><input type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input type="checkbox"/></td> </tr> </table>	Under Supervision	<input type="checkbox"/>	Standalone	<input type="checkbox"/>															
Under Supervision	<input type="checkbox"/>																			
Standalone	<input type="checkbox"/>																			

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																		
4.2 Pump Unit	1. Assist Rig up Pumping Surface Line	* Done																		
	Rating (by SUPERVISOR)	<table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td><td>9</td><td>8</td> <td>7</td><td>6</td><td>5</td> <td>4</td><td>3</td><td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2
	STRONG			ADEQUATE			IMPROVEMENT NEEDED													
	10	9	8	7	6	5	4	3	2											
Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision		Standalone																
Under Supervision																				
Standalone																				
4.3 Nitrogen Pump unit & Nitrogen Tank	1. Assist/Learn Transfer Nitrogen 2. Assist crew Rig up Nitrogen line from HCU to Reel.	* Done																		
	Rating (by SUPERVISOR)	<table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td><td>9</td><td>8</td> <td>7</td><td>6</td><td>5</td> <td>4</td><td>3</td><td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2
	STRONG			ADEQUATE			IMPROVEMENT NEEDED													
	10	9	8	7	6	5	4	3	2											
Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision		Standalone																
Under Supervision																				
Standalone																				
4.4 Power Pack	1. Assist To Rig up Power Hydraulic Hose To Injector Head 2. Assist To Rig up Hose From Power Pack To Control Cabin.	* Done																		
	Rating (by SUPERVISOR)	<table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td><td>9</td><td>8</td> <td>7</td><td>6</td><td>5</td> <td>4</td><td>3</td><td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2
	STRONG			ADEQUATE			IMPROVEMENT NEEDED													
	10	9	8	7	6	5	4	3	2											
Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision		Standalone																
Under Supervision																				
Standalone																				
4.5 Control Cabin	1. Assist Rig up Hydraulic Hose to CE Reel, Injector Head And BOP.	* Done																		
	Rating (by SUPERVISOR)	<table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td><td>9</td><td>8</td> <td>7</td><td>6</td><td>5</td> <td>4</td><td>3</td><td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2
	STRONG			ADEQUATE			IMPROVEMENT NEEDED													
	10	9	8	7	6	5	4	3	2											
Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision		Standalone																
Under Supervision																				
Standalone																				

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																		
4.6 CT Reel	1. Assist CT operator to spool in or out coil while doing the job. 2. Lubricant CT string with corrosion Inhibitor And Diesel.	* Done																		
Rating (by SUPERVISOR)	<table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
Employee was able to OPERATE the equipment:		<table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision		Standalone															
Under Supervision																				
Standalone																				
4.7 Injector Head	1. Assist crew to fmc 1, top up hydraulic oil.	* Done																		
Rating (by SUPERVISOR)	<table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
Employee was able to OPERATE the equipment:		<table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision		Standalone															
Under Supervision																				
Standalone																				
4.8 Pressure Control Equipment	1. Assist to connect hydraulic hose from control cabin to single BOP and COABT	* Done																		
Rating (by SUPERVISOR)	<table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
Employee was able to OPERATE the equipment:		<table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision		Standalone															
Under Supervision																				
Standalone																				
4.9 Basic BHA Components	1. Assist crew make up BHA tools for job.	* Done																		
Rating (by SUPERVISOR)	<table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
Employee was able to OPERATE the jobs:		<table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision		Standalone															
Under Supervision																				
Standalone																				

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment								
5. Job Supervision (if applicable) <i>Please complete this section if you perform any supervisory role during operation</i>										
	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
		10	9	8	7	6	5	4	3	2
	Please ✓ accordingly to confirm the role of the employee during operation	Full Supervisor			2nd / Night Supervisor					

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 3: To be completed by Employee and Assessor

DATE	Assignment/Summary Job/Duration	Supervisor's Feedback <small>(Please indicate if employee is able to execute the job UNDER SUPERVISION or STANDALONE)</small>
<p>27 MARCH 2023</p> <p>-</p> <p>2 MAY 2023</p>	<p>- CTU Perform Sand Cleanout From Suckline And Depth 1378m MDT#F Until Top PAX Plug 1422m MDT#F.</p> <p>- Mobilized From KSB To Dohang Charlie 27 March 2023. Arrive At Location, Start Lifting All Equipment To Main Deck. Rig Up CTU Equipment And Surface Line On Main Deck. Start Split crew After Rig up completed. I Was Assigned As Helper On Night shift.</p> <p>- Assist crew To Make The Job Run Smoothly, Assist BNX Operator Mixing Chemical And Learn How To Operate BNX. Back To PDST 2 MAY 2023</p>	<p>* Done</p> <p>* good job.</p>

Please tick (✓) category of services performed:

Standard Services:	Wellbore Cleanout <input checked="" type="checkbox"/>	Advanced Services	CT Fishing <input type="checkbox"/>
	CT Cementing <input type="checkbox"/>		CT Milling <input type="checkbox"/>
	Nitrogen Operations <input type="checkbox"/>		CT Logging <input type="checkbox"/>
	Pumping Services <input type="checkbox"/>		CT Perforation <input type="checkbox"/>