

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 1: To be completed by Assessor [WEIGHT: 40%]

Name	MOHD BURHAN BIN YUSOF	COB Date	08-Ogos-23
Position	Equipment Operator 2	RTB Date	05-Sept-23
Client	PCSB	Location	DULANG D
Platform	DULANG	Well	D-155
Assessed By	NAMA : MOHD SYUKRI BIN AWANG	Position:	Supervisor Coil Tubing

RATING LEGEND:	
STRONG	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent
ADEQUATE	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good
IMPROVEMENT NEEDED	Performance did not consistently met expectations - performance failed to meet expectations in one or more essential areas of responsibility


Assessment Criteria	Rating (Please ✓ where appropriate)
---------------------	-------------------------------------

	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
	10	9	8	7	6	5	4	3	2
Safety Awareness (20%)									
a. Usage of Personal Protective Equipment	✓								
b. Participation in UAUC		✓							
c. Understanding of PTW System			✓						
d. Worksite House Keeping		✓							

	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
	10	9	8	7	6	5	4	3	2
Work Performance (20%)									
e. Initiative and Creativity			✓						
f. Decision Making Capability			✓						
g. Understanding of Job Scope			✓						
h. Tools Inventory and Reporting			✓						
i. Work Quality			✓						
j. Reporting			✓						
k. Punctuality and Time Keeping		✓							
l. Teamwork		✓							
m. Communication			✓						
n. Leadership Skills			✓						
o. Adaptability to Work Environment/Surrounding			✓						
p. Attitude		✓							
q. Discipline		✓							

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

• Good Job!

Assessed By [Supervisor]	
Name	MOHD SYUKRI BIN AWANG
Date	

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment								
1. Pre-Job Preparation	1. Attend toolbox and morning meeting with CSR. 2. Pre-check/EMC1 all CTU equipment before run the job. 3. Assisted crew in lifting all CTU equipment and spot unit. 4. Pre-check/EMC1 all CTU equipment before run the job. 5. Prepare supporting document prior load out. 6. Split crew to day and night shift after complete rig up CTU equipment.	* Done								
	Rating (by SUPERVISOR)									
		10	9	8	7	6	5	4	3	2
2. Surface Equipment Rig-up	1. Rig up 4" hose from FST to batch mixer and single pump . 2. Rig up treating iron from single pump to combi bop . (Kill line port) 3. Assist Cetco to rig up line flowback to overboard line and flowline well 4. Spot/arrange flood light, control cabin and tool container electric cable to junction box. 5. Rig up water injection line from wel to fluid storage tank. 6. Rig up wilden pump, 2" spring hose and air hose	* Done								
	Rating (by SUPERVISOR)									
		10	9	8	7	6	5	4	3	2
3. Tools / Equipment Preparation	1. Installing air hose from compressor to SP02, BMX02 and wilden pump 2. Perform EMC1 on Air Compressor and Genset for pre job. 3. Fuel up all CTU equipment. 4. Redress/Regrease Plug valve and swivel	* Done								
	Rating (by Operator)									
		10	9	8	7	6	5	4	3	2
4. Equipment	4.1 Batch Mixer 1. Assist operator to mixing Chemical for operation 2. Function test C-pump and actuator of batch mixer 3. Assist to mix TIW on fluid storage tank 4. Assist chemical specialist to mixing acid	* Done								
	Rating (by SUPERVISOR)									
		10	9	8	7	6	5	4	3	2
Employee was able to OPERATE the equipment:					Under Supervision					
					Standalone		✓			

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment								
	4.2 Pump Unit 1.Connect hydraulic hose. 2.Install universal shaft. 3.Greasing shaft. 4.Replace rubber insert and pakcing plunger. 5.Rig up pumping line to ct reel and kill line to bop. 6.Priming pump before start pumping. 7.Keep monitor pressure at pump during operation	* Done								
Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED		
		10	9	8	7	6	5	4	3	2
Employee was able to OPERATE the equipment:					Under Supervision					
					Standalone			✓		
	4.3 Nitrogen Pump unit & Nitrogen Tank 1. Assist crew to rig up 2" HP treating line to CT reel and include bleed off line. 2. Assist crew to rig up cryogenic hose from N2 tank to inlet and outlet line on NCV.	* Done								
Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED		
		10	9	8	7	6	5	4	3	2
Employee was able to OPERATE the equipment:					Under Supervision			✓		
					Standalone					
	4.4 Power Pack 1. Assist to rig up hydraulic power hose to Injector Head. 2. Assist to rig up hose from CTU Power Pack to Control Cabin	* Done								
Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED		
		10	9	8	7	6	5	4	3	2
Employee was able to OPERATE the equipment:					Under Supervision			✓		
					Standalone					
	4.5 Control Cabin 1. Assist crew rig up hydraulic hose and connected to CT Reel, Injector Head and BOP.	* Done								
Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED		
		10	9	8	7	6	5	4	3	2
Employee was able to OPERATE the equipment:					Under Supervision			✓		
					Standalone					

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																															
	4.6 CT Reel 1. Assist to connect hydraulic hose from control cabin. 2. Assist crew to flag coil at target depth 3. Assist crew to install crash guard on CIDF reel. 4. Rig up swivel in reel. 5. Assist crew install CT Drum into cidf. 6. Assist crew to install horse head at CIDF	A Done																															
Rating (by SUPERVISOR)	<table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td style="text-align: center;">8</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2			8							<table border="1"> <tr> <td>Under Supervision</td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	
STRONG			ADEQUATE			IMPROVEMENT NEEDED																											
10	9	8	7	6	5	4	3	2																									
		8																															
Under Supervision	<input checked="" type="checkbox"/>																																
Standalone																																	
Employee was able to OPERATE the equipment:																																	
	4.7 Injector Head 1. Assist crew to install injector head on top of jacking frame. 2. Assist crew to install goose neck on top of injector head. 3. Assist crew to install auxiliary hose at injector head. 4. Assist crew to stab in coil to injector head. 5. Assist crew top up Injector Lube Oil before start job.	A Done																															
Rating (by SUPERVISOR)	<table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td style="text-align: center;">8</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2			8							<table border="1"> <tr> <td>Under Supervision</td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	
STRONG			ADEQUATE			IMPROVEMENT NEEDED																											
10	9	8	7	6	5	4	3	2																									
		8																															
Under Supervision	<input checked="" type="checkbox"/>																																
Standalone																																	
Employee was able to OPERATE the equipment:																																	
	4.8 Pressure Control Equipment 1. Assist to connect hydraulic hose from Control Cabin to SBOP and Combi. 2. Assist crew to redress Combi Bop .Clean up blind sheer and pipe slip. 3. Assist crew replace rubber stripper 4. Rig up Riser from BOP to Wellhead crossover	A Done																															
Rating (by SUPERVISOR)	<table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td style="text-align: center;">8</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2			8							<table border="1"> <tr> <td>Under Supervision</td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	
STRONG			ADEQUATE			IMPROVEMENT NEEDED																											
10	9	8	7	6	5	4	3	2																									
		8																															
Under Supervision	<input checked="" type="checkbox"/>																																
Standalone																																	
Employee was able to OPERATE the equipment:																																	
	4.9 Basic BHA Components 1. Assist crew to make up BHA. 2. Assist CT Supervisor to prepare BHA to be use during job. 3. Assist crew to install down hole filter (BHA) 4. Assist to break tools while surface	A Done																															
Rating (by SUPERVISOR)	<table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td style="text-align: center;">8</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2			8							<table border="1"> <tr> <td>Under Supervision</td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	
STRONG			ADEQUATE			IMPROVEMENT NEEDED																											
10	9	8	7	6	5	4	3	2																									
		8																															
Under Supervision	<input checked="" type="checkbox"/>																																
Standalone																																	
Employee was able to OPERATE the tools:																																	

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment								
5. Job Supervision (if applicable) <i>Please complete this section if you perform any supervisory role during operation</i>										
Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED		
		10	9	8	7	6	5	4	3	2
	Please ✓ accordingly to confirm the role of the employee during operation				Full Supervisor					
					2nd / Night Supervisor					

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 3: To be completed by Employee and Assessor

DATE	Assignment/Summary Job/Duration	Supervisor's Feedback (Please indicate if employee is able to execute the job <u>UNDER SUPERVISION</u> or <u>STANDALONE</u>)
3/2023 TO 05/09	CTU perform Scale and Sand clean out well D15S. 1.Surface preparation 2.Make up tool(MHA,STRAIGHT BAR,DOWNHOLE FILTER,SPINCAT) 3.Start RIH while pumping TIW to perform clean out until EOT 4.MSTP 5000psi 5.pump acid and soaking acid for 2 hours 6.pump soda ash after soaking 7.POOH Coil to surface 8.Secure well(Close MV and CV)	* Done

Please tick (✓) category of services performed:

Standard Services:	Wellbore Cleanout	<input checked="" type="checkbox"/>	Advanced Services	CT Fishing	<input type="checkbox"/>
	CT Cementing	<input type="checkbox"/>		CT Milling	<input type="checkbox"/>
	Nitrogen Operations	<input type="checkbox"/>		CT Logging	<input type="checkbox"/>
	Pumping Services	<input type="checkbox"/>		CT Perforation	<input type="checkbox"/>