

## TRAINEE SLICKLINE OPERATOR PERFORMANCE ASSESSMENT FEEDBACK

<b>NAME</b>	ELDRIAN BIN JUIL	<b>LOCATION</b>	SOUTH FURIOUS	<b>DATE COB</b>	12.12.2023
<b>POSITION</b>	TRAINEE SLICKLINE OPERATOR			<b>DATE RTB</b>	09.01.2024

WIRELINE ACTIVITY SUMMARY					
DATE	WELL NO.	JOB TYPE	CREW ON BOARD	WIRELINE ACTIVITY <i>[FROM planning i.e Job Program, Select &amp; Test Equipment etc TO Job Execution i.e Entering the Wellbore, Run and Manipulate Toolstring, Install and Retrieve Downhole Assemblies etc.]</i>	TOOLSTRING CONFIGURATION
27/12/2023	SF-36	<ul style="list-style-type: none"> <li>Run Lead Impression block. (LIB)</li> </ul>	<ul style="list-style-type: none"> <li>Awang Md. Hasnan</li> <li>Eldrian</li> <li>Malkyzidek</li> </ul>	<ul style="list-style-type: none"> <li>RIH 2.25" LIB + Releasable sub (3/8" steel pin) to HUD at 3719 ft (WLD). Tool unable to move down further using tool running weight. Record depth &amp; Flagged wire. Tapped down once. POOH. On surface observed wire mark on LIB.</li> </ul>	<ul style="list-style-type: none"> <li>1.7/8" Rope Socket + 1.7/8" Swivel Joint + 1.7/8" x 5ft normal Stem + 1.7/8" 3ft normal Stem + 1.7/8" Knuckle Joint + 1.7/8" EAJ Power Jar (500lbs) + 1.7/8 tubular jar + Releasable sub + 1.7/8" 2 ft stem (30 ft 11 ins)</li> </ul>
31/12/2023	SF-36	<ul style="list-style-type: none"> <li>To ball fish wire.</li> </ul>	<ul style="list-style-type: none"> <li>Awang Md. Hasnan</li> <li>Eldrian</li> <li>Malkyzidek</li> </ul>	<ul style="list-style-type: none"> <li>RIH 2.74" Expandable wire finder in tandem with 2.5" JUC to ball fish wire.</li> </ul>	<ul style="list-style-type: none"> <li>1.7/8" Rope Socket + 1.7/8" Swivel Joint + 1.7/8" x 5ft normal Stem + 1.7/8" 3ft normal Stem + 1.7/8" Knuckle Joint + 1.7/8" EAJ Power Jar (500lbs) + 1.7/8 tubular jar (26 ft 5 ins)</li> </ul>

## TRAINEE SLICKLINE OPERATOR PERFORMANCE ASSESSMENT FEEDBACK

WIRELINE ACTIVITY SUMMARY					
DATE	WELL NO.	JOB TYPE	CREW ON BOARD	WIRELINE ACTIVITY <i>[FROM planning i.e Job Program, Select &amp; Test Equipment etc TO Job Execution i.e Entering the Wellbore, Run and Manipulate Toolstring, Install and Retrieve Downhole Assemblies etc.]</i>	TOOLSTRING CONFIGURATION
04/01/2024	SF-36	<ul style="list-style-type: none"> <li>Run 2.62" FRC JD</li> </ul>	<ul style="list-style-type: none"> <li>Awang Md. Hasnan</li> <li>Eldrian</li> <li>Malkyzidek</li> </ul>	<ul style="list-style-type: none"> <li>RIH 2.62" FRC JD (half brass pin) to latch on 2.5" 3 prong grab (2.74").</li> </ul>	<ul style="list-style-type: none"> <li>1.7/8" Rope Socket + 1.7/8" Swivel Joint + 1.7/8" + 1.7/8" Accelerator + x 5ft normal Stem + 1.7/8" Knuckle Joint + 1.7/8" EAJ Power Jar (700lbs) + 1.7/8 tubular jar (26ft 5 ins) + 2.62" FRC Jar Down.</li> </ul>