

SLICKLINE ASSISTANT PERFORMANCE ASSESSMENT FEEDBACK

(PART 1: To be completed by Assessor)

Name	MALKYZIDEK	
Position	SA III	
Client	SEAH	
Platform	SFT-E	Well
Assessed By	Name: ATIZAN Position: SENIOR GENERAL OPERATOR	
COB Date	26/5/2023	
RTB Date		
Location	NORTH SABAH	
	SF-510, SF-513, SF-507	

RATING LEGEND:	
STRONG	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent
ADEQUATE	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good
IMPROVEMENT NEEDED	Performance did not consistently meet expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please ✓ where appropriate)
----------------------------	--

Safety Awareness (20%)

a. Usage of Personal Protective Equipment											
b. Participation in ACT											
c. Understanding of PTW System											
d. Worksite House Keeping											

Work Performance (20%)

e. Initiative and Creativity											
f. Decision Making Capability											
g. Understanding of Job Scope											
h. Tools Inventory and Reporting											
i. Work Quality											
j. Reporting											
k. Punctuality and Time Keeping											
l. Teamwork											
m. Communication											
n. Leadership Skills											
o. Adaptability to Work Environment/Surrounding											
p. Attitude											
q. Discipline											

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

- GOOD TEAM WORK
 - ALWAYS CHECK AND DOUBLE CHECK
 - ALWAYS ASK AND DISCUSS REGARDING JOB
 - GOOD HOUSEKEEPING

Assessed By	[Signature]	Date
Name	ATIZAN ATIZAN	5.6.2023

SLICKLINE ASSISTANT PERFORMANCE ASSESSMENT FEEDBACK

(PART 2: To be completed by Employee and Assessor)

Type of Task	Tasks Performed	Assessor Comment
1. Pre-Job Preparation	Do surface preparation follow the procedure.	
2. Surface Equipment Rig-up	Reposition wireline equipment such as power pack, reel skid unit, swcp, PTU	Rating (by Operator)
		STRONG
3. Tools / Equipment Preparation	Do servicing and function test tools before run in hole	Rating (by Operator)
		STRONG
4. Equipment Problem Troubleshooting	[Please state type of equipment and describe troubleshooting job performed]	Rating (by Operator)
		STRONG
5. Downhole Tools Servicing/Redressing/Maintenance	1) X-LINE -5 2)PEAK OVERSHOT -2 3) ALLIGATOR GRAB -2 4) PCE HEAVY DUTY -1 5) XN PLUG -1	Rating (by Operator)
		STRONG

Doc.Ref.No.: SLS-FORM-13

Revision No.: 03

Effective Date: 22/05/2023

(Rev.02, Dated:14/06/19-OBSOLETE)

CONTROLLED COPY

Type of Task	Tasks Performed	Assessor Comment																																																																																																																																													
6. Tools Inventory & Reporting PERFORMED CLEAN THE DOWN HOLE TOOLS TOOLBOX AND REINVENTORY ON TOOLS	<table border="1"> <thead> <tr> <th data-bbox="861 1848 1181 1881">Rating (by Operator)</th> <th data-bbox="766 1848 853 1881">10</th> <th data-bbox="670 1848 758 1881">9</th> <th data-bbox="574 1848 662 1881">8</th> <th data-bbox="478 1848 566 1881">7</th> <th data-bbox="383 1848 470 1881">6</th> <th data-bbox="287 1848 375 1881">5</th> <th data-bbox="191 1848 279 1881">4</th> <th data-bbox="95 1848 183 1881">3</th> <th data-bbox="73 1848 87 1881">2</th> </tr> </thead> <tbody> <tr> <td data-bbox="861 1892 1181 1926">STRONG</td> <td data-bbox="766 1892 853 1926">/</td> <td data-bbox="670 1892 758 1926"></td> <td data-bbox="574 1892 662 1926"></td> <td data-bbox="478 1892 566 1926"></td> <td data-bbox="383 1892 470 1926"></td> <td data-bbox="287 1892 375 1926"></td> <td data-bbox="191 1892 279 1926"></td> <td data-bbox="95 1892 183 1926"></td> <td data-bbox="73 1892 87 1926"></td> </tr> <tr> <td data-bbox="861 1937 1181 1971">ADEQUATE</td> <td data-bbox="766 1937 853 1971"></td> <td data-bbox="670 1937 758 1971"></td> <td data-bbox="574 1937 662 1971"></td> <td data-bbox="478 1937 566 1971"></td> <td data-bbox="383 1937 470 1971"></td> <td data-bbox="287 1937 375 1971"></td> <td data-bbox="191 1937 279 1971"></td> <td data-bbox="95 1937 183 1971"></td> <td data-bbox="73 1937 87 1971"></td> </tr> <tr> <td data-bbox="861 1982 1181 2016">IMPROVEMENT NEEDED</td> <td data-bbox="766 1982 853 2016"></td> <td data-bbox="670 1982 758 2016"></td> <td data-bbox="574 1982 662 2016"></td> <td data-bbox="478 1982 566 2016"></td> <td data-bbox="383 1982 470 2016"></td> <td data-bbox="287 1982 375 2016"></td> <td data-bbox="191 1982 279 2016"></td> <td data-bbox="95 1982 183 2016"></td> <td data-bbox="73 1982 87 2016"></td> </tr> </tbody> </table>	Rating (by Operator)	10	9	8	7	6	5	4	3	2	STRONG	/									ADEQUATE										IMPROVEMENT NEEDED										[Operator to rate TSA / SA / SSA competency in operating the equipment]																																																																																																					
Rating (by Operator)	10	9	8	7	6	5	4	3	2																																																																																																																																						
STRONG	/																																																																																																																																														
ADEQUATE																																																																																																																																															
IMPROVEMENT NEEDED																																																																																																																																															
7. Equipment Operation	<table border="1"> <thead> <tr> <th data-bbox="861 1736 1181 1769">Rating (by Operator)</th> <th data-bbox="766 1736 853 1769">10</th> <th data-bbox="670 1736 758 1769">9</th> <th data-bbox="574 1736 662 1769">8</th> <th data-bbox="478 1736 566 1769">7</th> <th data-bbox="383 1736 470 1769">6</th> <th data-bbox="287 1736 375 1769">5</th> <th data-bbox="191 1736 279 1769">4</th> <th data-bbox="95 1736 183 1769">3</th> <th data-bbox="73 1736 87 1769">2</th> </tr> </thead> <tbody> <tr> <td data-bbox="861 1780 1181 1814">STRONG</td> <td data-bbox="766 1780 853 1814">/</td> <td data-bbox="670 1780 758 1814"></td> <td data-bbox="574 1780 662 1814"></td> <td data-bbox="478 1780 566 1814"></td> <td data-bbox="383 1780 470 1814"></td> <td data-bbox="287 1780 375 1814"></td> <td data-bbox="191 1780 279 1814"></td> <td data-bbox="95 1780 183 1814"></td> <td data-bbox="73 1780 87 1814"></td> </tr> <tr> <td data-bbox="861 1825 1181 1859">ADEQUATE</td> <td data-bbox="766 1825 853 1859"></td> <td data-bbox="670 1825 758 1859"></td> <td data-bbox="574 1825 662 1859"></td> <td data-bbox="478 1825 566 1859"></td> <td data-bbox="383 1825 470 1859"></td> <td data-bbox="287 1825 375 1859"></td> <td data-bbox="191 1825 279 1859"></td> <td data-bbox="95 1825 183 1859"></td> <td data-bbox="73 1825 87 1859"></td> </tr> <tr> <td data-bbox="861 1870 1181 1904">IMPROVEMENT NEEDED</td> <td data-bbox="766 1870 853 1904"></td> <td data-bbox="670 1870 758 1904"></td> <td data-bbox="574 1870 662 1904"></td> <td data-bbox="478 1870 566 1904"></td> <td data-bbox="383 1870 470 1904"></td> <td data-bbox="287 1870 375 1904"></td> <td data-bbox="191 1870 279 1904"></td> <td data-bbox="95 1870 183 1904"></td> <td data-bbox="73 1870 87 1904"></td> </tr> </tbody> </table>	Rating (by Operator)	10	9	8	7	6	5	4	3	2	STRONG	/									ADEQUATE										IMPROVEMENT NEEDED										<table border="1"> <thead> <tr> <th data-bbox="861 1400 1181 1433">Total</th> <th data-bbox="766 1400 853 1433">0</th> <th data-bbox="670 1400 758 1433">0</th> <th data-bbox="574 1400 662 1433">0</th> <th data-bbox="478 1400 566 1433">0</th> <th data-bbox="383 1400 470 1433">0</th> <th data-bbox="287 1400 375 1433">0</th> <th data-bbox="191 1400 279 1433">0</th> <th data-bbox="95 1400 183 1433">0</th> <th data-bbox="73 1400 87 1433">0</th> </tr> </thead> <tbody> <tr> <td data-bbox="861 1444 1181 1478">Power Pack</td> <td data-bbox="766 1444 853 1478">/</td> <td data-bbox="670 1444 758 1478"></td> <td data-bbox="574 1444 662 1478"></td> <td data-bbox="478 1444 566 1478"></td> <td data-bbox="383 1444 470 1478"></td> <td data-bbox="287 1444 375 1478"></td> <td data-bbox="191 1444 279 1478"></td> <td data-bbox="95 1444 183 1478"></td> <td data-bbox="73 1444 87 1478"></td> </tr> <tr> <td data-bbox="861 1489 1181 1523">Air Compressor</td> <td data-bbox="766 1489 853 1523"></td> <td data-bbox="670 1489 758 1523"></td> <td data-bbox="574 1489 662 1523"></td> <td data-bbox="478 1489 566 1523"></td> <td data-bbox="383 1489 470 1523"></td> <td data-bbox="287 1489 375 1523"></td> <td data-bbox="191 1489 279 1523"></td> <td data-bbox="95 1489 183 1523"></td> <td data-bbox="73 1489 87 1523"></td> </tr> <tr> <td data-bbox="861 1534 1181 1568">GenSet</td> <td data-bbox="766 1534 853 1568"></td> <td data-bbox="670 1534 758 1568"></td> <td data-bbox="574 1534 662 1568"></td> <td data-bbox="478 1534 566 1568"></td> <td data-bbox="383 1534 470 1568"></td> <td data-bbox="287 1534 375 1568"></td> <td data-bbox="191 1534 279 1568"></td> <td data-bbox="95 1534 183 1568"></td> <td data-bbox="73 1534 87 1568"></td> </tr> <tr> <td data-bbox="861 1579 1181 1612">Control Panel</td> <td data-bbox="766 1579 853 1612">/</td> <td data-bbox="670 1579 758 1612"></td> <td data-bbox="574 1579 662 1612"></td> <td data-bbox="478 1579 566 1612"></td> <td data-bbox="383 1579 470 1612"></td> <td data-bbox="287 1579 375 1612"></td> <td data-bbox="191 1579 279 1612"></td> <td data-bbox="95 1579 183 1612"></td> <td data-bbox="73 1579 87 1612"></td> </tr> <tr> <td data-bbox="861 1624 1181 1657">Test Pump</td> <td data-bbox="766 1624 853 1657">/</td> <td data-bbox="670 1624 758 1657"></td> <td data-bbox="574 1624 662 1657"></td> <td data-bbox="478 1624 566 1657"></td> <td data-bbox="383 1624 470 1657"></td> <td data-bbox="287 1624 375 1657"></td> <td data-bbox="191 1624 279 1657"></td> <td data-bbox="95 1624 183 1657"></td> <td data-bbox="73 1624 87 1657"></td> </tr> <tr> <td data-bbox="861 1668 1181 1702">Pressure Control Equipment</td> <td data-bbox="766 1668 853 1702">/</td> <td data-bbox="670 1668 758 1702"></td> <td data-bbox="574 1668 662 1702"></td> <td data-bbox="478 1668 566 1702"></td> <td data-bbox="383 1668 470 1702"></td> <td data-bbox="287 1668 375 1702"></td> <td data-bbox="191 1668 279 1702"></td> <td data-bbox="95 1668 183 1702"></td> <td data-bbox="73 1668 87 1702"></td> </tr> <tr> <td data-bbox="861 1713 1181 1747">Mast</td> <td data-bbox="766 1713 853 1747">/</td> <td data-bbox="670 1713 758 1747"></td> <td data-bbox="574 1713 662 1747"></td> <td data-bbox="478 1713 566 1747"></td> <td data-bbox="383 1713 470 1747"></td> <td data-bbox="287 1713 375 1747"></td> <td data-bbox="191 1713 279 1747"></td> <td data-bbox="95 1713 183 1747"></td> <td data-bbox="73 1713 87 1747"></td> </tr> <tr> <td data-bbox="861 1758 1181 1792">Weight & Measuring Devices</td> <td data-bbox="766 1758 853 1792">/</td> <td data-bbox="670 1758 758 1792"></td> <td data-bbox="574 1758 662 1792"></td> <td data-bbox="478 1758 566 1792"></td> <td data-bbox="383 1758 470 1792"></td> <td data-bbox="287 1758 375 1792"></td> <td data-bbox="191 1758 279 1792"></td> <td data-bbox="95 1758 183 1792"></td> <td data-bbox="73 1758 87 1792"></td> </tr> <tr> <td data-bbox="861 1803 1181 1836">Downhole Tools</td> <td data-bbox="766 1803 853 1836">/</td> <td data-bbox="670 1803 758 1836"></td> <td data-bbox="574 1803 662 1836"></td> <td data-bbox="478 1803 566 1836"></td> <td data-bbox="383 1803 470 1836"></td> <td data-bbox="287 1803 375 1836"></td> <td data-bbox="191 1803 279 1836"></td> <td data-bbox="95 1803 183 1836"></td> <td data-bbox="73 1803 87 1836"></td> </tr> </tbody> </table>	Total	0	0	0	0	0	0	0	0	0	Power Pack	/									Air Compressor										GenSet										Control Panel	/									Test Pump	/									Pressure Control Equipment	/									Mast	/									Weight & Measuring Devices	/									Downhole Tools	/									Comments by Operator [please specify competency gaps / area of improvement]
Rating (by Operator)	10	9	8	7	6	5	4	3	2																																																																																																																																						
STRONG	/																																																																																																																																														
ADEQUATE																																																																																																																																															
IMPROVEMENT NEEDED																																																																																																																																															
Total	0	0	0	0	0	0	0	0	0																																																																																																																																						
Power Pack	/																																																																																																																																														
Air Compressor																																																																																																																																															
GenSet																																																																																																																																															
Control Panel	/																																																																																																																																														
Test Pump	/																																																																																																																																														
Pressure Control Equipment	/																																																																																																																																														
Mast	/																																																																																																																																														
Weight & Measuring Devices	/																																																																																																																																														
Downhole Tools	/																																																																																																																																														
Date / Location / Well No. / Job Type	Activity Summary	Toolstring Configuration																																																																																																																																													
EXECUTE THE WELL SERVICES OPERATION (IF ANY) (Operating Winch)																																																																																																																																															
Comments by Operator [please specify competency gaps / area of improvement]																																																																																																																																															

