

## SLICKLINE ASSISTANT PERFORMANCE ASSESSMENT FEEDBACK

(PART 2: To be completed by Employee and Assessor)

Type of Task	Tasks Performed	Assessor Comment								
<b>1. Pre-Job Preparation</b>	a)PERFORM PRE CHECKLIST ON ALL EQUIPMENT b)TO CHECL ALL HOSES WAS TIGHT AND SECURE c)ENSURE ALL TOOLS BEING PREPARED PRIOR TO JOB BEING PERFORM d)ENSURE ALL PRESSURE HOSE FROM PP TO RSU BEING SECURE WITH WEB CHECK e)BARRICADE WORKSITE & WELLHEAD AREA BEFORE PERFORME RIGGING UP f)CHECK WELL CONDITION TO KNOW IF THERES POTENTIAL PASSING ON VALVE g)WALK THE LINE BEFORE START RIGGING UP AND IDENTIFY									
	<b>Rating (by Operator)</b>	<b>STRONG</b>			<b>ADEQUATE</b>			<b>IMPROVEMENT NEEDED</b>		
	10	9	8	7	6	5	4	3	2	
<b>2. Surface Equipment Rig-up</b>	A) MAKE UP PCE 5 SECTION CAUSE LENGHT OF BHA. B)PUT GREASE ON ALL LUB CONNECTION BEFORE CONNECTING IT C)CHECK O-RING BEFORE MAKE UP THE LUBRICATOR D)ANCHOR WIRELINE MAST AND REPOSITION E)CHECK ANY DAMAGE ON ALL LUB THREAD F)HOOK UP ALL HOSES & CHECK ALL HOSES FOR ANY DAMAGE BEFORE USE G)CHECK ALL PCE EQUIPMENT VALIDITY BEFORE USE H)USE ISI TOOL FOR WELL DEVIATION I)SERVICE AND PINNING PCF PULLING TOOLS									
	<b>Rating (by Operator)</b>	<b>STRONG</b>			<b>ADEQUATE</b>			<b>IMPROVEMENT NEEDED</b>		
	10	9	8	7	6	5	4	3	2	
<b>3. Tools / Equipment Preparation</b>	A)SERVICE & FUCTION TEST TOOL BEFORE USING IT. B)Change new pinning 2.5" GSL & RS. C)CHECK ANY THREAD DAMAGE ON TOOLS BEFORE/AFTER USE. D)FILE ANY TOOLS THAT HAVE SHARP EDGES TO PREVENT FROM BEING CUT. E)CLEAN ANY TOOL THAT IS STUCK DUE TO WAX. F)INVENTORY TOOLS IF NECESSARY .									
	<b>Rating (by Operator)</b>	<b>STRONG</b>			<b>ADEQUATE</b>			<b>IMPROVEMENT NEEDED</b>		
	10	9	8	7	6	5	4	3	2	
<b>4. Equipment Problem Troubleshooting</b> <i>[Please state type of equipment and describe troubleshooting job performed]</i>	N/A									
	<b>Rating (by Operator)</b>	<b>STRONG</b>			<b>ADEQUATE</b>			<b>IMPROVEMENT NEEDED</b>		
	10	9	8	7	6	5	4	3	2	
<b>5. Downhole Tools Servicing/Redressing/Maintenance</b>	A) SERVICE DHT& FUNCTION TEST B) PINNING & FUNCTION TEST DHT C) MAKE UP TOOLSTRING D) PRPEARE AND CHANGE DAMAGE SPARE PART ON DAMAGE DHT E) CHECK ANY FAULTY ON DHT THAT BEING USED F) ENSURE ALL SHARP EDGES BEING FILE TO PREVENT FROM HAND CUT G) ENSURE ALL THREADED TOOLS BEING SECURE TIGHTLY									
	<b>Rating (by Operator)</b>	<b>STRONG</b>			<b>ADEQUATE</b>			<b>IMPROVEMENT NEEDED</b>		
	10	9	8	7	6	5	4	3	2	