

SLICKLINE ASSISTANT PERFORMANCE ASSESSMENT FEEDBACK

(PART 1: To be completed by Assessor)

Name	MUHAMMAD HAKIMI BIN SHAMSUL BAHRI	COB Date	3/10/2024
Position	SLICKLINE ASISTANT II	RTB Date	21/10/2024
Client	VESTIGO	Location	LARUT FIELD
Platform	LARUT -A	Well.	LRA-5L , LRA-19L
Assessed By	Name: MOHD SHAH TAUFIK B ARMAN SHAH Position: SLICKLINE OPERATOR		

RATING LEGEND:	
STRONG	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent
ADEQUATE	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good
IMPROVEMENT NEEDED	Performance did not consistently met expectations - performance failed to meet expectations in one or more essential areas of responsibility


Assessment Criteria	Rating (Please ✓ where appropriate)								
---------------------	-------------------------------------	--	--	--	--	--	--	--	--

	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
	10	9	8	7	6	5	4	3	2
Safety Awareness (20%)									
a. Usage of Personal Protective Equipment		✓							
b. Participation in ACT		✓							
c. Understanding of PTW System		✓							
d. Worksite House Keeping		✓							

Work Performance (20%)									
e. Initiative and Creativity			✓						
f. Decision Making Capability			✓						
g. Understanding of Job Scope		✓							
h. Tools Inventory and Reporting			✓						
i. Work Quality		✓							
j. Reporting			✓						
k. Punctuality and Time Keeping		✓							
l. Teamwork		✓							
m. Communication		✓							
n. Leadership Skills			✓						
o. Adaptability to Work Environment/Surrounding			✓						
p. Attitude			✓						
q. Discipline			✓						

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

OVERALL GOOD.

Assessed By <i>[Operator]</i>	
Name	MOHD SHAH TAUFIK B ARMAN SHAH
Date Doc Ref. No.: SLS-FORM-13	

SLICKLINE ASSISTANT PERFORMANCE ASSESSMENT FEEDBACK

(PART 2: To be completed by Employee and Assessor)

Type of Task	Tasks Performed	Assessor Comment																		
1. Pre-Job Preparation	TBT WITH WIS AND WAITING PERMIT APPROVAL , REVIEW JHA, SAFETY SHARING , REVIEW JOB PROGRAM	Good																		
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 15%;">Rating (by Operator)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td></td> <td style="text-align: center;">10</td> <td style="text-align: center;">9</td> <td style="text-align: center;">8</td> <td style="text-align: center;">7</td> <td style="text-align: center;">6</td> <td style="text-align: center;">5</td> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> </tr> </table>		Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4
Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED													
	10	9	8	7	6	5	4	3	2											
2. Surface Equipment Rig-up	*ARRANGE ALL EQUIPMENT ON MAIN DECK, *SPOT EQUIPMENT CONTROL PANEL, TEST PUMP, MAST , POWERPACK , FLY LINE UNIT , TOOL HOUSE *MAKE SECTION LUBRICATOR , OPEN TREE CAP , RIG UP RISER + PUMP IN TEE + BOP + QTS + LUBRICATOR + STUFFING BOX. *HOOK UP MANIFOLD SCSSV AND CONTROL LINE TO WELL	Good																		
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 15%;">Rating (by Operator)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td></td> <td style="text-align: center;">10</td> <td style="text-align: center;">9</td> <td style="text-align: center;">8</td> <td style="text-align: center;">7</td> <td style="text-align: center;">6</td> <td style="text-align: center;">5</td> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> </tr> </table>		Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4
Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED													
	10	9	8	7	6	5	4	3	2											
3. Tools / Equipment Preparation	*PREPARE TOOL STRING CONGURATION TO NEXT RUN *PREPARE MANIFOLD LUBRICATOR, SCSSV , PUMP IN TEE	Good																		
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 15%;">Rating (by Operator)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td></td> <td style="text-align: center;">10</td> <td style="text-align: center;">9</td> <td style="text-align: center;">8</td> <td style="text-align: center;">7</td> <td style="text-align: center;">6</td> <td style="text-align: center;">5</td> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> </tr> </table>		Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4
Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED													
	10	9	8	7	6	5	4	3	2											
4. Equipment Problem Troubleshooting <i>[Please state type of equipment and describe troubleshooting job performed]</i>	COMBINGAUGE NOT FUNCTION CHANGE NEW ODOMETER CABLE. HYDRAULIC HOSE FOR 40FT MAST DAMAGE .CHANGE NEW HOSE .	Good																		
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 15%;">Rating (by Operator)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td></td> <td style="text-align: center;">10</td> <td style="text-align: center;">9</td> <td style="text-align: center;">8</td> <td style="text-align: center;">7</td> <td style="text-align: center;">6</td> <td style="text-align: center;">5</td> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> </tr> </table>		Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4
Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED													
	10	9	8	7	6	5	4	3	2											
5. Downhole Tools Servicing/Redressing/Maintenance	*SERVICE X LINE , RE PIN X LINE AND LOCK MANDEREL *DO PPM FOR POWER PACK	Good																		
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 15%;">Rating (by Operator)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td></td> <td style="text-align: center;">10</td> <td style="text-align: center;">9</td> <td style="text-align: center;">8</td> <td style="text-align: center;">7</td> <td style="text-align: center;">6</td> <td style="text-align: center;">5</td> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> </tr> </table>		Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4
Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED													
	10	9	8	7	6	5	4	3	2											

Type of Task	Tasks Performed	Assessor Comment																																																																																																																																										
6. Tools Inventory & Reporting	NA	NA																																																																																																																																										
	<table border="1"> <tr> <th>Rating (by Operator)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td></td> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>										Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2																																																																																																														
Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																																																																																																																																					
	10	9	8	7	6	5	4	3	2																																																																																																																																			
7. Equipment Operation	[Operator to rate TSA / SA / SSA competency in operating the equipment]																																																																																																																																											
	<table border="1"> <tr> <th>Rating (by Operator)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td></td> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2	<table border="1"> <tr> <td>Power Pack</td> <td></td> <td>✓</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Air Compressor</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>GenSet</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Control Panel</td> <td></td> <td>✓</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Test Pump</td> <td></td> <td>✓</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Pressure Control Equipment</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Mast</td> <td></td> <td>✓</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Weight & Measuring Devices</td> <td></td> <td>✓</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Downhole Tools</td> <td></td> <td>✓</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Total</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> </tr> </table>									Power Pack		✓									Air Compressor											GenSet											Control Panel		✓									Test Pump		✓									Pressure Control Equipment											Mast		✓									Weight & Measuring Devices		✓									Downhole Tools		✓									Total	0	0	0	0	0	0	0	0	0	0
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																																																																																																																																				
		10	9	8	7	6	5	4	3	2																																																																																																																																		
	Power Pack		✓																																																																																																																																									
	Air Compressor																																																																																																																																											
	GenSet																																																																																																																																											
	Control Panel		✓																																																																																																																																									
	Test Pump		✓																																																																																																																																									
	Pressure Control Equipment																																																																																																																																											
Mast		✓																																																																																																																																										
Weight & Measuring Devices		✓																																																																																																																																										
Downhole Tools		✓																																																																																																																																										
Total	0	0	0	0	0	0	0	0	0	0																																																																																																																																		
Comments by Operator [please specify competency gaps / area of improvement]																																																																																																																																												
GOOD																																																																																																																																												
EXECUTE THE WELL SERVICES OPERATION (IF ANY) (Operating Winch)																																																																																																																																												
Date / Location / Well No. / Job Type	Activity Summary	Toolstring Configuration																																																																																																																																										
	NA																																																																																																																																											
	<table border="1"> <tr> <th>Rating (by Operator)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td></td> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2																																																																																																																							
Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																																																																																																																																					
	10	9	8	7	6	5	4	3	2																																																																																																																																			
Comments by Operator [please specify competency gaps / area of improvement]																																																																																																																																												

