

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 1: To be completed by Assessor [WEIGHT: 40%]

Name	MOHD BURHAN BIN YUSOF	COB Date	09-Jun-24
Position	EQUIPMENT OPERATOR 2	RTB Date	03-Jul-24
Client	PCSB	Location	Tiong B
Platform	TIONG	Well	B05
Assessed By	Name: ENGKU NAZRI BIN ENGKU JALIL Position: PUMPING SUPERVISOR		

RATING LEGEND:

STRONG Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent

ADEQUATE Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good

IMPROVEMENT NEEDED Performance did not consistently met expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please ✓ where appropriate)								
---------------------	-------------------------------------	--	--	--	--	--	--	--	--

Assessment Criteria	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
	10	9	8	7	6	5	4	3	2
Safety Awareness (20%)									
a. Usage of Personal Protective Equipment		✓							
b. Participation in UAUC			✓						
c. Understanding of PTW System			✓						
d. Worksite House Keeping		✓							

Assessment Criteria	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
	10	9	8	7	6	5	4	3	2
Work Performance (20%)									
e. Initiative and Creativity			✓						
f. Decision Making Capability				✓					
g. Understanding of Job Scope			✓						
h. Tools Inventory and Reporting				✓					
i. Work Quality		✓							
j. Reporting				✓					
k. Punctuality and Time Keeping		✓							
l. Teamwork		✓							
m. Communication			✓						
n. Leadership Skills			✓						
o. Adaptability to Work Environment/Surrounding				✓					
p. Attitude	✓								
q. Discipline	✓								

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

→ Good attitude and discipline.

→ Need to learn more about operate H2 convert troubleshoot single pump.

Assessed By [Supervisor]	
Name	ENGKU NAZRI B. CHE ENGKU JALIL
Date	3 JULY 2024

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																												
1. Pre-Job Preparation	1. Attend toolbox and morning meeting with CSR. 2. Assisted crew in lifting all Pumping equipment and spot unit. 3. Pre-check/EMC1 all Pumping equipment before the job.	Good																												
	<table border="1"> <tr> <td rowspan="2">Rating (by SUPERVISOR)</td> <td colspan="3">STRONG</td> <td colspan="3">ADEQUATE</td> <td colspan="3">IMPROVEMENT NEEDED</td> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>											Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																							
	10	9	8	7	6	5	4	3	2																					
2. Surface Equipment Rig-up	1. Rig up pumping surface line From Pump unit to Pumping Tee Geowell 2. Assist crew to rig up BMX Line to Pump unit 3. Rig up 4" hose from Tank to BMX and Pump unit. 4. Spot Flood light, container electric cable to junction box. 5. Rig up wilden pump, 2" spring hose and air hose from sea deck to main deck.	- Good teamwork																												
	<table border="1"> <tr> <td rowspan="2">Rating (by SUPERVISOR)</td> <td colspan="3">STRONG</td> <td colspan="3">ADEQUATE</td> <td colspan="3">IMPROVEMENT NEEDED</td> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>											Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																							
	10	9	8	7	6	5	4	3	2																					
3. Tools / Equipment Preparation	1. Install air hose from compressor to SINGLE PUMP, BMX and wilden pump. 2. Perform EMC1 on SINGLE PUMP, BMX, Genset, Acomp for pre job. 3. Perform pressure test on pumping line 4. Fuel up all CTU equipment. 5. Assist crew Prepared chemical on top of BMX tank for mixing activity.	- good preparation before start operation																												
	<table border="1"> <tr> <td rowspan="2">Rating (by Operator)</td> <td colspan="3">STRONG</td> <td colspan="3">ADEQUATE</td> <td colspan="3">IMPROVEMENT NEEDED</td> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>											Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2
Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																							
	10	9	8	7	6	5	4	3	2																					
4. Equipment	4.1 Batch Mixer 1. Install guard rail. 2. Rig up hydraulic hose from BM power pack to BM tank. 3. Rig up 4" hose for overboard line. 5. Visually check for any oil leakage at BMX engine and hdraulic line. 6. Function test for BMX, agitator and c-pump working properly. 7. Start and run BMX for mixing activity.	- can stand alone to operate BMX without supervision																												
	<table border="1"> <tr> <td rowspan="2">Rating (by SUPERVISOR)</td> <td colspan="3">STRONG</td> <td colspan="3">ADEQUATE</td> <td colspan="3">IMPROVEMENT NEEDED</td> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>											Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2
	Rating (by SUPERVISOR)												STRONG			ADEQUATE			IMPROVEMENT NEEDED											
												10	9	8	7	6	5	4	3	2										
Employee was able to OPERATE the equipment:				Under Supervision																										
				Standalone																										

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																		
	4.2 Pump Unit 1. Function test and make sure all hydraulic hose connected and does not have any leakage (EMC1). 2. Assemble pump shaft 3. Check OPSD functionality. 5. Always monitor pumping pressure while pumping. 6. Always alert on panel control indicator while performing pumping to avoid worse damage to single pump.	- need to learn more about troubleshoot																		
	Rating (by SUPERVISOR) <table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
	Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td>/</td> </tr> </table>	Under Supervision		Standalone	/														
Under Supervision																				
Standalone	/																			
	4.3 Nitrogen Pump unit & Nitrogen Tank																			
	Rating (by SUPERVISOR) <table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
	Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td> <td>/</td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision	/	Standalone															
Under Supervision	/																			
Standalone																				
	4.4 Power Pack																			
	Rating (by SUPERVISOR) <table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
	Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision		Standalone															
Under Supervision																				
Standalone																				
	4.5 Control Cabin																			
	Rating (by SUPERVISOR) <table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
	Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision		Standalone															
Under Supervision																				
Standalone																				

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed									Assessor Comment					
	4.6 CT Reel														
	Rating (by SUPERVISOR)			STRONG			ADEQUATE						IMPROVEMENT NEEDED		
	10	9	8	7	6	5	4	3	2						
	Employee was able to OPERATE the equipment:						Under Supervision								
						Standalone									
	4.7 Injector Head														
	Rating (by SUPERVISOR)			STRONG			ADEQUATE						IMPROVEMENT NEEDED		
	10	9	8	7	6	5	4	3	2						
	Employee was able to OPERATE the equipment:						Under Supervision								
						Standalone									
	4.8 Pressure Control Equipment														
	Rating (by SUPERVISOR)			STRONG			ADEQUATE						IMPROVEMENT NEEDED		
	10	9	8	7	6	5	4	3	2						
	Employee was able to OPERATE the equipment:						Under Supervision								
						Standalone									
	4.9 Basic BHA Components														
	Rating (by SUPERVISOR)			STRONG			ADEQUATE						IMPROVEMENT NEEDED		
	10	9	8	7	6	5	4	3	2						
	Employee was able to OPERATE the tools:						Under Supervision								
						Standalone									

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK


PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment								
5. Job Supervision (if applicable) <i>Please complete this section if you perform any supervisory role during operation</i>										
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
	10	9	8	7	6	5	4	3	2	
Please ✓ accordingly to confirm the role of the employee during operation				Full Supervisor						
				2nd / Night Supervisor						

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 3: To be completed by Employee and Assessor

DATE	Assignment/Summary Job/Duration	Supervisor's Feedback (Please indicate if employee is able to execute the job <u>UNDER SUPERVISION</u> or <u>STANDALONE</u>)
6/2024 to 03/07	<p>PUMPING ON WELL B-05</p> <ul style="list-style-type: none"> -Rig up pumping line to pumping tee geowell at Well B-01 to perform TIT with slickplug. -Perform pressure test line(500psi-3000psi) -Pressure up 600psi prior open Master Valve and Crown valve -Start pumping 0.3bpm up to 1bpm, Perform TIT with PXX Plug at Well B-05 -Monitor Pumping pressure at Pump -After Pump 66bbbls, Pressure drop to 0 psi, Stop pumping and secure Well 	<p>- Can stand alone operate the single pump -</p> <p>- Good communication during pumping operation</p> <p>- have initiative to learn more about operation</p>  <p>ENGKU NAZRI B. CHE ENGKU JALIL</p>

Please tick (✓) category of services performed:

<p>Standard Services:</p> <p>Wellbore Cleanout <input type="checkbox"/></p> <p>CT Cementing <input type="checkbox"/></p> <p>Nitrogen Operations <input type="checkbox"/></p> <p>Pumping Services <input checked="" type="checkbox"/></p>	<p>Advanced Services</p> <p>CT Fishing <input type="checkbox"/></p> <p>CT Milling <input type="checkbox"/></p> <p>CT Logging <input type="checkbox"/></p> <p>CT Perforation <input type="checkbox"/></p>
---	---