

DIMENSION BID

SLICKLINE ASSISTANT PERFORMANCE ASSESSMENT FEEDBACK

(PART 1: To be completed by Assessor)

Name	MOHAMMAD FAIZ BIN IBRAHIM	COB Date	14/5/2024
Position	SLICKLINE ASSISTANT II	RTB Date	27/5/2024
Client	SEAH	Location	NORTH SABAH
Platform	SOUTH FURIOUS	Well	SF-9L, SF-17L
Assessed By	Name: KELLEY NANTA Position: GENERAL SLICKLINE OPERATOR		

RATING LEGEND:	
STRONG	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent
ADEQUATE	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good
IMPROVEMENT NEEDED	Performance did not consistently met expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please ✓ where appropriate)								
---------------------	-------------------------------------	--	--	--	--	--	--	--	--

Safety Awareness (20%)

- a. Usage of Personal Protective Equipment
- b. Participation in ACT
- c. Understanding of PTW System
- d. Worksite House Keeping

STRONG			ADEQUATE			IMPROVEMENT NEEDED		
10	9	8	7	6	5	4	3	2
✓								
✓								
	✓							
		✓						

Work Performance (20%)

- e. Initiative and Creativity
- f. Decision Making Capability
- g. Understanding of Job Scope
- h. Tools Inventory and Reporting
- i. Work Quality
- j. Reporting
- k. Punctuality and Time Keeping
- l. Teamwork
- m. Communication
- n. Leadership Skills
- o. Adaptability to Work Environment/Surrounding
- p. Attitude
- q. Discipline

	✓							
		✓						
		✓						
		✓						
	✓							
		✓						
		✓						
		✓						
✓								
✓								

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

He Comply with 1 card per day. Competent to be PTW applicant and understand PTW process.

Good attitude and hard working during their on duty.

Able to service running and pulling tool for B7 valve. Able to set and retrieve B7 valve.

The important work as a team, good communication with team and understand job sequence.

Appreciation for good work helps and keep safe.

Assessed By [Operator]	
Name	KELLEY NANTA
Date	27/05/2024

DIMENSION BID

SLICKLINE ASSISTANT PERFORMANCE ASSESSMENT FEEDBACK

(PART 2: To be completed by Employee and Assessor)

Type of Task	Tasks Performed	Assessor Comment																											
1. Pre-Job Preparation	a)PERFORM PRE CHECKLIST ON ALL EQUIPMENT b)TO CHECL ALL HOSES WAS TIGHT AND SECURE c)ENSURE ALL TOOLS BEING PREPARED PRIOR TO JOB BEING PERFORM d)ENSURE ALL PRESSURE HOSE FROM PP TO RSU BEING SECURE WITH WEB CHECK e)BARRICADE WORKSITE & WELLHEAD AREA BEFORE PERFORME RIGGING UP f)CHECK WELL CONDITION TO KNOW IF THERES POTENTIAL PASSING ON VALVE g)WALK THE LINE BEFORE START RIGGING UP AND IDENTIFY ANY HAZARD h)TOOLBOX MEETING BEFORE PROCEED TO JOB																												
	<table border="1"> <tr> <th>Rating (by Operator)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td></td> <td>10</td> <td></td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10		8	7	6	5	4	3	2								
Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																						
	10		8	7	6	5	4	3	2																				
2. Surface Equipment Rig-up	A) MAKE UP PCE B)PUT GREASE ON ALL LUB CONNECTION BEFORE CONNECTING IT C)CHECK O-RING BEFORE MAKE UP THE LUBRICATOR D)DISCARD WIRE IF NEEDED E)CHECK ANY DAMAGE ON ALL LUB THREAD F)HOOK UP ALL HOSES & CHECK ALL HOSES FOR ANY DAMAGE BEFORE USE G)CHECK ALL PCE EQUIPMENT VALIDITY BEFORE USE H)MAKE UP ROPE SOCKET I)ENSURE ALL SHACKLE SECURE WITH SAFETY SLING																												
	<table border="1"> <tr> <th>Rating (by Operator)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td></td> <td>10</td> <td></td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10		8	7	6	5	4	3	2								
Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																						
	10		8	7	6	5	4	3	2																				
3. Tools / Equipment Preparation	A)SERVICE & FUCTION TEST TOOL BEFORE USING IT B)PINNING QXE RUNNING TOOLS C)CHECK ANY THREAD DAMAGE ON TOOLS BEFORE/AFTER USE D)FILE ANY TOOLS THAT HAVE SHARP EDGES TO PREVENT FROM BEING CUT E)CLEAN ANY TOOL THAT IS STUCK DUE TO WAX F)INVENTORY TOOLS IF NECESSARY																												
	<table border="1"> <tr> <th>Rating (by Operator)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td></td> <td>10</td> <td>9</td> <td></td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9		7	6	5	4	3	2								
Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																						
	10	9		7	6	5	4	3	2																				
4. Equipment Problem Troubleshooting <i>[Please state type of equipment and describe troubleshooting job performed]</i>	N/A																												
	<table border="1"> <tr> <th>Rating (by Operator)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td></td> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2								
Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																						
	10	9	8	7	6	5	4	3	2																				
5. Downhole Tools Servicing/Redressing/Maintenance	A) SERVICE DHT& FUNCTION TEST B) PINNING & FUNCTION TEST DHT C) MAKE UP TOOLSTRING D) PRPEARE AND CHANGE DAMAGE SPARE PART ON DAMAGE DHT E) CHECK ANY FAULTY ON DHT THAT BEING USED F) ENSURE ALL SHARP EDGES BEING FILE TO PREVENT FROM HAND CUT G) ENSURE ALL THREADED TOOLS BEING SECURE TIGHTLY																												
	<table border="1"> <tr> <th>Rating (by Operator)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td></td> <td>10</td> <td>9</td> <td>8</td> <td></td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8		6	5	4	3	2								
Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																						
	10	9	8		6	5	4	3	2																				

Type of Task	Tasks Performed	Assessor Comment								
6. Tools Inventory & Reporting	A) PRECHECK INVENTORY DOWNHOLE TOOLS EVERY 2 WEEK. B) UPDATE INVENTORY DOWNHOLE TOOL CHECKLIST BORROW AND LEND C) UPDATE AND REPORTING MISSING DOWNHOLE TOOLS.									
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
		10	9	8	6	5	4	3	2	
7. Equipment Operation	[Operator to rate TSA / SA / SSA competency in operating the equipment]									
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
		10	9	8	7	6	5	4	3	2
	Power Pack		√							
	Air Compressor									
	GenSet									
	Control Panel		√							
	Test Pump									
	Pressure Control Equipment		√							
	Mast									
Weight & Measuring Devices				√						
Downhole Tools				√						
Total		0	0	0	0	0	0	0	0	0
Comments by Operator [please specify competency gaps / area of improvement]										
EXECUTE THE WELL SERVICES OPERATION (IF ANY) (Operating Winch)										
Date / Location / Well No. / Job Type	Activity Summary	Toolstring Configuration								
		STRONG			ADEQUATE			IMPROVEMENT NEEDED		
		10	9	8	7	6	5	4	3	2
Comments by Operator [please specify competency gaps / area of improvement]										

DIMENSION BID

SLICKLINE ASSISTANT PERFORMANCE ASSESSMENT FEEDBACK

(PART 1: To be completed by Assessor)

Name	MOHAMMAD FAIZ BIN IBRAHIM	COB Date	28/5/2024
Position	SLICKLINE ASSISTANT II	RTB Date	17/6/2024
Client	SEAH	Location	NORTH SABAH
Platform	SOUTH FURIOUS	Well	SF-10L
Assessed By	Name: JAIDUN Position: SLICKLINE OPERATOR		

RATING LEGEND:

STRONG Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent

ADEQUATE Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good


IMPROVEMENT NEEDED Performance did not consistently met expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please ✓ where appropriate)								
	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
	10	9	8	7	6	5	4	3	2
Safety Awareness (20%)									
a. Usage of Personal Protective Equipment	✓								
b. Participation in ACT	✓								
c. Understanding of PTW System			✓						
d. Worksite House Keeping			✓						
Work Performance (20%)									
e. Initiative and Creativity			✓						
f. Decision Making Capability				✓					
g. Understanding of Job Scope		✓							
h. Tools Inventory and Reporting	✓								
i. Work Quality	✓								
j. Reporting				✓					
k. Punctuality and Time Keeping		✓							
l. Teamwork		✓							
m. Communication				✓					
n. Leadership Skills				✓					
o. Adaptability to Work Environment/Surrounding				✓					
p. Attitude	✓								
q. Discipline	✓								

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

Good performance, abale to work independant, good attitude and discipline.

I hope you continue the performace in future.

Assessed By [Operator]	
Name	MOHD JAIDUN HAMIT
Date	17/6/2024

DIMENSION BID

SLICKLINE ASSISTANT PERFORMANCE ASSESSMENT FEEDBACK

(PART 2: To be completed by Employee and Assessor)

Type of Task	Tasks Performed	Assessor Comment									
1. Pre-Job Preparation	a)PERFORM PRE CHECKLIST ON ALL EQUIPMENT b)TO CHECL ALL HOSES WAS TIGHT AND SECURE c)ENSURE ALL TOOLS BEING PREPARED PRIOR TO JOB BEING PERFORM d)ENSURE ALL PRESSURE HOSE FROM PP TO RSU BEING SECURE WITH WEB CHECK e)BARRICADE WORKSITE & WELLHEAD AREA BEFORE PERFORME RIGGING UP f)CHECK WELL CONDITION TO KNOW IF THERES POTENTIAL PASSING ON VALVE g)WALK THE LINE BEFORE START RIGGING UP AND IDENTIFY ANY HAZARD h)TOOLBOX MEETING BEFORE PROCEED TO JOB										
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	8	7	6	5	4	3	2	
2. Surface Equipment Rig-up	A) MAKE UP PCE B)PUT GREASE ON ALL LUB CONNECTION BEFORE CONNECTING IT C)CHECK O-RING BEFORE MAKE UP THE LUBRICATOR D)DISCARD WIRE IF NEEDED E)CHECK ANY DAMAGE ON ALL LUB THREAD F)HOOK UP ALL HOSES & CHECK ALL HOSES FOR ANY DAMAGE BEFORE USE G)CHECK ALL PCE EQUIPMENT VALIDITY BEFORE USE H)MAKE UP ROPE SOCKET I)ENSURE ALL SHACKLE SECURE WITH SAFETY SLING										
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	8	7	6	5	4	3	2	
3. Tools / Equipment Preparation	A)SERVICE & FUCION TEST TOOL BEFORE USING IT B)PINNING QXE RUNNING TOOLS C)CHECK ANY THREAD DAMAGE ON TOOLS BEFORE/AFTER USE D)FILE ANY TOOLS THAT HAVE SHARP EDGES TO PREVENT FROM BEING CUT E)CLEAN ANY TOOL THAT IS STUCK DUE TO WAX F)INVENTORY TOOLS IF NECESSARY										
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	8	7	6	5	4	3	2	
4. Equipment Problem Troubleshooting <i>[Please state type of equipment and describe troubleshooting job performed]</i>	N/A										
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	8	7	6	5	4	3	2	
5. Downhole Tools Servicing/Redressing/Maintenance	A) SERVICE DHT& FUNCTION TEST B) PINNING & FUNCTION TEST DHT C) MAKE UP TOOLSTRING D) PRPEARE AND CHANGE DAMAGE SPARE PART ON DAMAGE DHT E) CHECK ANY FAULTY ON DHT THAT BEING USED F) ENSURE ALL SHARP EDGES BEING FILE TO PREVENT FROM HAND CUT G) ENSURE ALL THREADED TOOLS BEING SECURE TIGHTLY										
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	8	7	6	5	4	3	2	

Type of Task	Tasks Performed	Assessor Comment								
6. Tools Inventory & Reporting	A) PRECHECK INVENTORY DOWNHOLE TOOLS EVERY 2 WEEK. B) UPDATE INVENTORY DOWNHOLE TOOL CHECKLIST BORROW AND LEND C) UPDATE AND REPORTING MISSING DOWNHOLE TOOLS.									
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
		10	9	8	7	6	5	4	3	2
7. Equipment Operation	[Operator to rate TSA / SA / SSA competency in operating the equipment]									
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
		10	9	8	7	6	5	4	3	2
	Power Pack		/							
	Air Compressor									
	GenSet									
	Control Panel		/							
	Test Pump									
	Pressure Control Equipment		/							
	Mast			/						
Weight & Measuring Devices			/							
Downhole Tools		/	/							
Total		0	0	0	0	0	0	0	0	0
Comments by Operator [please specify competency gaps / area of improvement]										
EXECUTE THE WELL SERVICES OPERATION (IF ANY) (Operating Winch)										
Date / Location / Well No. / Job Type	Activity Summary	Toolstring Configuration								
0										
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
		10	9	8	7	6	5	4	3	2
Comments by Operator [please specify competency gaps / area of improvement]										

DIMENSION BID

Job Track Record

Name	MOHAMMAD FAIZ BIN IBRAHIM
Designation	SLICKLINE ASSISTANT II

Job Profile					
No	Client	Platform/Rig/Well	Mob Date	Demob Date	Type of Job (please provide sufficient descriptions of the job)
1.	SEAH	SFDP-A SFJT-B	28/03/2023	25/04/2023	<ol style="list-style-type: none"> 1. RETRIEVE AND SET B7 VALVE 2. SGS 1. FISHING BOTTOM CUTTER SUB, LIB, RUN ARCHER TUBING LEAK. 2. FISHING WIRE 3. SET STRADDLE, INSERT VALVE CHANGE OUT, GLVC.
2.	SEAH	SJIT-G	02/05/2023	30/05/2023	<ol style="list-style-type: none"> 1. RETRIEVE AND SET INSERT SAFETY VALVE, FGS, GLVC (SJ-710C) 2. RETRIEVE AND SET B7, SET PLUG (SJ-704S) 3. RETRIEVE AND SET B7, WAX CUT, SET PLUG, RETRIEVE PM1, ZOC (SJ-704L)
3.	SEAH	SJIT-G	27/06/23	25/07/23	<ol style="list-style-type: none"> 1. SGS AND FGS (SJ-708A) 2. WAXCUT, GLVC (SJ-707N) 3. INSTALL STRADDLE ACROSS LEAKING SSD (SJ-705L)
4.	SEAH	SJIT-H SJIT-A	22/8/23	19/09/23	<ol style="list-style-type: none"> 1. RETRIEVE PLUG, SET PM1, GLVC, SET STRADDLE (SJ-809 B) 2. CHECK FLUID LEVEL AND SGS (SJ-801 ST1) 3. WAX CUT (SJ-101L) 4. WAX CUT (SJ-105A) 5.
5.	SEAH	SFJT-E SFJT-B	31/10/23	21/11/23	<ol style="list-style-type: none"> 1. RFA LOGGING (SF-514, SF-506) 2. WAX CUT (SF-20S) 3. WAX CUT, RVC, ZONE CHANGE (SF-20L)
6.	SEAH	SJIT-F	23/1/24	13/2/24	<ol style="list-style-type: none"> 1. WAX CUT (SJ-602S, SJ-602L) 2. WAX CUT AND GLVC (SJ-603L) 3. WAX CUT (SJ-610A) 4. WAX CUT (SJ-609A)
7.	SEAH	SJIT-H	19/3/24	16/4/24	<ol style="list-style-type: none"> 1. WAX CUT (SJ-809A, SJ-809B) 2. WAX CUT AND RVC (SJ-801) 3. SGS (SJ-807N)

DIMENSION BID

					4. WAX CUT, GLVC, INSERT VALVE C/OUT (SJ- 808B).
8.	SEAH	SFDP-A	14/05/24	18/06/24	1. FGS, SGS, GLVC (SF-9L) 2. FGS, SGS, RCV (SF-17L) 3. RETV. AND SET PLUG, CHECK SSD ZONE STATUS (SF-10L)

VERIFICATION

I hereby verify that the above paperworks and documents above has been checked and confirmed true. I further certify that all information contained herein is true and accurate.

I understand that any falsifying of any document above could result in disciplinary action and being denied access to Training & Development System in future.

PREPARED AND SUBMITTED BY

SIGNATURE

NAME: MOHAMMAD FAIZ BIN IBRAHIM

POST: Slickline Assistant II

DATE: 17/06/24

ENDORSEMENT

All check points listed above have been verified completed by myself or my delegates.

I deem that this document can be use for Training & Development System support document.

VERIFIED BY

SIGNATURE



NAME: MOHD JAIDUN HAMIT

POST: Slickline Operator

DATE: 17/06/24