

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 1: To be completed by Assessor [WEIGHT: 40%]

Name	MUHAMMAD AIDIL SAFWAN B. KASHFY	COB Date	28/9/2023
Position	EQUIPMENT OPERATOR TRAINEE	RTB Date	10/10/2023
Client	PETRONAS CARIGALI	Location	ANGSI
Platform	ANGSI ANDRA	Well	A-25
Assessed By	Name: MAT NOR HISSAM		Position: COILED TUBING SUPERVISOR

RATING LEGEND:

STRONG Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent

ADEQUATE Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good

IMPROVEMENT NEEDED Performance did not consistently meet expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please V where appropriate)								
---------------------	-------------------------------------	--	--	--	--	--	--	--	--

Safety Awareness (20%)

- a. Usage of Personal Protective Equipment
- b. Participation in UAUC
- c. Understanding of PTW System
- d. Worksite House Keeping

STRONG			ADEQUATE			IMPROVEMENT NEEDED		
10	9	8	7	6	5	4	3	2
		✓						
		✓						
		✓						
			✓					


Work Performance (20%)

- e. Initiative and Creativity
- f. Decision Making Capability
- g. Understanding of Job Scope
- h. Tools Inventory and Reporting
- i. Work Quality
- j. Reporting
- k. Punctuality and Time Keeping
- l. Teamwork
- m. Communication
- n. Leadership Skills
- o. Adaptability to Work Environment/Surrounding
- p. Attitude
- q. Discipline

					✓			
					✓			
			✓					
			✓					
		✓						
					✓			
			✓					
			✓					
			✓					
						✓		
		✓			✓			
			✓					

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

Consistently demonstrate good team work and continuous learning during working period.

Assessed By [Supervisor]	
Name	MAT NOR HISSAM PAN MUHAMMAD HURUS-
Date	11/10/2023.

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment									
1. Pre-Job Preparation	1. Attend Toolbox and morning meeting with CSR. 2. Do Lifting all CTU Equipment to main deck and spot the unit. 3. Prepare EPTW before do the job.	Done									
	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	(8)	7	6	5	4	3	2	
2. Surface Equipment Rig-up	1. Assist crew rig up surface line from SPO1 to CTU reel and kill Port line to combi BOP. 2. Assist Rig up 4" hose from FST to SPO1 and BMX	Done									
	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	8	(7)	6	5	4	3	2	
3. Tools / Equipment Preparation	1. Assist crew/Learn do EMC 1 before do the job. 2. connect Air hose to all CTU equipment. 3. Install filter at line Diesel Hose, Top up diesel on equipment.	Done									
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	(8)	7	6	5	4	3	2	
4. Equipment	4.1 Batch Mixer	Done									
	1. Assist BMX operator mixing cleanout Gel. 2. Assist BMX operator mixing 15% HCL and mixing Neutralization Fluid (soda Ash).										
	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	(8)	7	6	5	4	3	2	
	Employee was able to OPERATE the equipment:				Under Supervision						
					Standalone						

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																		
	4.2 Pump Unit 1- Assist rig up Pumping Surface line.	Done																		
Rating (by SUPERVISOR)		<table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
Employee was able to OPERATE the equipment:		<table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision		Standalone															
Under Supervision																				
Standalone																				
	4.3 Nitrogen Pump unit & Nitrogen Tank 1- Assist / learn transfer Nitrogen 2- Assist crew rig up Nitrogen line from NCV to Reel.	Done																		
Rating (by SUPERVISOR)		<table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
Employee was able to OPERATE the equipment:		<table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision		Standalone															
Under Supervision																				
Standalone																				
	4.4 Power Pack 1. Assist to rig up power pack hydraulic hose to Injector head. 2- Assist to rig up hose from power pack to control cabin	Good assist.																		
Rating (by SUPERVISOR)		<table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
Employee was able to OPERATE the equipment:		<table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision		Standalone															
Under Supervision																				
Standalone																				
	4.5 Control Cabin 1. Assist rig up hydraulic hose to CT reel, Injector Head and BOP.	Good assist.																		
Rating (by SUPERVISOR)		<table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
Employee was able to OPERATE the equipment:		<table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision		Standalone															
Under Supervision																				
Standalone																				

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK PART 2 To be completed by Employees and Assessors (WEIGHT: 60%)

Type of Task	Tasks Performed	Assessor Comment																						
4.6 CT Roll	1. Assist et operator to spool In or out coil while doing the job.	Good Assist																						
Rating (by SUPERVISOR)	<table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	<table border="1"> <tr> <td>Under Supervision</td> <td><input type="checkbox"/></td> </tr> <tr> <td>Stand-alone</td> <td><input checked="" type="checkbox"/></td> </tr> </table>	Under Supervision	<input type="checkbox"/>	Stand-alone	<input checked="" type="checkbox"/>
STRONG			ADEQUATE			IMPROVEMENT NEEDED																		
10	9	8	7	6	5	4	3	2																
Under Supervision	<input type="checkbox"/>																							
Stand-alone	<input checked="" type="checkbox"/>																							
4.7 Injector Head	1. Assist crew do EML 1, TOP up hydraulic oil.	Good Assist																						
Rating (by SUPERVISOR)	<table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	<table border="1"> <tr> <td>Under Supervision</td> <td><input type="checkbox"/></td> </tr> <tr> <td>Stand-alone</td> <td><input checked="" type="checkbox"/></td> </tr> </table>	Under Supervision	<input type="checkbox"/>	Stand-alone	<input checked="" type="checkbox"/>
STRONG			ADEQUATE			IMPROVEMENT NEEDED																		
10	9	8	7	6	5	4	3	2																
Under Supervision	<input type="checkbox"/>																							
Stand-alone	<input checked="" type="checkbox"/>																							
4.8 Pressure Control Equipment	1. Assist to connect hydraulic hose from control cabin to single BOP and combi.	Done																						
Rating (by SUPERVISOR)	<table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	<table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Stand-alone</td> <td><input type="checkbox"/></td> </tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Stand-alone	<input type="checkbox"/>
STRONG			ADEQUATE			IMPROVEMENT NEEDED																		
10	9	8	7	6	5	4	3	2																
Under Supervision	<input checked="" type="checkbox"/>																							
Stand-alone	<input type="checkbox"/>																							
4.9 Basic BHA Components	1. Assist crew make up BHA Tools for job.	Good Assist																						
Rating (by SUPERVISOR)	<table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	<table border="1"> <tr> <td>Under Supervision</td> <td><input type="checkbox"/></td> </tr> <tr> <td>Stand-alone</td> <td><input checked="" type="checkbox"/></td> </tr> </table>	Under Supervision	<input type="checkbox"/>	Stand-alone	<input checked="" type="checkbox"/>
STRONG			ADEQUATE			IMPROVEMENT NEEDED																		
10	9	8	7	6	5	4	3	2																
Under Supervision	<input type="checkbox"/>																							
Stand-alone	<input checked="" type="checkbox"/>																							

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment								
5. Job Supervision (if applicable) Please complete this section if you perform any supervisory role during operation	stand alone at BMx and operate	Done Good job -								
	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
		10	9	8	7	6	5	4	3	2
	Please ✓ accordingly to confirm the role of the employee during operation	Full Supervisor			2nd / Night Supervisor			✓		

Doc.Ref.No.: CTS-FORM-90

Revision No.: 01

Effective Date: 21/08/2023

(Rev.00,Dated:22/09/19-OBSOLETE)

CONTROLLED COPY

5

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 3: To be completed by Employee and Assessor

DATE	Assignment/Summary Job/Duration	Supervisor's Feedback <small>(Please indicate if employee is able to execute the job UNDER SUPERVISION or STANDALONE)</small>
18/9/23 to 10/10/23	<p>CTU: Sand cleanout re-perforation</p> <p>During this job, I was actively assist my colleague to make the job run smoothly. I assisted BMX operator to mix FRS.</p> <p>During this hitch also I learn to operate BMX. I also learn on how to troubleshoot BMX C-pump.</p>	<p>Done</p> <p>Good job</p>

Please tick (✓) category of services performed:

Standard Services:

- Wellbore Cleanout
- CT Cementing
- Nitrogen Operations
- Pumping Services

Advanced Services

- CT Fishing
- CT Milling
- CT Logging
- CT Perforation

Doc.Ref.No.: CTS-FORM-90

Revision No.: 01

Effective Date: 21/08/2023

(Rev.00,Dated:22/09/19-OBSOLETE)

CONTROLLED COPY