

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 1: To be completed by Assessor [WEIGHT: 40%]

Name	MOHD BURHAN BIN YUSOF	COB Date	16-Ogos-24
Position	Equipment Operator 2	RTB Date	26-Ogos-24
Client	PCSB	Location	DULANG B
Platform	DULANG	Well	B-03L
Assessed By	NAMA : MOHD SYUKRI BIN AWANG POSITION : SUPERVISOR COIL TUBING		

RATING LEGEND:

STRONG	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent
ADEQUATE	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good
IMPROVEMENT NEEDED	Performance did not consistently met expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please √ where appropriate)								
---------------------	-------------------------------------	--	--	--	--	--	--	--	--

Safety Awareness (20%)

- a. Usage of Personal Protective Equipment
- b. Participation in UAUC
- c. Understanding of PTW System
- d. Worksite House Keeping

	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
	10	9	8	7	6	5	4	3	2
a. Usage of Personal Protective Equipment	✓								
b. Participation in UAUC		✓							
c. Understanding of PTW System			✓						
d. Worksite House Keeping		✓							

Work Performance (20%)


- e. Initiative and Creativity
- f. Decision Making Capability
- g. Understanding of Job Scope
- h. Tools Inventory and Reporting
- i. Work Quality
- j. Reporting
- k. Punctuality and Time Keeping
- l. Teamwork
- m. Communication
- n. Leadership Skills
- o. Adaptability to Work Environment/Surrounding
- p. Attitude
- q. Discipline

e. Initiative and Creativity			✓						
f. Decision Making Capability			✓						
g. Understanding of Job Scope			✓						
h. Tools Inventory and Reporting		✓							
i. Work Quality		✓							
j. Reporting			✓						
k. Punctuality and Time Keeping		✓							
l. Teamwork		✓							
m. Communication			✓						
n. Leadership Skills			✓						
o. Adaptability to Work Environment/Surrounding			✓						
p. Attitude		✓							
q. Discipline		✓							

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

* Can stay alone operate Bmx of Single Pump units

→ Overall Good

Assessed By [Supervisor]	
Name	MOHD SYUKRI B AWANG
Date	26/08/2024

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																			
1. Pre-Job Preparation	1. Attend toolbox and morning meeting with WSS. 2. Pre-check/EMC1 all CTU equipment before run the job. 3. Assisted crew in lifting all CTU equipment and spot unit. 4. Pre-check/EMC1 all CTU equipment before run the job.	* Done																			
	<table border="1"> <tr> <th>Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td></td> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>										Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED														
	10	9	8	7	6	5	4	3	2												
2. Surface Equipment Rig-up	1. Rig up 4" hose from FST to batch mixer and single pump . 2. Rig up treating iron from single pump to combi bop . (Kill port line) 3. Assist flowback crew to rig up flowback line and flowline to well 4. Spot/arrange flood light, control cabin and tool container electric cable to junction box. 5. Rig up water injection line from well to fluid storage tank. 6. Rig up wilden pump, 2" spring hose and air hose	* Done																			
	<table border="1"> <tr> <th>Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td></td> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>										Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED														
	10	9	8	7	6	5	4	3	2												
3. Tools / Equipment Preparation	1. Installing air hose from compressor to Single pump, BMX and wilden pump . 2. Perform EMC1 on Air Compressor and Genset for pre job. 3. Fuel up all CTU equipment. 4. Regrease plug valve and swivel	* Done																			
	<table border="1"> <tr> <th>Rating (by Operator)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td></td> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>										Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED														
	10	9	8	7	6	5	4	3	2												
4. Equipment	4.1 Batch Mixer 1. Assist operator to mixing Chemical for operation 2. Function test C-pump and actuator of batch mixer 3. Assist Batch Mixer Operator to mix chemical. 4. Assist to mix TIW on fluid storage tank	* Done * Can stay alone operate Bmx unit																			
	<table border="1"> <tr> <th>Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td></td> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>										Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED													
		10	9	8	7	6	5	4	3	2											
Employee was able to OPERATE the equipment:		Under Supervision			Standalone																
								✓													

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment									
	4.2 Pump Unit 1.Connect hydraulic hose. 2.Install universal shaft. 3.Greasing shaft. 4.Replace rubber insert and pakcing plunger. 5.Rig up pumping line to ct reel and kill line to BOP. 6.Pressure test line	* Done * Can stay alone operate SPS unit									
Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	8	7	6	5	4	3	2	
Employee was able to OPERATE the equipment:		Under Supervision		Standalone							
				✓							
	4.3 Nitrogen Pump unit & Nitrogen Tank 1. Assist crew to rig up 2" HP treating line to CT reel and include bleed off line. 2. Assist crew to rig up cryogenic hose from N2 tank to inlet and outlet line on NCV. 3.Assist N2 operator to troubleshoot and maintenance NCV 4.Assist Spot NCV and N2 tank on main deck 5.Assist N2 Operator operate N2 during operation 6.Transfer N2 From spare tank to working tank 7.Cooldown NCV UNDER SUPERVISION from N2 operator and supervisor during operation	* Done * under supervision during operate N2 unit									
Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	8	7	6	5	4	3	2	
Employee was able to OPERATE the equipment:		Under Supervision		Standalone							
				✓							
	4.4 Power Pack 1. Assist to rig up hydraulic power hose to Injector Head. 2. Assist to rig up hose from CTU Power Pack to Control Cabin	* Done									
Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	8	7	6	5	4	3	2	
Employee was able to OPERATE the equipment:		Under Supervision		Standalone							
	4.5 Control Cabin 1. Assist crew rig up hydraulic hose and connected to CT Reel, Injector Head and BOP.	* Done									
Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	8	7	6	5	4	3	2	
Employee was able to OPERATE the equipment:		Under Supervision		Standalone							

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																											
	4.6 CT Reel 1. Assist to connect hydraulic hose from control cabin. 2. Assist crew to flag coil at target depth 3. Assist crew to install crash guard on CIDF reel. 4. Rig up swivel in reel. 5. Assist crew install CT Drum into CIDF. 6. Assist crew to install horse head at CIDF	* Done																											
	Rating (by SUPERVISOR) <table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td style="text-align: center;">8</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2			8							
STRONG			ADEQUATE			IMPROVEMENT NEEDED																							
10	9	8	7	6	5	4	3	2																					
		8																											
	Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td> <td style="text-align: center;">✓</td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision	✓	Standalone																								
Under Supervision	✓																												
Standalone																													
	4.7 Injector Head 1. Assist crew to install injector head on top of jacking frame. 2. Assist crew to install goose neck on top of injector head. 3. Assist crew to install auxiliary hose at injector head. 4. Assist crew to stab in coil to injector head. 5. Assist crew top up Injector Lube Oil before start job.	a Done																											
	Rating (by SUPERVISOR) <table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td style="text-align: center;">8</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2			8							
STRONG			ADEQUATE			IMPROVEMENT NEEDED																							
10	9	8	7	6	5	4	3	2																					
		8																											
	Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td> <td style="text-align: center;">✓</td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision	✓	Standalone																								
Under Supervision	✓																												
Standalone																													
	4.8 Pressure Control Equipment 1. Assist to connect hydraulic hose from Control Cabin to SBOP and Combi. 2. Assist crew to redress Combi Bop .Clean up blind sheer and pipe slip. 3. Assist crew replace rubber stripper 4. Rig up Riser from BOP to Wellhead crossover	+ Done																											
	Rating (by SUPERVISOR) <table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td style="text-align: center;">8</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2			8							
STRONG			ADEQUATE			IMPROVEMENT NEEDED																							
10	9	8	7	6	5	4	3	2																					
		8																											
	Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td> <td style="text-align: center;">✓</td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision	✓	Standalone																								
Under Supervision	✓																												
Standalone																													
	4.9 Basic BHA Components 1. Assist crew to make up BHA. 2. Assist CT Supervisor to prepare BHA to be use during job. 3. Assist crew to make up tools(Connector,MHA) 4. Assist to break tools while surface and before RIH	+ Done																											
	Rating (by SUPERVISOR) <table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td style="text-align: center;">7</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2				7						
STRONG			ADEQUATE			IMPROVEMENT NEEDED																							
10	9	8	7	6	5	4	3	2																					
			7																										
	Employee was able to OPERATE the tools:	<table border="1"> <tr> <td>Under Supervision</td> <td style="text-align: center;">✓</td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision	✓	Standalone																								
Under Supervision	✓																												
Standalone																													

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed						Assessor Comment					
5. Job Supervision (if applicable) <i>Please complete this section if you perform any supervisory role during operation</i>	1											
	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED		
	10	9	8	7	6	5	4	3	2			
	Please ✓ accordingly to confirm the role of the employee during operation						Full Supervisor					
							2nd / Night Supervisor					

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 3: To be completed by Employee and Assessor

DATE	Assignment/Summary Job/Duration	Supervisor's Feedback (Please indicate if employee is able to execute the job <u>UNDER SUPERVISION</u> or <u>STANDALONE</u>)
/2024 TO 26/08/	<p>CTU perform Scale clean out and acid wash on Well B-03L.</p> <ol style="list-style-type: none"> 1.Preparation for Run coil tubing on well B-03L 2.Make up BHA(MHA,STRAIGHT BAR 5ftand 3ft,MULTIJET) 3.Pressure test line before start RIH 4.Start RIH until top of cement retainer 5.After establishing surface return without nitrifying,swith with pumping 0.3bpm and 300scfm N2 6.After establish surface return,slowly increase liquid injection until maximum circulation pressure(4600psi) 7.Gas rate minimum at 300scfm 8.After finish cleanout,pick up coil to surface and secure well(Close MV and CV) 	<p>* Done</p>

Please tick (✓) category of services performed:

Standard Services:	Wellbore Cleanout <input type="checkbox"/>	Advanced Services	CT Fishing <input type="checkbox"/>
	CT Cementing <input type="checkbox"/>		CT Milling <input type="checkbox"/>
	Nitrogen Operations <input checked="" type="checkbox"/>		CT Logging <input type="checkbox"/>
	Pumping Services <input type="checkbox"/>		CT Perforation <input type="checkbox"/>