

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 1: To be completed by Assessor [WEIGHT: 40%]

Name	JAINUDDIN YAACOB	COB Date	11/10/24
Position	GEO	RTB Date	2/10/24
Client	PCSB	Location	ANGSI B
Platform	ANGSI B	Well	B22
Assessed By	Name: KHAIRUL RIDWAN	Position:	CTS FSM

RATING LEGEND:

STRONG	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent
ADEQUATE	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good
IMPROVEMENT NEEDED	Performance did not consistently meet expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please ✓ where appropriate)								
	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
10	9	8	7	6	5	4	3	2	
Safety Awareness (20%)		✓							
a. Usage of Personal Protective Equipment		✓							
b. Participation in UAUC		✓							
c. Understanding of PTW System		✓							
d. Worksite House Keeping		✓							
Work Performance (20%)		✓							
e. Initiative and Creativity			✓						
f. Decision Making Capability				✓					
g. Understanding of Job Scope			✓						
h. Tools Inventory and Reporting				✓					
i. Work Quality			✓						
j. Reporting				✓					
k. Punctuality and Time Keeping					✓				
l. Teamwork						✓			
m. Communication							✓		
n. Leadership Skills								✓	
o. Adaptability to Work Environment/Surrounding									✓
p. Attitude									✓
q. Discipline									✓

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

Able to mange operation very well.

Assessed By [Supervisor]	<u>Khairul Ridwan</u>
Name	KHAIRUL RIDWAN
Date	6/11/24

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																													
1. Pre-Job Preparation	<ul style="list-style-type: none"> - Attend morning and toolbox meeting with WIS on board - Attend pre-job meeting - pre-check/EMC 1 all pumping unit before start job 																														
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="text-align: center;">Rating (by SUPERVISOR)</th> <th colspan="3" style="text-align: center;">STRONG</th> <th colspan="3" style="text-align: center;">ADEQUATE</th> <th colspan="4" style="text-align: center;">IMPROVEMENT NEEDED</th> </tr> <tr> <th style="text-align: center;">10</th> <th style="text-align: center;">9</th> <th style="text-align: center;">8</th> <th style="text-align: center;">7</th> <th style="text-align: center;">6</th> <th style="text-align: center;">5</th> <th style="text-align: center;">4</th> <th style="text-align: center;">3</th> <th style="text-align: center;">2</th> </tr> </thead> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2										
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																								
	10	9	8	7	6	5	4	3	2																						
2. Surface Equipment Rig-up	<ul style="list-style-type: none"> - Reperform rig up pumping line to well - set up equipment on deck - Rig up 4" hose - prepare w/older pump for mixing chemical - Rig up w/older pump from sea deck out to main deck - Rig up water injection 																														
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="text-align: center;">Rating (by SUPERVISOR)</th> <th colspan="3" style="text-align: center;">STRONG</th> <th colspan="3" style="text-align: center;">ADEQUATE</th> <th colspan="4" style="text-align: center;">IMPROVEMENT NEEDED</th> </tr> <tr> <th style="text-align: center;">10</th> <th style="text-align: center;">9</th> <th style="text-align: center;">8</th> <th style="text-align: center;">7</th> <th style="text-align: center;">6</th> <th style="text-align: center;">5</th> <th style="text-align: center;">4</th> <th style="text-align: center;">3</th> <th style="text-align: center;">2</th> </tr> </thead> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2										
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																								
	10	9	8	7	6	5	4	3	2																						
3. Tools / Equipment Preparation	<ul style="list-style-type: none"> - perform EMC 1 on pumping unit and Batch mixer - Prepare chemical 																														
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="text-align: center;">Rating (by Operator)</th> <th colspan="3" style="text-align: center;">STRONG</th> <th colspan="3" style="text-align: center;">ADEQUATE</th> <th colspan="4" style="text-align: center;">IMPROVEMENT NEEDED</th> </tr> <tr> <th style="text-align: center;">10</th> <th style="text-align: center;">9</th> <th style="text-align: center;">8</th> <th style="text-align: center;">7</th> <th style="text-align: center;">6</th> <th style="text-align: center;">5</th> <th style="text-align: center;">4</th> <th style="text-align: center;">3</th> <th style="text-align: center;">2</th> </tr> </thead> </table>	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2										
Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																								
	10	9	8	7	6	5	4	3	2																						
4. Equipment	<p>4.1 Batch Mixer</p> <ul style="list-style-type: none"> - Rig up hydraulic hose - Perform EMC 1 																														
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="text-align: center;">Rating (by SUPERVISOR)</th> <th colspan="3" style="text-align: center;">STRONG</th> <th colspan="3" style="text-align: center;">ADEQUATE</th> <th colspan="4" style="text-align: center;">IMPROVEMENT NEEDED</th> </tr> <tr> <th style="text-align: center;">10</th> <th style="text-align: center;">9</th> <th style="text-align: center;">8</th> <th style="text-align: center;">7</th> <th style="text-align: center;">6</th> <th style="text-align: center;">5</th> <th style="text-align: center;">4</th> <th style="text-align: center;">3</th> <th style="text-align: center;">2</th> </tr> </thead> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2										
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																								
	10	9	8	7	6	5	4	3	2																						
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%;">Employee was able to OPERATE the equipment:</td> <td style="width: 20%; text-align: center;">Under Supervision</td> <td style="width: 20%;"></td> </tr> <tr> <td></td> <td style="text-align: center;">Standalone</td> <td></td> </tr> </table>	Employee was able to OPERATE the equipment:	Under Supervision			Standalone																									
Employee was able to OPERATE the equipment:	Under Supervision																														
	Standalone																														

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment									
	4.2 Pump Unit - Top up lubricate oil for plunger - Perform EMC1										
	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	8	7	6	5	4	3	2	
Employee was able to OPERATE the equipment:				Under Supervision							
				Standalone							
	4.3 Nitrogen Pump unit & Nitrogen Tank										
	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	8	7	6	5	4	3	2	
Employee was able to OPERATE the equipment:				Under Supervision							
				Standalone							
	4.4 Power Pack										
	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	8	7	6	5	4	3	2	
Employee was able to OPERATE the equipment:				Under Supervision							
				Standalone							
	4.5 Control Cabin										
	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	8	7	6	5	4	3	2	
Employee was able to OPERATE the equipment:				Under Supervision							
				Standalone							

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment										
	4.6 CT Reel											
	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED		
				10	9	8	7	6	5	4	3	2
	Employee was able to OPERATE the equipment:						Under Supervision					
							Standalone					
	4.7 Injector Head											
	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED		
				10	9	8	7	6	5	4	3	2
	Employee was able to OPERATE the equipment:						Under Supervision					
							Standalone					
	4.8 Pressure Control Equipment											
	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED		
				10	9	8	7	6	5	4	3	2
	Employee was able to OPERATE the equipment:						Under Supervision					
							Standalone					
	4.9 Basic BHA Components											
	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED		
				10	9	8	7	6	5	4	3	2
	Employee was able to OPERATE the tools:						Under Supervision					
							Standalone					

Doc.Ref.No.: CTS-FORM-90

Revision No.: 01

Effective Date: 21/08/2023

(Rev.00,Dated:22/09/19-OBSOLETE)

CONTROLLED COPY

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																																				
5. Job Supervision (if applicable) <i>Please complete this section if you perform any supervisory role during operation</i>																																						
Rating (by SUPERVISOR)	<table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </thead> <tbody> <tr> <td colspan="3">Please ✓ accordingly to confirm the role of the employee during operation</td> <td colspan="3">Full Supervisor</td> <td colspan="3"></td> </tr> <tr> <td colspan="3"></td> <td colspan="3">2nd / Night Supervisor</td> <td colspan="3"></td> </tr> </tbody> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Please ✓ accordingly to confirm the role of the employee during operation			Full Supervisor									2nd / Night Supervisor						
STRONG			ADEQUATE			IMPROVEMENT NEEDED																																
10	9	8	7	6	5	4	3	2																														
Please ✓ accordingly to confirm the role of the employee during operation			Full Supervisor																																			
			2nd / Night Supervisor																																			

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 3: To be completed by Employee and Assessor

DATE	Assignment/Summary Job/Duration	Supervisor's Feedback (Please indicate if employee is able to execute the job <u>UNDER SUPERVISION</u> or <u>STANDALONE</u>)
1/10/24	Perform Acid Wash	
2/10/24	<p>- I was assigned as pumping supervisor to perform acid wash well BA22</p> <p>- Tubing pickling with 80 bbls 7.5% HCl</p> <p>- Acid wash main treatment with 275 bbls pre-flush solvent, 275 bbls 15% HCl and 100 bbls injection water</p> <p>- Job completed and archive target</p>	

Please tick (✓) category of services performed:

Standard Services:

- Wellbore Cleanout
- CT Cementing
- Nitrogen Operations
- Pumping Services

Advanced Services

- CT Fishing
- CT Milling
- CT Logging
- CT Perforation

--	--