

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 1: To be completed by Assessor [WEIGHT: 40%]

Name	MUHAMMAD AINUdin BIN KAMAL	COB Date	17/10/2023
Position	Equipment Operator Trainee	RTB Date	14/11/2023
Client	Pest3	Location	DULANG
Platform	DULANG CHARLIE	Well	C-24 L
Assessed By	Name: MOHD SHUKRI AWANG	Position: FIELD SPECIALIST	


RATING LEGEND:

STRONG	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent
ADEQUATE	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good
IMPROVEMENT NEEDED	Performance did not consistently meet expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please ✓ where appropriate)								
	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
	10	9	8	7	6	5	4	3	2
<u>Safety Awareness (20%)</u>		✓							
a. Usage of Personal Protective Equipment		✓							
b. Participation in UAUC		✓							
c. Understanding of PTW System		✓							
d. Worksite House Keeping		✓							
<u>Work Performance (20%)</u>									
e. Initiative and Creativity									
f. Decision Making Capability									
g. Understanding of Job Scope									
h. Tools Inventory and Reporting									
i. Work Quality									
j. Reporting									
k. Punctuality and Time Keeping									
l. Teamwork									
m. Communication									
n. Leadership Skills									
o. Adaptability to Work Environment/Surrounding									
p. Attitude									
q. Discipline									

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

- ✓ Can stay alone operate Bmp
- ✓ Can stay alone operate Single pump unit
- ✓ Good Communication with supr & understanding when given instructions
- ✓ Overall good

Assessed By (Supervisor)	
Name	MOHD SHUKRI AWANG
Date	9 Jan 2024

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																			
1. Pre-Job Preparation	<p>1. Attend morning meeting</p> <p>2. Review E-PTW</p> <p>3. Give safety slide and video</p>	+ Done																			
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width: 20%;">Rating (by SUPERVISOR)</th> <th colspan="3" style="text-align: center;">STRONG</th> <th colspan="3" style="text-align: center;">ADEQUATE</th> <th colspan="3" style="text-align: center;">IMPROVEMENT NEEDED</th> </tr> <tr> <th style="text-align: center;">10</th> <th style="text-align: center;">9</th> <th style="text-align: center;">8</th> <th style="text-align: center;">7</th> <th style="text-align: center;">6</th> <th style="text-align: center;">5</th> <th style="text-align: center;">4</th> <th style="text-align: center;">3</th> <th style="text-align: center;">2</th> </tr> </thead> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED														
	10	9	8	7	6	5	4	3	2												
2. Surface Equipment Rig-up	<p>1. Assist crew to rig up single pump, batch miter and circulate line from batch mixer to single pump</p> <p>2. Assist crew to rig up soft hose for discharge</p>	+ Done																			
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width: 20%;">Rating (by SUPERVISOR)</th> <th colspan="3" style="text-align: center;">STRONG</th> <th colspan="3" style="text-align: center;">ADEQUATE</th> <th colspan="3" style="text-align: center;">IMPROVEMENT NEEDED</th> </tr> <tr> <th style="text-align: center;">10</th> <th style="text-align: center;">9</th> <th style="text-align: center;">8</th> <th style="text-align: center;">7</th> <th style="text-align: center;">6</th> <th style="text-align: center;">5</th> <th style="text-align: center;">4</th> <th style="text-align: center;">3</th> <th style="text-align: center;">2</th> </tr> </thead> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED														
	10	9	8	7	6	5	4	3	2												
3. Tools / Equipment Preparation	<p>1. Top up Diesel on equipment</p>	+ Done																			
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width: 20%;">Rating (by Operator)</th> <th colspan="3" style="text-align: center;">STRONG</th> <th colspan="3" style="text-align: center;">ADEQUATE</th> <th colspan="3" style="text-align: center;">IMPROVEMENT NEEDED</th> </tr> <tr> <th style="text-align: center;">10</th> <th style="text-align: center;">9</th> <th style="text-align: center;">8</th> <th style="text-align: center;">7</th> <th style="text-align: center;">6</th> <th style="text-align: center;">5</th> <th style="text-align: center;">4</th> <th style="text-align: center;">3</th> <th style="text-align: center;">2</th> </tr> </thead> </table>	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED														
	10	9	8	7	6	5	4	3	2												
4. Equipment	<p>4.1 Batch Mixer</p> <p>1. Mixing pre flush solvent with specialist chemical on board</p> <p>2. Assist chemical specialist mixing Acid Descaler 15% HCL</p> <p>3. Assist chemical specialist mixing post flush with fitness control agent</p>	+ Done																			
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width: 20%;">Rating (by SUPERVISOR)</th> <th colspan="3" style="text-align: center;">STRONG</th> <th colspan="3" style="text-align: center;">ADEQUATE</th> <th colspan="3" style="text-align: center;">IMPROVEMENT NEEDED</th> </tr> <tr> <th style="text-align: center;">10</th> <th style="text-align: center;">9</th> <th style="text-align: center;">8</th> <th style="text-align: center;">7</th> <th style="text-align: center;">6</th> <th style="text-align: center;">5</th> <th style="text-align: center;">4</th> <th style="text-align: center;">3</th> <th style="text-align: center;">2</th> </tr> </thead> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
	Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED												
10		9	8	7	6	5	4	3	2												
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%;">Employee was able to OPERATE the equipment:</td> <td style="width: 20%; text-align: center;">Under Supervision</td> <td style="width: 20%; text-align: center;">Standalone</td> </tr> </table>	Employee was able to OPERATE the equipment:	Under Supervision	Standalone																		
Employee was able to OPERATE the equipment:	Under Supervision	Standalone																			

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																							
	<p>4.2 Pump Unit</p> <p>1. Assist pump man rig up pumping line</p> <p>2. Assist crew function test on pumping unit</p>	+ Done																							
	<table border="1"> <tr> <td rowspan="2">Rating (by SUPERVISOR)</td> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table> <p>Employee was able to OPERATE the equipment:</p> <table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td><input checked="" type="checkbox"/></td> </tr> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Under Supervision		Standalone	<input checked="" type="checkbox"/>	
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																		
	10	9	8	7	6	5	4	3	2																
Under Supervision																									
Standalone	<input checked="" type="checkbox"/>																								
	<p>4.3 Nitrogen Pump unit & Nitrogen Tank</p> <p>1. Assist crew rig up NCV line to CT reel</p> <p>2. Assist crew transfer Nitrogen</p>	+ Done																							
	<table border="1"> <tr> <td rowspan="2">Rating (by SUPERVISOR)</td> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table> <p>Employee was able to OPERATE the equipment:</p> <table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Under Supervision	<input checked="" type="checkbox"/>	Standalone		
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																		
	10	9	8	7	6	5	4	3	2																
Under Supervision	<input checked="" type="checkbox"/>																								
Standalone																									
	<p>4.4 Power Pack</p> <p>1. Assist to rig up hydraulic power hose to injector head</p> <p>2. Assist to rig up hose from eTU Power Pack to control cabin</p>	+ Done																							
	<table border="1"> <tr> <td rowspan="2">Rating (by SUPERVISOR)</td> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table> <p>Employee was able to OPERATE the equipment:</p> <table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Under Supervision	<input checked="" type="checkbox"/>	Standalone		
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																		
	10	9	8	7	6	5	4	3	2																
Under Supervision	<input checked="" type="checkbox"/>																								
Standalone																									
	<p>4.5 Control Cabin</p> <p>1. Assist to rig up hydraulic hose and connected to CT reel, Injector head and BOP -</p>	+ Done																							
	<table border="1"> <tr> <td rowspan="2">Rating (by SUPERVISOR)</td> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table> <p>Employee was able to OPERATE the equipment:</p> <table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Under Supervision	<input checked="" type="checkbox"/>	Standalone		
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																		
	10	9	8	7	6	5	4	3	2																
Under Supervision	<input checked="" type="checkbox"/>																								
Standalone																									

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																							
	<p>4.6 CT Reel</p> <p>1. Assist to connect hydraulic hose from control cabin</p> <p>2. Assist crew to rig up line from pump and nitrogen to ct reel</p>	* Done																							
	<table border="1"> <tr> <td rowspan="2">Rating (by SUPERVISOR)</td> <td colspan="3">STRONG</td> <td colspan="3">ADEQUATE</td> <td colspan="3">IMPROVEMENT NEEDED</td> </tr> <tr> <td>10</td><td>9</td><td>8</td> <td>7</td><td>6</td><td>5</td> <td>4</td><td>3</td><td>2</td> </tr> </table> <p>Employee was able to OPERATE the equipment:</p>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	<table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input type="checkbox"/></td> </tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input type="checkbox"/>
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																		
	10	9	8	7	6	5	4	3	2																
Under Supervision	<input checked="" type="checkbox"/>																								
Standalone	<input type="checkbox"/>																								
	<p>4.7 Injector Head</p> <p>1. Assist to stub in CT to injector head</p> <p>2. Assist crew to spot jacking frame and injector head on well</p>	* Done																							
	<table border="1"> <tr> <td rowspan="2">Rating (by SUPERVISOR)</td> <td colspan="3">STRONG</td> <td colspan="3">ADEQUATE</td> <td colspan="3">IMPROVEMENT NEEDED</td> </tr> <tr> <td>10</td><td>9</td><td>8</td> <td>7</td><td>6</td><td>5</td> <td>4</td><td>3</td><td>2</td> </tr> </table> <p>Employee was able to OPERATE the equipment:</p>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	<table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input type="checkbox"/></td> </tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input type="checkbox"/>
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																		
	10	9	8	7	6	5	4	3	2																
Under Supervision	<input checked="" type="checkbox"/>																								
Standalone	<input type="checkbox"/>																								
	<p>4.8 Pressure Control Equipment</p> <p>1. Assist to connect hydraulic hose from control cabin to single Bop and combi Bop</p>	* Done																							
	<table border="1"> <tr> <td rowspan="2">Rating (by SUPERVISOR)</td> <td colspan="3">STRONG</td> <td colspan="3">ADEQUATE</td> <td colspan="3">IMPROVEMENT NEEDED</td> </tr> <tr> <td>10</td><td>9</td><td>8</td> <td>7</td><td>6</td><td>5</td> <td>4</td><td>3</td><td>2</td> </tr> </table> <p>Employee was able to OPERATE the equipment:</p>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	<table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input type="checkbox"/></td> </tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input type="checkbox"/>
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																		
	10	9	8	7	6	5	4	3	2																
Under Supervision	<input checked="" type="checkbox"/>																								
Standalone	<input type="checkbox"/>																								
	<p>4.9 Basic BHA Components</p> <p>1. Assist crew prepare BHA to be used for job</p> <p>2. Assist CT supervisor to prepare make make up BHA</p>	* Done																							
	<table border="1"> <tr> <td rowspan="2">Rating (by SUPERVISOR)</td> <td colspan="3">STRONG</td> <td colspan="3">ADEQUATE</td> <td colspan="3">IMPROVEMENT NEEDED</td> </tr> <tr> <td>10</td><td>9</td><td>8</td> <td>7</td><td>6</td><td>5</td> <td>4</td><td>3</td><td>2</td> </tr> </table> <p>Employee was able to OPERATE the tools:</p>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	<table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input type="checkbox"/></td> </tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input type="checkbox"/>
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																		
	10	9	8	7	6	5	4	3	2																
Under Supervision	<input checked="" type="checkbox"/>																								
Standalone	<input type="checkbox"/>																								

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 3: To be completed by Employee and Assessor

DATE	Assignment/Summary Job/Duration	Supervisor's Feedback (Please indicate if employee is able to execute the job <u>UNDER SUPERVISION</u> or <u>STANDALONE</u>)
	<ul style="list-style-type: none"> - CTV proceed with CT Acid wash with current condition without a packer due to security tubing condition - Crew change with crew on board at Charlie 17 October 2023. Start assist crew rig up surface line. Perform milling pre flush solvent, Acid descaler 15% HCL and post flush with fines control agent. Back to PDST 1st November 2023. 	+ Done

Please tick (✓) category of services performed:

Standard Services:

Weilbore Cleanout
CT Cementing
Nitrogen Operations
Pumping Services

✓

Advanced Services

CT Fishing
CT Milling
CT Logging
CT Perforation
