

# DIMENSION BID

## COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 1: To be completed by Assessor [WEIGHT: 40%]

Name	SHAHRILOZHAM BIN ALIAS	COB Date	21/4/2024
Position	EQUIPMENT OPERATOR TRAINEE	RTB Date	1/10/2024
Client	PCSB	Location	DULANG
Platform	DULANG ALPHA	Well	A-12
Assessed By	Name: Mat Nor Hissam	Position: CTU SUPV	

### RATING LEGEND:

STRONG	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent
ADEQUATE	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good
IMPROVEMENT NEEDED	Performance did not consistently meet expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please <input checked="" type="checkbox"/> where appropriate)								
	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
Safety Awareness (20%)	10	9	8	7	6	5	4	3	2
a. Usage of Personal Protective Equipment	/								
b. Participation in UAUC		/							
c. Understanding of PTW System		/							
d. Worksite House Keeping			/						
Work Performance (20%)				/					
e. Initiative and Creativity				/					
f. Decision Making Capability				/					
g. Understanding of Job Scope				/					
h. Tools Inventory and Reporting									
i. Work Quality					/				
j. Reporting				/					
k. Punctuality and Time Keeping				/					
l. Teamwork				/					
m. Communication				/					
n. Leadership Skills				/					
o. Adaptability to Work Environment/Surrounding				/					
p. Attitude				/					
q. Discipline				/					

### REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

- Assign as PTW applicant and BMT assistant during working period..
- at show good practice during working Period .

Assessed By [Supervisor]	<i>Mat Nor</i>
Name	Mat Nor Hissam b Mohamad Nor
Date	20/4/2024

# DIMENSION BID

## COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment										
1. Pre-Job Preparation	1. Attend pre-job meeting before mob 2. Prepare e-ptw 3. Attend toolbox meeting conduct by wss and all intervention crew on board	good job.										
		Rating (by SUPERVISOR)			STRONG			ADEQUATE		IMPROVEMENT NEEDED		
		10	9	8	7	6	5	4	3	2		
2. Surface Equipment Rig-up	1. Assist crew for heavy lifting to spot the equipment according to space availability 2. Assist crew to rig-up 4" LP hoses from fst to batch mixer and single pump unit 3. Assist crew to rig-up crossover on the wellhead.	- Good assist										
		Rating (by SUPERVISOR)			STRONG			ADEQUATE		IMPROVEMENT NEEDED		
		10	9	8	7	6	5	4	3	2		
3. Tools / Equipment Preparation	1. Perform EMC1 on all equipment 2. Start up and run all equipment for few minutes. 3. Connect air hose from air compressor to all equipment 4. Top up diesel to all equipment everyday before start operation	- Good job.										
		Rating (by Operator)			STRONG			ADEQUATE		IMPROVEMENT NEEDED		
		10	9	8	7	6	5	4	3	2		
4. Equipment	4.1 Batch Mixer	- fast learning. Fast learning.										
		Rating (by SUPERVISOR)			STRONG			ADEQUATE		IMPROVEMENT NEEDED		
		10	9	8	7	6	5	4	3	2		
		Employee was able to OPERATE the equipment:					Under Supervision		<input checked="" type="checkbox"/>			
							Standalone					

# DIMENSION BID

## COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																																
	4.2 Pump Unit 1.Assist pump operator to rig-up single pump 2.Assist pump operator to connect hydraulic hose 3.Assist pump operator to install universal shaft 4.Assist pump operator to rig-up 2" kill line from single pump unit line to BOP kill port	<p>- Good assist .</p>																																
	<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="4">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td>Employee was able to OPERATE the equipment:</td> <td colspan="3"></td> <td colspan="3">Under Supervision</td> <td colspan="4"><input checked="" type="checkbox"/></td> </tr> </tbody> </table>			Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:				Under Supervision			<input checked="" type="checkbox"/>			
Rating (by SUPERVISOR)	STRONG				ADEQUATE			IMPROVEMENT NEEDED																										
	10	9	8	7	6	5	4	3	2																									
Employee was able to OPERATE the equipment:				Under Supervision			<input checked="" type="checkbox"/>																											
	4.3 Nitrogen Pump unit & Nitrogen Tank																																	
	<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="4">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td>Employee was able to OPERATE the equipment:</td> <td colspan="3"></td> <td colspan="3">Under Supervision</td> <td colspan="4"><input type="checkbox"/></td> </tr> </tbody> </table>			Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:				Under Supervision			<input type="checkbox"/>			
Rating (by SUPERVISOR)	STRONG				ADEQUATE			IMPROVEMENT NEEDED																										
	10	9	8	7	6	5	4	3	2																									
Employee was able to OPERATE the equipment:				Under Supervision			<input type="checkbox"/>																											
	4.4 Power Pack																																	
	<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="4">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td>Employee was able to OPERATE the equipment:</td> <td colspan="3"></td> <td colspan="3">Under Supervision</td> <td colspan="4"><input type="checkbox"/></td> </tr> </tbody> </table>			Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:				Under Supervision			<input type="checkbox"/>			
Rating (by SUPERVISOR)	STRONG				ADEQUATE			IMPROVEMENT NEEDED																										
	10	9	8	7	6	5	4	3	2																									
Employee was able to OPERATE the equipment:				Under Supervision			<input type="checkbox"/>																											
	4.5 Control Cabin																																	
	<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="4">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td>Employee was able to OPERATE the equipment:</td> <td colspan="3"></td> <td colspan="3">Under Supervision</td> <td colspan="4"><input type="checkbox"/></td> </tr> </tbody> </table>			Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:				Under Supervision			<input type="checkbox"/>			
Rating (by SUPERVISOR)	STRONG				ADEQUATE			IMPROVEMENT NEEDED																										
	10	9	8	7	6	5	4	3	2																									
Employee was able to OPERATE the equipment:				Under Supervision			<input type="checkbox"/>																											

# DIMENSION BID

## COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2. To be completed by Employee and Assessor (WEIGHT: 60%)

Type of Task	Tasks Performed	Assessor Comment																																										
	4.6 CT Reel																																											
	<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="4">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td>Employee was able to OPERATE the equipment:</td> <td colspan="3"></td> <td colspan="3">Under Supervision</td> <td colspan="4"></td> </tr> <tr> <td></td> <td colspan="3"></td> <td colspan="3">Standalone</td> <td colspan="4"></td> </tr> </tbody> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:				Under Supervision											Standalone							
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																																					
	10	9	8	7	6	5	4	3	2																																			
Employee was able to OPERATE the equipment:				Under Supervision																																								
				Standalone																																								
	4.7 Injector Head																																											
	<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="4">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td>Employee was able to OPERATE the equipment:</td> <td colspan="3"></td> <td colspan="3">Under Supervision</td> <td colspan="4"></td> </tr> <tr> <td></td> <td colspan="3"></td> <td colspan="3">Standalone</td> <td colspan="4"></td> </tr> </tbody> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:				Under Supervision											Standalone							
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																																					
	10	9	8	7	6	5	4	3	2																																			
Employee was able to OPERATE the equipment:				Under Supervision																																								
				Standalone																																								
	4.8 Pressure Control Equipment 1. Assist crew to rig-up single BOP with necessary lenght of riser on top of the wellhead is correct 2. Assist crew to hook up BOP hoses.	Good assist																																										
	<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="4">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td>Employee was able to OPERATE the equipment:</td> <td colspan="3"></td> <td colspan="3">Under Supervision</td> <td colspan="4"></td> </tr> <tr> <td></td> <td colspan="3"></td> <td colspan="3">Standalone</td> <td colspan="4"></td> </tr> </tbody> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:				Under Supervision											Standalone							
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																																					
	10	9	8	7	6	5	4	3	2																																			
Employee was able to OPERATE the equipment:				Under Supervision																																								
				Standalone																																								
	4.9 Basic BHA Components																																											
	<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="4">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td>Employee was able to OPERATE the tools:</td> <td colspan="3"></td> <td colspan="3">Under Supervision</td> <td colspan="4"></td> </tr> <tr> <td></td> <td colspan="3"></td> <td colspan="3">Standalone</td> <td colspan="4"></td> </tr> </tbody> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the tools:				Under Supervision											Standalone							
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																																					
	10	9	8	7	6	5	4	3	2																																			
Employee was able to OPERATE the tools:				Under Supervision																																								
				Standalone																																								

# DIMENSION BID

## COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2. To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment								
S. Job Supervision (if applicable) <i>Please complete this section if you perform any supervisory role during operation</i>										
		STRONG			ADEQUATE			IMPROVEMENT NEEDED		
Rating (by SUPERVISOR)	10	9	8	7	6	5	4	3	2	
Please <input checked="" type="checkbox"/> accordingly to confirm the role of the employee during operation					Full Supervisor		2nd / Night Supervisor			

# DIMENSION BID

## COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 3: To be completed by Employee and Assessor

DATE	Assignment/Summary Job/Duration	Supervisor's Feedback (Please indicate if employee is able to execute the job <u>UNDER SUPERVISION</u> or <u>STANDALONE</u> )
	<ul style="list-style-type: none"> <li>-Start heavy lifting upon obtaining permission from OIM</li> <li>-Rig-up equipment and surface rigup after finish spot the equipment to space availability.</li> <li>-Install correct wellhead crossover on the wellhead. Ensure well is fully secured and record the MV and CV turns.</li> <li>-Perform EMC1 for all equipment</li> <li>-Start up and run all equipment for few minutes.</li> <li>-Fill and pressure test the treating line with water to 500 psi for 5 minutes until 3000 psi for 10 minutes.</li> <li>-Perform mixing 7.5% HCL for 10 barrels and start pumping.</li> </ul>	<p>- Good ass is every task given by supv.</p> <p><i>[Signature]</i> Muhammad Nor Wissam</p>

Please tick (✓) category of services performed:					
<b>Standard Services:</b>	Wellbore Cleanout	<input type="checkbox"/>	Advanced Services	CT Fishing	<input type="checkbox"/>
	CT Cementing	<input type="checkbox"/>		CT Milling	<input type="checkbox"/>
	Nitrogen Operations	<input type="checkbox"/>		CT Logging	<input type="checkbox"/>
	Pumping Services	<input checked="" type="checkbox"/>		CT Perforation	<input type="checkbox"/>