

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 1: To be completed by Assessor [WEIGHT: 40%]

Name	MOHAMAD AIDIL SAFWAN B. KASOFI	COB Date	18 MAY 2023
Position	EQUIPMENT OPERATOR TRAINEE	RTB Date	10 JUN 2023
Client	PETRONAS CARIGALI	Location	ANGSII
Platform	ANGSII - ANDRA	Well	A-12 S
Assessed By	Name: JO HARI BIN JOHOR	Position:	COILED TUBING SUPERVISOR


RATING LEGEND:

STRONG	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent
ADEQUATE	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good
IMPROVEMENT NEEDED	Performance did not consistently meet expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please <input checked="" type="checkbox"/> where appropriate)								
	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
Safety Awareness (20%)	10	9	8	7	6	5	4	3	2
a. Usage of Personal Protective Equipment			/						
b. Participation in UAUC			/						
c. Understanding of PTW System			/						
d. Worksite House Keeping			/						
Work Performance (20%)									
e. Initiative and Creativity						/			
f. Decision Making Capability						/			
g. Understanding of Job Scope					/				
h. Tools Inventory and Reporting				/					
i. Work Quality				/					
j. Reporting					/				
k. Punctuality and Time Keeping					.	/			
l. Teamwork			/						
m. Communication				/					
n. Leadership Skills				.	/				
o. Adaptability to Work Environment/Surrounding				/					
p. Attitude				/					
q. Discipline			/						

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

Give good team work and continuous learning from working overall (overall goal).

Assessed By (Supervisor)	
Name	JO HARI BIN JOHOR
Date	11 JUN 2023

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2 To be completed by Employee and Assessor (WEIGHT: 60%)

Type of Task	Tasks Performed	Assessor Comment									
1. Pre-Job Preparation	1. Attend toolbox and meeting with CSR. 2. Prepare EPN before do the job.	Done									
		Rating (by SUPERVISOR)	STRONG	10	9	8	7	6	5	ADEQUATE	IMPROVEMENT NEEDED
2. Surface Equipment Rig-up	1. ASSIST crew rig up Pumping surface line from SP01 to CTU reel, bleed out line and kill port line to Combi BOP. 2. Rig up 4" hose from FST to PUMP 01 and BMX	Done									
		Rating (by SUPERVISOR)	STRONG	10	9	8	7	6	5	ADEQUATE	IMPROVEMENT NEEDED
3. Tools / Equipment Preparation	1. Connect air hose to all CTU equipment 2. Perform EMC1 before do the job. 3. Top up diesel on equipment.	Done									
		Rating (by Operator)	STRONG	10	9	8	7	6	5	ADEQUATE	IMPROVEMENT NEEDED
4. Equipment	4.1 Batch Mixer 1. Mixing 15% HCL 2. Assist mechanic on board do EMC 2, change new belting set.	Done									
		Rating (by SUPERVISOR)	STRONG	10	9	8	7	6	5	ADEQUATE	IMPROVEMENT NEEDED
	Employee was able to OPERATE the equipment:	Under Supervision				<input checked="" type="checkbox"/>	Standalone				

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																								
4.2 Pump Unit	<p>1. ASSIST pump man to close/open bleed out line valve -</p> <p>2. ASSIST crew rig up surface pump line.</p> <p>3. ASSIST pump man top up engine oil and change oil filter -</p>	Done																								
	<table border="1"> <tr> <td rowspan="2">Rating (by SUPERVISOR)</td> <td colspan="3">STRONG</td> <td colspan="3">ADEQUATE</td> <td colspan="4">IMPROVEMENT NEEDED</td> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2	<table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input type="checkbox"/></td> </tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input type="checkbox"/>
	Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED																	
		10	9	8	7	6	5	4	3	2																
Under Supervision	<input checked="" type="checkbox"/>																									
Standalone	<input type="checkbox"/>																									
<table border="1"> <tr> <td colspan="4">Employee was able to OPERATE the equipment:</td> </tr> </table>	Employee was able to OPERATE the equipment:				<table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input type="checkbox"/></td> </tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input type="checkbox"/>																	
Employee was able to OPERATE the equipment:																										
Under Supervision	<input checked="" type="checkbox"/>																									
Standalone	<input type="checkbox"/>																									
	4.3 Nitrogen Pump unit & Nitrogen Tank	Done																								
4.4 Power Pack	<p>1. ASSIST crew transfer nitrogen</p>	Done																								
	<table border="1"> <tr> <td rowspan="2">Rating (by SUPERVISOR)</td> <td colspan="3">STRONG</td> <td colspan="3">ADEQUATE</td> <td colspan="4">IMPROVEMENT NEEDED</td> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2	<table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input type="checkbox"/></td> </tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input type="checkbox"/>
	Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED																	
		10	9	8	7	6	5	4	3	2																
Under Supervision	<input checked="" type="checkbox"/>																									
Standalone	<input type="checkbox"/>																									
<table border="1"> <tr> <td colspan="4">Employee was able to OPERATE the equipment:</td> </tr> </table>	Employee was able to OPERATE the equipment:				<table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input type="checkbox"/></td> </tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input type="checkbox"/>																	
Employee was able to OPERATE the equipment:																										
Under Supervision	<input checked="" type="checkbox"/>																									
Standalone	<input type="checkbox"/>																									
	4.5 Control Cabin	Done																								
	<p>1. ASSIST to rig up hydraulic hose to CT reel, injector head and BOP.</p>	Done																								
	<table border="1"> <tr> <td rowspan="2">Rating (by SUPERVISOR)</td> <td colspan="3">STRONG</td> <td colspan="3">ADEQUATE</td> <td colspan="4">IMPROVEMENT NEEDED</td> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2	<table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input type="checkbox"/></td> </tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input type="checkbox"/>
	Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED																	
		10	9	8	7	6	5	4	3	2																
Under Supervision	<input checked="" type="checkbox"/>																									
Standalone	<input type="checkbox"/>																									
<table border="1"> <tr> <td colspan="4">Employee was able to OPERATE the equipment:</td> </tr> </table>	Employee was able to OPERATE the equipment:				<table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input type="checkbox"/></td> </tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input type="checkbox"/>																	
Employee was able to OPERATE the equipment:																										
Under Supervision	<input checked="" type="checkbox"/>																									
Standalone	<input type="checkbox"/>																									

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2 To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																													
4.6 CT Reel	<p>1. ASSIST CT operator to spool in or out coil while doing the job.</p>	done																													
	<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td>Employee was able to OPERATE the equipment:</td> <td colspan="3"></td> <td>Under Supervision</td> <td colspan="3"></td> <td>Standalone</td> <td>✓</td> </tr> </tbody> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:				Under Supervision				Standalone	✓	
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																								
	10	9	8	7	6	5	4	3	2																						
Employee was able to OPERATE the equipment:				Under Supervision				Standalone	✓																						
4.7 Injector Head	<p>1. ASSIST crew change New Stripper</p>	done																													
	<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td>Employee was able to OPERATE the equipment:</td> <td colspan="3"></td> <td>Under Supervision</td> <td colspan="3"></td> <td>Standalone</td> <td>✓</td> </tr> </tbody> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:				Under Supervision				Standalone	✓	
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																								
	10	9	8	7	6	5	4	3	2																						
Employee was able to OPERATE the equipment:				Under Supervision				Standalone	✓																						
4.8 Pressure Control Equipment	<p>1. ASSIST to connect hydraulic hose from control cabin to single BOP and combi.</p>	done																													
	<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td>Employee was able to OPERATE the equipment:</td> <td colspan="3"></td> <td>Under Supervision</td> <td colspan="3"></td> <td>Standalone</td> <td>✓</td> </tr> </tbody> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:				Under Supervision				Standalone	✓	
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																								
	10	9	8	7	6	5	4	3	2																						
Employee was able to OPERATE the equipment:				Under Supervision				Standalone	✓																						
4.9 Basic BHA Components	<p>1. ASSIST crew make up BHA tools for job.</p>	done																													
	<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td>Employee was able to OPERATE the tools:</td> <td colspan="3"></td> <td>Under Supervision</td> <td colspan="3"></td> <td>Standalone</td> <td>✓</td> </tr> </tbody> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the tools:				Under Supervision				Standalone	✓	
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																								
	10	9	8	7	6	5	4	3	2																						
Employee was able to OPERATE the tools:				Under Supervision				Standalone	✓																						

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																																					
5. Job Supervision (If applicable) Please complete this section if you perform any supervisory role during operation	1. Stand alone as Batch Mixer Operator, Perform mixing chemical HCL 15% and prepare TSW.	Done																																					
	<table border="1"><thead><tr><th rowspan="2">Rating (by SUPERVISOR)</th><th colspan="3">STRONG</th><th colspan="3">ADEQUATE</th><th colspan="3">IMPROVEMENT NEEDED</th></tr><tr><th>10</th><th>9</th><th>8</th><th>7</th><th>6</th><th>5</th><th>4</th><th>3</th><th>2</th></tr></thead><tbody><tr><td>Please check accordingly to confirm the role of the employee during operation</td><td>Full Supervisor</td><td colspan="7"><input checked="" type="checkbox"/></td></tr><tr><td></td><td>2nd / Night Supervisor</td><td colspan="7"></td></tr></tbody></table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Please check accordingly to confirm the role of the employee during operation	Full Supervisor	<input checked="" type="checkbox"/>								2nd / Night Supervisor								
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																																
	10	9	8	7	6	5	4	3	2																														
Please check accordingly to confirm the role of the employee during operation	Full Supervisor	<input checked="" type="checkbox"/>																																					
	2nd / Night Supervisor																																						

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 3 To be completed by Employee and Assessor

DATE	Assignment/Summary Job/Duration	Supervisor's Feedback (Please indicate if employee is able to execute the job UNDER SUPERVISION or STANDALONE)
24 May	- CTU Perform scale cleanout until SSD below first packer -	Great job and well done

Please tick (✓) category of services performed:

Standard Services:

Wellbore Cleanout
CT Cementing
Nitrogen Operations
Pumping Services

<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>

Advanced Services

CT Fishing
CT Milling
CT Logging
CT Perforation

<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>

Doc.Ref.No.: CTS-FORM-90

Revision No.: 01

Effective Date: 21/08/2023

(Rev.00,Dated 22/09/19-OBSOLETE)

CONTROLLED COPY

6