

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 1: To be completed by Assessor [WEIGHT: 40%]

Name	ZALANI B IBRAHIM	COB Date	22-Oct-23
Position	GENERAL EQUIPMENT OPERATOR	RTB Date	14-Nov-23
Client	PETRONAS CARIGALI	Location	DULANG-C
Platform	DULANG	Well	C-04 S
Assessed By	MOHD. SYUKRI B AWANG	Position:	COILED TUBING SUPERVISOR

RATING LEGEND:

STRONG	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent
ADEQUATE	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good
IMPROVEMENT NEEDED	Performance did not consistently meet expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please ✓ where appropriate)								
	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
10	9	8	7	6	5	4	3	2	
Safety Awareness (20%)	✓								
a. Usage of Personal Protective Equipment									
b. Participation in UAUC		✓							
c. Understanding of PTW System		✓							
d. Worksite House Keeping	✓								


Work Performance (20%)

- e. Initiative and Creativity
- f. Decision Making Capability
- g. Understanding of Job Scope
- h. Tools Inventory and Reporting
- i. Work Quality
- j. Reporting
- k. Punctuality and Time Keeping
- l. Teamwork
- m. Communication
- n. Leadership Skills
- o. Adaptability to Work Environment/Surrounding
- p. Attitude
- q. Discipline

	✓								
		✓							
	✓								
	✓								
	✓								
			✓						
	✓								
		✓							
	✓								
	✓								
		✓							
	✓								
		✓							

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

+ Overall Good

Assessed By [Supervisor]	
Name	MOHD. SYUKRI B AWANG

Doc. Ref. No.: CTS-FORM-90

Revision No.: 01

Effective Date: 21/08/2023

(Rev.00, Dated:22/09/19-OBSOLETE)

CONTROLLED COPY

1
P&G Management
P&G Management
P&G Management
P&G Management

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed			Assessor Comment							
1. Pre-Job Preparation	1. Attend toolbox and morning meeting with CSR. 2. Attend pre job meeting with client PCSB 3. Pre-check/EMC1 all CTU equipment before run the job.			* Done							
	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
10		9	8	7	6	5	4	3	2		
2. Surface Equipment Rig-up	1. Assist crew to rig up pumping surface line from RIG pump to coil reel and kill port to combi BOP. 2. Assist crew to rig up N2 line from NCV to CT reel. 3. Rig up hydraulic hose all equipment 4. Set up equipment on deck 5. Spot/arrange flood light, control cabin and tool container electric cable to junction box. 6. Rig up water injection line from well to fluid storage tank. 7. Rig up wilden pump, 2" spring hose and air hose from sea deck to main deck			* Done							
	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
10		9	8	7	6	5	4	3	2		
3. Tools / Equipment Preparation	1. Perform EMC1 on Control Cabin, Stripper, Single and Combi BOP, CT reel, CIDF 01, Injector Head, Jacking Frame and Power Pack for pre job. 2. Prepare Downhole tools to be use during job.			* Done							
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
10		9	8	7	6	5	4	3	2		
4. Equipment	4.1 Batch Mixer										
	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	8	7	6	5	4	3	2	
	Employee was able to OPERATE the equipment:				Under Supervision						
				Standalone							

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																															
	4.2 Pump Unit																																
	<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </thead> <tbody> <tr> <td>Employee was able to OPERATE the equipment:</td> <td colspan="3"></td> <td>Under Supervision</td> <td colspan="3"></td> <td>Standalone</td> <td colspan="3">/</td> </tr> </tbody> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:				Under Supervision				Standalone	/			
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																										
	10	9	8	7	6	5	4	3	2																								
Employee was able to OPERATE the equipment:				Under Supervision				Standalone	/																								
	4.3 Nitrogen Pump unit & Nitrogen Tank 1. Assist crew to rig up 2" HP treating line to CT reel and include bleed off line. 2. Assist crew to rig up cryogenic hose from N2 tank to inlet and outlet line on NCV	* Done																															
	<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </thead> <tbody> <tr> <td>Employee was able to OPERATE the equipment:</td> <td colspan="3"></td> <td>Under Supervision</td> <td colspan="3"></td> <td>Standalone</td> <td colspan="3">/</td> </tr> </tbody> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:				Under Supervision				Standalone	/			
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																										
	10	9	8	7	6	5	4	3	2																								
Employee was able to OPERATE the equipment:				Under Supervision				Standalone	/																								
	4.4 Power Pack 1. Perform EMC 1 for pre and post job	* Done																															
	<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </thead> <tbody> <tr> <td>Employee was able to OPERATE the equipment:</td> <td colspan="3"></td> <td>Under Supervision</td> <td colspan="3"></td> <td>Standalone</td> <td colspan="3">/</td> </tr> </tbody> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:				Under Supervision				Standalone	/			
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																										
	10	9	8	7	6	5	4	3	2																								
Employee was able to OPERATE the equipment:				Under Supervision				Standalone	/																								
	4.5 Control Cabin 1. Setup job file before start any run. 2. Perform EMC 1 for pre and post job. 3. Update job ticket including chemical tracking and chemical ticket	* Done																															
	<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </thead> <tbody> <tr> <td>Employee was able to OPERATE the equipment:</td> <td colspan="3"></td> <td>Under Supervision</td> <td colspan="3"></td> <td>Standalone</td> <td colspan="3">/</td> </tr> </tbody> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:				Under Supervision				Standalone	/			
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																										
	10	9	8	7	6	5	4	3	2																								
Employee was able to OPERATE the equipment:				Under Supervision				Standalone	/																								

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment									
4.6 CT Reel 1. Perform EMC 1 for pre and post job	✓ Done										
	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	8	7	6	5	4	3	2	
	Employee was able to OPERATE the equipment:					Under Supervision		Standalone			✓
4.7 Injector Head 1. Top up Injector Lube Oil before start job. 2. Top up Injector gear box oil prior to start job. 3. Perform EMC 1 for pre and post job	✓ Done										
	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	8	7	6	5	4	3	2	
	Employee was able to OPERATE the equipment:					Under Supervision		Standalone			✓
4.8 Pressure Control Equipment 1. Function test Single and Combi BOP prior to start job. 2. Function test Stripper prior to start job. 3. Perform EMC 1 for pre and post job.	✓ Done										
	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	8	7	6	5	4	3	2	
	Employee was able to OPERATE the equipment:					Under Supervision		Standalone			✓
4.9 Basic BHA Components 1. Prepare BHA configuration to be use on the job	✓ Done										
	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	8	7	6	5	4	3	2	
	Employee was able to OPERATE the tools:					Under Supervision		Standalone			✓

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed			Assessor Comment					
5. Job Supervision (if applicable) <i>Please complete this section if you perform any supervisory role during operation</i>									
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
	10	9	8	7	6	5	4	3	2
Please <input checked="" type="checkbox"/> accordingly to confirm the role of the employee during operation				Full Supervisor		2nd / Night Supervisor			

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 3: To be completed by Employee and Assessor

DATE	Assignment/Summary Job/Duration	Supervisor's Feedback (Please indicate if employee is able to execute the job UNDER SUPERVISION or STANDALONE)
22-Oct-23	CTU Cement Packer on well C-04 S	
14-Nov-23	I was assigned as Acting Supervisor and CT Operator on the Night Shift. On well C-04 S we perform totally 4 run to completed the well. First run is Depth Correlation/Drift Run to correlate depth then we flag CT as our references. Second run is Cementing Operation. We pump total 26 bbls Cement into the A-Annulus as per preparation to Perforate. Third is Cleanout until top of Cement Retainer. This run is for to make sure there is no hang up or cement traces left in the tubing. Fourth run is CT Unloading. As per WSS on board, they want to make perf with Underbalance condition. We unload the well until 2000 mtr THF to make sure the hydrostatic pressure is lower than expected Formation pressure (500 Psi).	

Please tick (✓) category of services performed:			
Standard Services:	Wellbore Cleanout	<input type="checkbox"/>	Advanced Services
	CT Cementing	<input checked="" type="checkbox"/>	CT Fishing
	Nitrogen Operations	<input type="checkbox"/>	CT Milling
	Pumping Services	<input type="checkbox"/>	CT Logging
		<input type="checkbox"/>	CT Perforation
		<input type="checkbox"/>	