

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 1: To be completed by Assessor [WEIGHT: 40%]

Name	MUHAMMAD AIDIL SATWAN B. KASHFY	COB Date	28/18/2023
Position	EQUIPMENT OPERATOR TRAINEE	ATB Date	26/19/2023
Client	PETRONAS CARIGALI	Location	DULANG
Platform	DULANG DELTA	Well	D-15 L15
Assessed By	Name: SYUKRI BIN AWANG Position: COILED TUBING SUPERVISOR		

RATING LEGEND:

STRONG	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent.								
ADEQUATE	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good.								
IMPROVEMENT NEEDED	Performance did not consistently meet expectations - performance failed to meet expectations in one or more essential areas of responsibility.								

Assessment Criteria	Rating (Please ✓ where appropriate)											
	STRONG	ADEQUATE	IMPROVEMENT NEEDED	10	9	8	7	6	5	4	3	2
Safety Awareness (20%)												
a. Usage of Personal Protective Equipment	✓											
b. Participation in UAUC	✓											
c. Understanding of PTW System	✓											
d. Worksite House Keeping	✓											
Work Performance (20%)												
e. Initiative and Creativity		✓										
f. Decision Making Capability		✓										
g. Understanding of Job Scope		✓										
h. Tools Inventory and Reporting			✓									
i. Work Quality			✓									
j. Reporting				✓								
k. Punctuality and Time Keeping				✓								
l. Teamwork				✓								
m. Communication					✓							
n. Leadership Skills						✓						
o. Adaptability to Work Environment/Surrounding						✓						
p. Attitude						✓						
q. Discipline						✓						

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

- Can stay alone operate Bma & rig up surface preparation
- Can operate single pump unit & in the process of learning to carry a single pump

Assessed By (Supervisor)	SYUKRI
Name	ENGLISH: SYUKRI B. AWANG
Date	26 June 2024

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																			
1. Pre-Job Preparation	<p>1. Attend toolbox and morning meeting with CSR.</p> <p>2. Prepare EPTW before 'do the job.</p>	* Done																			
		<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED														
	10	9	8	7	6	5	4	3	2												
2. Surface Equipment Rig-up	<p>1. ASSIST crew pumping Surface line from Spool to CTU reel and kill port line to combi</p>	* Done																			
		<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED														
	10	9	8	7	6	5	4	3	2												
3. Tools / Equipment Preparation	<p>1. Perform EMC 1 before start the job.</p> <p>2. TOP up diesel on equipment</p>	* Done																			
		<table border="1"> <thead> <tr> <th rowspan="2">Rating (by Operator)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> </table>	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2
Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED														
	10	9	8	7	6	5	4	3	2												
4. Equipment	<p>4.1 Batch Mixer</p> <p>1. Mixing Pre flush Solvent with specialist chemical on board.</p> <p>2. Assist chemical specialist mixing acid disintegrator 15% HCL</p> <p>3. Assist chemical specialist mixing Post flush with fines control agent.</p>	* Done * Good job during mixing chemical																			
		<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED														
	10	9	8	7	6	5	4	3	2												
	Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision		Standalone																
Under Supervision																					
Standalone																					

Doc.Ref.No.: CTS-FORM-90

Revision No.: 01

Effective Date: 21/08/2023

(Rev.00,Dated:22/09/19-OBSOLETE)

CONTROLLED COPY

2

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor (WEIGHT: 60%)

Type of Task	Tasks Performed	Assessor Comment																																	
4.2 Pump Unit	<p>1- ASSIST PUMP MAN rig up Pumping line.</p>	* Done																																	
	<table border="1"> <thead> <tr> <th colspan="3">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td colspan="3">Employee was able to OPERATE the equipment:</td> <td colspan="3">Under Supervision</td> <td colspan="3">Standalone</td> <td colspan="3"></td> </tr> </tbody> </table>	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:			Under Supervision			Standalone						
Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED																										
10	9	8	7	6	5	4	3	2																											
Employee was able to OPERATE the equipment:			Under Supervision			Standalone																													
4.3 Nitrogen Pump unit & Nitrogen Tank	<p>1- ASSIST CREW rig up NCV line to CT Reel.</p> <p>2- ASSIST crew transfer Nitrogen</p>	* Done																																	
	<table border="1"> <thead> <tr> <th colspan="3">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td colspan="3">Employee was able to OPERATE the equipment:</td> <td colspan="3">Under Supervision</td> <td colspan="3">Standalone</td> <td colspan="3"></td> </tr> </tbody> </table>	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:			Under Supervision			Standalone						
Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED																										
10	9	8	7	6	5	4	3	2																											
Employee was able to OPERATE the equipment:			Under Supervision			Standalone																													
4.4 Power Pack																																			
	<table border="1"> <thead> <tr> <th colspan="3">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td colspan="3">Employee was able to OPERATE the equipment:</td> <td colspan="3">Under Supervision</td> <td colspan="3">Standalone</td> <td colspan="3"></td> </tr> </tbody> </table>	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:			Under Supervision			Standalone						
Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED																										
10	9	8	7	6	5	4	3	2																											
Employee was able to OPERATE the equipment:			Under Supervision			Standalone																													
4.5 Control Cabin																																			
	<table border="1"> <thead> <tr> <th colspan="3">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td colspan="3">Employee was able to OPERATE the equipment:</td> <td colspan="3">Under Supervision</td> <td colspan="3">Standalone</td> <td colspan="3"></td> </tr> </tbody> </table>	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:			Under Supervision			Standalone						
Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED																										
10	9	8	7	6	5	4	3	2																											
Employee was able to OPERATE the equipment:			Under Supervision			Standalone																													

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																							
	<p>4.6 CT Reel</p> <p>1- ASSIST CT operator to spool in or out coil while doing the job</p>	<p>* Done</p>																							
	<p>Rating (by SUPERVISOR)</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;"></td> <th style="width: 15%;">STRONG</th> <th style="width: 15%;">ADEQUATE</th> <th style="width: 15%;">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table> <p>Employee was able to OPERATE the equipment:</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;"></td> <td style="width: 15%;">Under Supervision</td> <td style="width: 15%;"></td> <td style="width: 15%;"></td> <td style="width: 15%;"></td> </tr> <tr> <td>Standalone</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>		STRONG	ADEQUATE	IMPROVEMENT NEEDED	10	9	8	7	6	5	4	3	2		Under Supervision				Standalone					
		STRONG	ADEQUATE	IMPROVEMENT NEEDED																					
10	9	8	7	6	5	4	3	2																	
	Under Supervision																								
Standalone																									
<p>4.7 Injector Head</p>																									
	<p>Rating (by SUPERVISOR)</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;"></td> <th style="width: 15%;">STRONG</th> <th style="width: 15%;">ADEQUATE</th> <th style="width: 15%;">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table> <p>Employee was able to OPERATE the equipment:</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;"></td> <td style="width: 15%;">Under Supervision</td> <td style="width: 15%;"></td> <td style="width: 15%;"></td> <td style="width: 15%;"></td> </tr> <tr> <td>Standalone</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>		STRONG	ADEQUATE	IMPROVEMENT NEEDED	10	9	8	7	6	5	4	3	2		Under Supervision				Standalone					
		STRONG	ADEQUATE	IMPROVEMENT NEEDED																					
	10	9	8	7	6	5	4	3	2																
	Under Supervision																								
Standalone																									
<p>4.8 Pressure Control Equipment</p>																									
	<p>Rating (by SUPERVISOR)</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;"></td> <th style="width: 15%;">STRONG</th> <th style="width: 15%;">ADEQUATE</th> <th style="width: 15%;">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table> <p>Employee was able to OPERATE the equipment:</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;"></td> <td style="width: 15%;">Under Supervision</td> <td style="width: 15%;"></td> <td style="width: 15%;"></td> <td style="width: 15%;"></td> </tr> <tr> <td>Standalone</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>		STRONG	ADEQUATE	IMPROVEMENT NEEDED	10	9	8	7	6	5	4	3	2		Under Supervision				Standalone					
		STRONG	ADEQUATE	IMPROVEMENT NEEDED																					
	10	9	8	7	6	5	4	3	2																
	Under Supervision																								
Standalone																									
<p>4.9 Basic BHA Components</p> <p>1- ASSIST CREW MAKE UP BHA tools for the job</p>	<p>* Done</p>																								
	<p>Rating (by SUPERVISOR)</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;"></td> <th style="width: 15%;">STRONG</th> <th style="width: 15%;">ADEQUATE</th> <th style="width: 15%;">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table> <p>Employee was able to OPERATE the tools:</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;"></td> <td style="width: 15%;">Under Supervision</td> <td style="width: 15%;"></td> <td style="width: 15%;"></td> <td style="width: 15%;"></td> </tr> <tr> <td>Standalone</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>		STRONG	ADEQUATE	IMPROVEMENT NEEDED	10	9	8	7	6	5	4	3	2		Under Supervision				Standalone					
		STRONG	ADEQUATE	IMPROVEMENT NEEDED																					
	10	9	8	7	6	5	4	3	2																
	Under Supervision																								
Standalone																									

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment
S. Job Supervision (if applicable) <small>Please complete this section if you perform any supervisory role during operation</small>	<p>I have completed operate batch mixer until the job run successfully. Done perform mixing chemical with chemical specialist. Pre flush, Acid disabler and Post slush.</p>	* Done * Can stay alone operate bmx
Rating (by SUPERVISOR)	STRONG 10 9 8 7 6 5 4 3 2	ADEQUATE Full Supervisor 2nd / Night Supervisor
Please <input checked="" type="checkbox"/> accordingly to confirm the role of the employee during operation		IMPROVEMENT NEEDED

Doc.Ref.No.: CTS-FORM-90

Revision No.: 01

Effective Date: 21/08/2023

(Rev.00,Dated:22/09/19-OBSOLETE)

CONTROLLED COPY

5

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 3: To be completed by Employee and Assessor

DATE	Assignment/Summary Job/Duration	Supervisor's Feedback (Please indicate if employee is able to execute the job <u>UNDER SUPERVISION</u> or <u>STANDALONE</u>)
28 August 2023	<ul style="list-style-type: none"> - CTU Perform Scale / sand clean out from HWD until EoS 1,912 m and 10 m below perforation zone. - 	x Done
26 Aspt 2023	<ul style="list-style-type: none"> - 28 August 2023 arrive at location Dulang Delta from POJST - Assist crew to rig up surface line, Do Lifting/arrange main deck area. 	

Please tick (✓) category of services performed:

Standard Services:

Wellbore Cleanout
CT Cementing
Nitrogen Operations
Pumping Services

Advanced Services

CT Fishing
CT Milling
CT Logging
CT Perforation