

## DIMENSION BID

### COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 1: To be completed by Assessor [WEIGHT: 40%]

Name	WAHID MUHAMMAD HANIF bin WAHID MUKHTAR	COB Date	17/10/2023
Position	EQUIPMENT OPERATOR TRAINEE	RTB Date	14/11/2023
Client	PETRONAS CARIGALI	Location	DULANG.
Platform	DULANG CHARLIE	Well	C-45.
Assessed By	Name: Position:		


**RATING LEGEND:**

<b>STRONG</b>	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent
<b>ADEQUATE</b>	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good
<b>IMPROVEMENT NEEDED</b>	Performance did not consistently meet expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please ✓ where appropriate)								
	STRONG		ADEQUATE		IMPROVEMENT NEEDED				
Safety Awareness (20%)	10	9	8	7	6	5	4	3	2
a. Usage of Personal Protective Equipment	✓								
b. Participation in UAUC		✓							
c. Understanding of PTW System		✓							
d. Worksite House Keeping		✓							
Work Performance (20%)									
e. Initiative and Creativity			✓						
f. Decision Making Capability		✓							
g. Understanding of Job Scope				✓					
h. Tools Inventory and Reporting				✓					
i. Work Quality					✓				
j. Reporting						✓			
k. Punctuality and Time Keeping							✓		
l. Teamwork		✓							
m. Communication				✓					
n. Leadership Skills				✓					
o. Adaptability to Work Environment/Surrounding					✓				
p. Attitude						✓			
q. Discipline						✓			

**REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:**

\* Overall Good  
\* Can stand alone operate DDX.

Assessed By [Supervisor]	
Name	MOHD SYUKRI B. ISMAIL
Date	13/11/2023

## DIMENSION BID

### COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment										
1. Pre-Job Preparation	1. Attend Toolbox And Morning Meeting with CSR 2. Do Lifting All CTU Equipment To Main Deck And Spot Unit 3. Prepare EPTW Before Do The Job.	* Done										
	Rating (by SUPERVISOR) <table border="1" style="display: inline-table; vertical-align: middle;"> <tr> <td style="text-align: center;">STRONG</td> </tr> <tr> <td style="text-align: center;">10</td> <td style="text-align: center;">9</td> <td style="text-align: center;">8</td> </tr> </table>	STRONG	10	9	8	ADEQUATE      IMPROVEMENT NEEDED 7      6      5      4      3      2						
STRONG												
10	9	8										
2. Surface Equipment Rig-up	1. Assist Crew Rig Up Pumping Surface line From SP02 To CTU Reel, Bleed Out Line And Kill Port Line To Combi BOP. 2. Rig Up 4" Hose From FST To Pump O2 And BMX O2.	* Done										
	Rating (by SUPERVISOR) <table border="1" style="display: inline-table; vertical-align: middle;"> <tr> <td style="text-align: center;">STRONG</td> </tr> <tr> <td style="text-align: center;">10</td> <td style="text-align: center;">9</td> <td style="text-align: center;">8</td> </tr> </table>	STRONG	10	9	8	ADEQUATE      IMPROVEMENT NEEDED 7      6      5      4      3      2						
STRONG												
10	9	8										
3. Tools / Equipment Preparation	1. Connect Air Hose To All CTU Equipment 2. Perform EMC 1 Before Do The Job. 3. Top Up Diesel On Equipment.	* Done										
	Rating (by Operator) <table border="1" style="display: inline-table; vertical-align: middle;"> <tr> <td style="text-align: center;">STRONG</td> </tr> <tr> <td style="text-align: center;">10</td> <td style="text-align: center;">9</td> <td style="text-align: center;">8</td> </tr> </table>	STRONG	10	9	8	ADEQUATE      IMPROVEMENT NEEDED 7      6      5      4      3      2						
STRONG												
10	9	8										
4. Equipment	4.1 Batch Mixer 1. Mix Drag Reducer 2. Mixing 15% HCL 3. Assist Mechanic On Board Do EMC 2, Change New Belting Set.	* Done										
	Rating (by SUPERVISOR) <table border="1" style="display: inline-table; vertical-align: middle;"> <tr> <td style="text-align: center;">STRONG</td> </tr> <tr> <td style="text-align: center;">10</td> <td style="text-align: center;">9</td> <td style="text-align: center;">8</td> </tr> </table>	STRONG	10	9	8	ADEQUATE      IMPROVEMENT NEEDED 7      6      5      4      3      2						
STRONG												
10	9	8										
	Employee was able to OPERATE the equipment: <table border="1" style="display: inline-table; vertical-align: middle;"> <tr> <td style="text-align: center;">Under Supervision</td> </tr> <tr> <td style="text-align: center;">Standalone</td> </tr> </table>	Under Supervision	Standalone	Under Supervision      Standalone 0      0								
Under Supervision												
Standalone												

## DIMENSION BID

### COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment		
<b>4.2 Pump Unit</b>	1. Assist Pump Man to open close bleed Out Line Valve. 2. Assist Crew Rig up surface pump Line. 3. Assist Pump Man Top up Engine Oil And change Oil Filter.	x Done		
	Rating (by SUPERVISOR)	STRONG 10   9   8	ADEQUATE 7   6   5	IMPROVEMENT NEEDED 4   3   2
	Employee was able to OPERATE the equipment:		Under Supervision Standalone	
<b>4.3 Nitrogen Pump unit &amp; Nitrogen Tank</b>	1. Assist Crew to load Empty N2 tank And manage N2 tank Area. 2. Assist Transfer Nitrogen	> Done		
	Rating (by SUPERVISOR)	STRONG 10   9   8	ADEQUATE 7   6   5	IMPROVEMENT NEEDED 4   3   2
	Employee was able to OPERATE the equipment:		Under Supervision Standalone	
<b>4.4 Power Pack</b>	1. Assist To Rig up Power Hose Hydraulic to Injector Head 2. Assist To Rig UP Hose From Power Pack To Control Cabin.	x Done		
	Rating (by SUPERVISOR)	STRONG 10   9   8	ADEQUATE 7   6   5	IMPROVEMENT NEEDED 4   3   2
	Employee was able to OPERATE the equipment:		Under Supervision Standalone	
<b>4.5 Control Cabin</b>	1. Assist To Rig up Hydraulic Hose To CT Reel, Injector Head And BOP.	x Done		
	Rating (by SUPERVISOR)	STRONG 10   9   8	ADEQUATE 7   6   5	IMPROVEMENT NEEDED 4   3   2
	Employee was able to OPERATE the equipment:		Under Supervision Standalone	

## DIMENSION BID

### COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																																					
	<p>4.6 CT Reel</p> <p>1. Assist CT operator To spool In Or Out Cot Time Doing The Job .</p> <p>2. Lubricant CT string with corrosion Fuel oil And Diesel .</p>	* Done																																					
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td rowspan="2" style="width: 20%;">Rating (by SUPERVISOR)</td> <td colspan="3" style="text-align: center;">STRONG</td> <td colspan="3" style="text-align: center;">ADEQUATE</td> <td colspan="3" style="text-align: center;">IMPROVEMENT NEEDED</td> </tr> <tr> <td style="text-align: center;">10</td> <td style="text-align: center;">9</td> <td style="text-align: center;">8</td> <td style="text-align: center;">7</td> <td style="text-align: center;">6</td> <td style="text-align: center;">5</td> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> </tr> <tr> <td colspan="3">Employee was able to OPERATE the equipment:</td> <td colspan="3" style="text-align: center;">Under Supervision</td> <td colspan="3"></td> </tr> <tr> <td colspan="3"></td> <td colspan="3" style="text-align: center;">Standalone</td> <td colspan="3"></td> </tr> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:			Under Supervision									Standalone						
	Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED																														
10		9	8	7	6	5	4	3	2																														
Employee was able to OPERATE the equipment:			Under Supervision																																				
			Standalone																																				
<p>4.7 Injector Head</p> <p>1. Assist Crew change New SLEEVES .</p>	* Done																																						
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td rowspan="2" style="width: 20%;">Rating (by SUPERVISOR)</td> <td colspan="3" style="text-align: center;">STRONG</td> <td colspan="3" style="text-align: center;">ADEQUATE</td> <td colspan="3" style="text-align: center;">IMPROVEMENT NEEDED</td> </tr> <tr> <td style="text-align: center;">10</td> <td style="text-align: center;">9</td> <td style="text-align: center;">8</td> <td style="text-align: center;">7</td> <td style="text-align: center;">6</td> <td style="text-align: center;">5</td> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> </tr> <tr> <td colspan="3">Employee was able to OPERATE the equipment:</td> <td colspan="3" style="text-align: center;">Under Supervision</td> <td colspan="3"></td> </tr> <tr> <td colspan="3"></td> <td colspan="3" style="text-align: center;">Standalone</td> <td colspan="3"></td> </tr> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:			Under Supervision									Standalone						
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																																
	10	9	8	7	6	5	4	3	2																														
Employee was able to OPERATE the equipment:			Under Supervision																																				
			Standalone																																				
	<p>4.8 Pressure Control Equipment</p> <p>1. Assist To Connect Hydraulic Hose From Control Cabin To single BOP And COMBI .</p>	* Done																																					
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td rowspan="2" style="width: 20%;">Rating (by SUPERVISOR)</td> <td colspan="3" style="text-align: center;">STRONG</td> <td colspan="3" style="text-align: center;">ADEQUATE</td> <td colspan="3" style="text-align: center;">IMPROVEMENT NEEDED</td> </tr> <tr> <td style="text-align: center;">10</td> <td style="text-align: center;">9</td> <td style="text-align: center;">8</td> <td style="text-align: center;">7</td> <td style="text-align: center;">6</td> <td style="text-align: center;">5</td> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> </tr> <tr> <td colspan="3">Employee was able to OPERATE the equipment:</td> <td colspan="3" style="text-align: center;">Under Supervision</td> <td colspan="3"></td> </tr> <tr> <td colspan="3"></td> <td colspan="3" style="text-align: center;">Standalone</td> <td colspan="3"></td> </tr> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:			Under Supervision									Standalone						
	Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED																														
10		9	8	7	6	5	4	3	2																														
Employee was able to OPERATE the equipment:			Under Supervision																																				
			Standalone																																				
<p>4.9 Basic BHA Components</p> <p>1. Assist Crew Make UP Bit Tools For Job ,</p>	* Done																																						
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td rowspan="2" style="width: 20%;">Rating (by SUPERVISOR)</td> <td colspan="3" style="text-align: center;">STRONG</td> <td colspan="3" style="text-align: center;">ADEQUATE</td> <td colspan="3" style="text-align: center;">IMPROVEMENT NEEDED</td> </tr> <tr> <td style="text-align: center;">10</td> <td style="text-align: center;">9</td> <td style="text-align: center;">8</td> <td style="text-align: center;">7</td> <td style="text-align: center;">6</td> <td style="text-align: center;">5</td> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> </tr> <tr> <td colspan="3">Employee was able to OPERATE the tools:</td> <td colspan="3" style="text-align: center;">Under Supervision</td> <td colspan="3"></td> </tr> <tr> <td colspan="3"></td> <td colspan="3" style="text-align: center;">Standalone</td> <td colspan="3"></td> </tr> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the tools:			Under Supervision									Standalone						
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																																
	10	9	8	7	6	5	4	3	2																														
Employee was able to OPERATE the tools:			Under Supervision																																				
			Standalone																																				

## DIMENSION BID

### COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																
<p>5. Job Supervision (if applicable) <i>Please complete this section if you perform any supervisory role during operation</i></p>	<p>1. Stand alone As batch Mixer Operator, Perform Mixing Chemical HCl 15%, Drug Reducer And Prepare TSW .</p>	<p>→ Done</p>																
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 20%;">Rating (by SUPERVISOR)</th> <th style="width: 10%;">STRONG</th> <th style="width: 10%;">ADEQUATE</th> <th style="width: 10%;">IMPROVEMENT NEEDED</th> </tr> </thead> <tbody> <tr> <td></td> <td style="text-align: center;">10</td> <td style="text-align: center;">9</td> <td style="text-align: center;">8</td> </tr> <tr> <td></td> <td style="text-align: center;">7</td> <td style="text-align: center;">6</td> <td style="text-align: center;">5</td> </tr> <tr> <td></td> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> </tr> </tbody> </table>	Rating (by SUPERVISOR)	STRONG	ADEQUATE	IMPROVEMENT NEEDED		10	9	8		7	6	5		4	3	2	
	Rating (by SUPERVISOR)	STRONG	ADEQUATE	IMPROVEMENT NEEDED														
	10	9	8															
	7	6	5															
	4	3	2															
<p>Please ✓ accordingly to confirm the role of the employee during operation</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">Full Supervisor</td> <td style="width: 50%;"></td> </tr> <tr> <td>2nd / Night Supervisor</td> <td></td> </tr> </table>	Full Supervisor		2nd / Night Supervisor															
Full Supervisor																		
2nd / Night Supervisor																		

## DIMENSION BID

### COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 3: To be completed by Employee and Assessor

DATE	Assignment/Summary Job/Duration	Supervisor's Feedback (Please indicate if employee is able to execute the job <u>UNDER SUPERVISION</u> or <u>STANDALONE</u> )
17/10/23	<ul style="list-style-type: none"> <li>- CTU Perform Scale Cleanout Until SSD Below First Packer.</li> </ul>	<ul style="list-style-type: none"> <li>- Done</li> </ul>
14/11/23	<ul style="list-style-type: none"> <li>- Crew change with crew on board At Charlie 17 October 2023. Start assist crew rearrange the main deck for Job G-4S. Perform mixing drug Reducer, 15% HCl, Neutralization fluid (Soda Ash) And TSW. After done all job, back to PDFT 14 November 2023 Already completed 4 weeks on board.</li> </ul>	<ul style="list-style-type: none"> <li>- Good Job</li> </ul>

Please tick (✓) category of services performed:

Standard Services:

Wellbore Cleanout	/
CT Cementing	
Nitrogen Operations	
Pumping Services	

Advanced Services

CT Fishing	
CT Milling	
CT Logging	
CT Perforation	



**Equipment Maintenance**

**Checklist 1**

Equipment type	: CTU Batch Mixer
Location	: BEKOK - A
Equipment number	: CTU1BM103
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <b>Checklist</b>	
<b>Appearance and Safety Equipment:</b>	
<input checked="" type="checkbox"/> Ensure unit appearance good and clean <input checked="" type="checkbox"/> Verify that all earth/ground cables are in place, well connected <input checked="" type="checkbox"/> Skid condition - visually check for any damage <input checked="" type="checkbox"/> Fire extinguisher is present and certified	
<b>Cooling System:</b>	
<input checked="" type="checkbox"/> Coolant level & condition <input checked="" type="checkbox"/> Check visible leaks <input checked="" type="checkbox"/> Radiator hose & clamp condition	
<b>Engine Inpection:</b>	
<input checked="" type="checkbox"/> Check engine oil level(SAE 15w-40) not be milty or too dark <input checked="" type="checkbox"/> Check any general leaks on all filter, hoses, and connectors. <input checked="" type="checkbox"/> Check fan, hub, fanbelt Condition/ Tension <input checked="" type="checkbox"/> Check Battery cable connectors <input checked="" type="checkbox"/> Check condition of engine hose's <input checked="" type="checkbox"/> Check for rusted part- repair if required <input checked="" type="checkbox"/> Check the crankcase vent system for excessive blow by	
<b>Air Cleaner:</b>	
<input checked="" type="checkbox"/> Air filter condition-check the element for water or soot and clean as required	
<b>Controls / Instrumentation:</b>	
<input checked="" type="checkbox"/> Normal kill tested <input checked="" type="checkbox"/> Emergency kill tested <input checked="" type="checkbox"/> Oil pressure gauge in good condition <input checked="" type="checkbox"/> Tachometer in good condition <input checked="" type="checkbox"/> Throttle control in good condition <input checked="" type="checkbox"/> Engine stop cable in good condition <input checked="" type="checkbox"/> Engine start valve in good condition	
<b>Exhaust System:</b>	
<input checked="" type="checkbox"/> Pipework - check for any leak or damage <input checked="" type="checkbox"/> Condition/Operation of rain cap <input checked="" type="checkbox"/> Condition of exhaust wrap are in place and in good condition	
<b>Transmission, Gearbox:</b>	
<input checked="" type="checkbox"/> Check level Sight glass shows in full (SAE 90) <input checked="" type="checkbox"/> Check condition of the gearbox breather filter	
<b>Hydraulic System:</b>	
<input checked="" type="checkbox"/> Check Hyd. Hoses/valve/connections undamage and clean <input checked="" type="checkbox"/> Hyd.tank - drain any water <input checked="" type="checkbox"/> Check hyd. oil level (2" from top) (Tellus 46) <input checked="" type="checkbox"/> Check hyd. gauges <input checked="" type="checkbox"/> Check condition of fittings & couplings	
<b>Fuel System:</b>	
<input checked="" type="checkbox"/> Check for any water contamination in the fuel filter sight bowl <input checked="" type="checkbox"/> Fuel tank - drain any water <input checked="" type="checkbox"/> Check for leaks on fuel lines, connections, and hoses <input checked="" type="checkbox"/> Fuel filter - check condition <input checked="" type="checkbox"/> Fill up the diesel tank to 90%	

Please state the equipment readiness in either columns and spare used

Ready

Unit Ready to perform the job.

Date : 27/9/2022  
 Name : Mr. Hafizuddin / Well Head  
 Position : EQUIPMENT OPERATOR

Please state any corrective actions and spare used.

Running Hours	: 461 HRS
Maintenance Schedule:	
Date	: 27/9/2022
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <b>Checklist</b>	
<b>Air System:</b>	
<input checked="" type="checkbox"/> Check visible leaks, ensure air up 90-110psi-check that gauge are GOOD <input checked="" type="checkbox"/> Gauges condition <input checked="" type="checkbox"/> Air reservoir /tanks - drain any water untill that are clean <input checked="" type="checkbox"/> Air hose,connections,piping,valves and actuators condition <input checked="" type="checkbox"/> All control working properly	
<b>Zone II System:</b>	
<input checked="" type="checkbox"/> Flame traps - check cleanliness <input checked="" type="checkbox"/> Back pressure gauges - check condition <input checked="" type="checkbox"/> Spark arrestor - check condition	
<b>Paddles / Agitator:</b>	
<input checked="" type="checkbox"/> Check oil level (SAE 90) <input checked="" type="checkbox"/> Grease bearing <input checked="" type="checkbox"/> Check agitators turn	
<b>C-Pump:</b>	
<input checked="" type="checkbox"/> C-Pump packing - check condition <input checked="" type="checkbox"/> Check operation and shut-in pressure <input checked="" type="checkbox"/> 4x5 C-Pump > 45 psi 40(psi) <input checked="" type="checkbox"/> 5x6 C-Pump > 55 psi <input checked="" type="checkbox"/> Perform circulation test	
<b>Mixing tank &amp; piping:</b>	
<input checked="" type="checkbox"/> Check condition of mixing tank & paddle <input checked="" type="checkbox"/> Check condition of suction & discharge piping <input checked="" type="checkbox"/> Check condition of B/F Valve & grease <input checked="" type="checkbox"/> Check condition of safety railing w/comp.lock pin <input checked="" type="checkbox"/> Mixing head + circulation jet - no cement build up	
<b>System Pressure:</b>	
<input checked="" type="checkbox"/> Fuel pressure@idle speed psi <input checked="" type="checkbox"/> Fuel pressure@1800 RPM psi <input checked="" type="checkbox"/> Oil pressure @ cold start psi <input checked="" type="checkbox"/> Oil pressure @ 180deg.F psi	
<b>Certifications:</b>	
<input checked="" type="checkbox"/> Sling condition/ Due on 3/12/23 <input checked="" type="checkbox"/> MPI due 3/12/23 <input checked="" type="checkbox"/> Load Test due VVISUAL TEST : 9/12/23	

→ Sun valve for agitator not function  
 → handrail chain for secure handrail broken

Signature:

**Corrective Action Completion**

Date :	
Name :	
Position :	

Signature:

# DIMENSION BID

## CTS TASK SHEET

<b>Title</b>	Equipment Operation Under Supervision				
<b>Target Population</b>	Field Engineers, Field Specialists & Equipment Operators				
This requirement is applicable to:	✓	JFE	✓	FST	✓
					EO1
					EO2
					EO3

### Objective:

The objective of this task is to evaluate and verify the employee's skills and knowledge in operating the following equipment efficiently under supervision:

Description		JFE	FST	EOT	EO1	EO2	EO3
1	Batch Mixer	✓	✓	✓			
2	Fluid Pumping Unit	✓	✓		✓		
3	Nitrogen Converter (pump & tank?)	✓	✓			✓	
4	Coiled Tubing Unit	✓	✓				✓

**IMPORTANT NOTE:** Please submit one (1) task sheet for each equipment

### Tasks:

A mentor or any experienced team member assigned by the mentor will guide the employee to complete this task.

The assigned mentor is expected to train the employee and to conduct an evaluation to ensure that the employee achieves the required competency level for his position.

The employee should complete the following tasks:

NO	TASK	STATUS/DATE	MENTOR NAME/SIGN
1	Under the guidance of your assigned mentor, learn about equipment at the location and the important devices installed  The employee must understand the design and the functions of the equipment as well as its components	Done  6 June 2024	<i>Syukri</i>
2	Understand the basic operation as well as safety related issues	Done	<i>Syukri</i>
3	Learn how to run the equipment safely and efficiently from the assigned mentor	Done	<i>Syukri</i>
4	Perform pre and post job EMC 1 effectively for the unit	Done	<i>Syukri</i>
5	Participate in the maintenance activity for the unit	Done	<i>Syukri</i>

# DIMENSION BID

## CTS TASK SHEET

6	Operate the equipment under supervision in actual jobs	Done	<i>JL</i>
7	Review and agree performance of each task with your Mentor in order to validate its completion	Done	<i>JL</i>

### REQUIRED EVIDENCE:

- 1 CTS-FORM-90 Coiled Tubing Performance Assessment Feedback
- 2 EMC 1 for the specified equipment

# DIMENSION BID

## CTS TASK SHEET

### MENTOR / ASSESSOR'S FEEDBACK:

NO	TASK	FEEDBACK
1	The employee demonstrates good knowledge of the design and the functions of the equipment and its components	* Done
2	The employee understands the basic operation as well as the safety related issues	* Done
3	The employee demonstrates required skills and knowledge to perform pre and post job EMC 1 effectively for the unit	* Done
4	The employee is ABLE to operate the Batch Mixer / Fluid Pumping Unit / Nitrogen Converter / Coiled Tubing Unit <b>UNDER SUPERVISION</b> in actual jobs [please circle the relevant equipment] Note: Please specify the job supported by CTS-FORM-90 Coiled Tubing Performance Assessment Feedback	* able to operate & stay alone the Batch mixer * fluid pumping under supervision

OVERALL SCORE	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
	10	9	8	7	6	5	4	3	2

### MENTOR / ASSESSOR's Comments & Recommendation:

- \* Good knowledge about well control barrier
- \* Need to improve & study more about single pump of chemical type

Signature		Assessment Date	6 June 2024
Name	MATO SUKHER B AWANG	Position	FS 2

### FSM / OM Comments & Recommendation:

- Able to operate BMX standalone.

Signature		Assessment Date	6/6/24
Name	M. KHAIRUL RIDHWAN AZIZAN CTS FIELD SERVICE MANAGER Dimension Bid (M) Sdn Bhd	Position	FSM