

# DIMENSION BID

## COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 1: To be completed by Assessor [WEIGHT: 40%]

Name	Iainuddin Yaacob	COB Date	29-4-22
Position	GEO	RTB Date	30-4-22
Client	PCSB	Location	RESAK
Platform	Resak	Well	'A7
Assessed By	Name: JOHARI JOHOR	Position: CTU SUPER	

### RATING LEGEND:

STRONG	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent
ADEQUATE	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good
IMPROVEMENT NEEDED	Performance did not consistently meet expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please ✓ where appropriate)								
	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
	10	9	8	7	6	5	4	3	2
<b>Safety Awareness (20%)</b>	✓								
a. Usage of Personal Protective Equipment		✓							
b. Participation in UAUC			✓						
c. Understanding of PTW System				✓					
d. Worksite House Keeping					✓				
<b>Work Performance (20%)</b>									
e. Initiative and Creativity						✓			
f. Decision Making Capability							✓		
g. Understanding of Job Scope								✓	
h. Tools Inventory and Reporting									✓
i. Work Quality									✓
j. Reporting									✓
k. Punctuality and Time Keeping									✓
l. Teamwork									✓
m. Communication									✓
n. Leadership Skills									✓
o. Adaptability to Work Environment/Surrounding									✓
p. Attitude									✓
q. Discipline									✓

### REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

Good team work during preparation and perform job safely.

Assessed By [Supervisor]	<i>Jaeki</i>
Name	JOHARI JOHOR
Date	5-5-22

# DIMENSION BID

## COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment									
1. Pre-Job Preparation	<ul style="list-style-type: none"> <li>- Attend morning and toolbox meeting with WSS on board</li> <li>- Attend pre-job meeting</li> <li>- Pre-Check / EMC 1 all CTU unit</li> <li>-</li> </ul>	<ul style="list-style-type: none"> <li>- Done</li> </ul>									
		Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED
2. Surface Equipment Rig-up	<ul style="list-style-type: none"> <li>- Rig up surface line</li> <li>- Rig up 4" hose</li> <li>- Rig up wilder pump</li> <li>- Arrange and spotted flood light, cabin, tool container cable to junction box</li> </ul>										- Done
	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED	(10) 9 8 7 6 5 4 3 2
3. Tools / Equipment Preparation	<ul style="list-style-type: none"> <li>- Perform EMC 1</li> <li>- Prepare down hole tool</li> </ul>										- Done
	Rating (by Operator)			STRONG			ADEQUATE			IMPROVEMENT NEEDED	(10) 9 8 7 6 5 4 3 2
4. Equipment	4.1 Batch Mixer <ul style="list-style-type: none"> <li>- Clean batch mixer</li> <li>- Rig up hydraulic hose</li> </ul>										- Done
	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED	10 (9) 8 7 6 5 4 3 2
	Employee was able to OPERATE the equipment:					Under Supervision		Standalone			

# DIMENSION BID

## COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																																						
4.2 Pump Unit	4.2 Pump Unit	- done																																						
	<ul style="list-style-type: none"> <li>- Redress single pump</li> <li>- Put lubricate oil for plunger</li> </ul>																																							
	<table border="1" style="width: 100%;"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </tbody></table>			Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	10	9	8	7	6	5	4	3	2									
Rating (by SUPERVISOR)	STRONG				ADEQUATE			IMPROVEMENT NEEDED																																
	10	9	8	7	6	5	4	3	2																															
10	9	8	7	6	5	4	3	2																																
Employee was able to OPERATE the equipment:											Under Supervision																													
											Standalone	/																												
4.3 Nitrogen Pump unit & Nitrogen Tank	4.3 Nitrogen Pump unit & Nitrogen Tank	- done																																						
	<ul style="list-style-type: none"> <li>- Assist crew to rig up surface line</li> <li>- Rig up cryogenic line</li> </ul>																																							
	<table border="1" style="width: 100%;"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </tbody></table>			Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	10	9	8	7	6	5	4	3	2									
Rating (by SUPERVISOR)	STRONG				ADEQUATE			IMPROVEMENT NEEDED																																
	10	9	8	7	6	5	4	3	2																															
10	9	8	7	6	5	4	3	2																																
Employee was able to OPERATE the equipment:											Under Supervision																													
											Standalone	/																												
4.4 Power Pack	4.4 Power Pack	- done																																						
	<ul style="list-style-type: none"> <li>- Program Emc 1</li> <li>- Top up engine oil</li> </ul>																																							
	<table border="1" style="width: 100%;"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </tbody></table>			Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	10	9	8	7	6	5	4	3	2									
Rating (by SUPERVISOR)	STRONG				ADEQUATE			IMPROVEMENT NEEDED																																
	10	9	8	7	6	5	4	3	2																															
10	9	8	7	6	5	4	3	2																																
Employee was able to OPERATE the equipment:											Under Supervision																													
											Standalone	/																												
4.5 Control Cabin	4.5 Control Cabin	- done																																						
	<ul style="list-style-type: none"> <li>- Set up job file</li> <li>- Perform Emc 1</li> <li>- Update job ticket</li> <li>- Update chemical</li> </ul>																																							
	<table border="1" style="width: 100%;"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </tbody></table>			Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	10	9	8	7	6	5	4	3	2									
Rating (by SUPERVISOR)	STRONG				ADEQUATE			IMPROVEMENT NEEDED																																
	10	9	8	7	6	5	4	3	2																															
10	9	8	7	6	5	4	3	2																																
Employee was able to OPERATE the equipment:											Under Supervision																													
											Standalone	/																												

# DIMENSION BID

## COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																																							
4.6 CT Reel	<p>- perform EMC 1 for pre and post job</p>	-done																																							
	<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td>Employee was able to OPERATE the equipment:</td> <td colspan="3"></td> <td colspan="3">Under Supervision</td> <td colspan="3"></td> </tr> <tr> <td></td> <td colspan="3"></td> <td colspan="3">Standalone</td> <td colspan="3">✓</td> </tr> </tbody> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:				Under Supervision										Standalone			✓			
	Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED																																
10		9	8	7	6	5	4	3	2																																
Employee was able to OPERATE the equipment:				Under Supervision																																					
				Standalone			✓																																		
4.7 Injector Head	<p>- Top up injector lubricate oil - Top up gear oil - perform EMC 1</p>	-done																																							
	<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td>Employee was able to OPERATE the equipment:</td> <td colspan="3"></td> <td colspan="3">Under Supervision</td> <td colspan="3"></td> </tr> <tr> <td></td> <td colspan="3"></td> <td colspan="3">Standalone</td> <td colspan="3">✓</td> </tr> </tbody> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:				Under Supervision										Standalone			✓			
	Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED																																
10		9	8	7	6	5	4	3	2																																
Employee was able to OPERATE the equipment:				Under Supervision																																					
				Standalone			✓																																		
4.8 Pressure Control Equipment	<p>- Function test all Bops - Function test stripper - Perform EMC 1</p>	-done																																							
	<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td>Employee was able to OPERATE the equipment:</td> <td colspan="3"></td> <td colspan="3">Under Supervision</td> <td colspan="3"></td> </tr> <tr> <td></td> <td colspan="3"></td> <td colspan="3">Standalone</td> <td colspan="3">✓</td> </tr> </tbody> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:				Under Supervision										Standalone			✓			
	Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED																																
10		9	8	7	6	5	4	3	2																																
Employee was able to OPERATE the equipment:				Under Supervision																																					
				Standalone			✓																																		
4.9 Basic BHA Components	<p>- prepare and make up BHA as per job program</p>	-done																																							
	<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td>Employee was able to OPERATE the tools:</td> <td colspan="3"></td> <td colspan="3">Under Supervision</td> <td colspan="3"></td> </tr> <tr> <td></td> <td colspan="3"></td> <td colspan="3">Standalone</td> <td colspan="3">✓</td> </tr> </tbody> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the tools:				Under Supervision										Standalone			✓			
	Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED																																
10		9	8	7	6	5	4	3	2																																
Employee was able to OPERATE the tools:				Under Supervision																																					
				Standalone			✓																																		

# DIMENSION BID

## COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed			Assessor Comment					
5. Job Supervision (if applicable) <i>Please complete this section if you perform any supervisory role during operation</i>				<p>- ALL tasks completed with follow Job program</p>					
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
	10	9	8	7	6	5	4	3	2
Please <input checked="" type="checkbox"/> accordingly to confirm the role of the employee during operation			Full Supervisor			2nd / Night Supervisor <input checked="" type="checkbox"/>			

# DIMENSION BID

## COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 3: To be completed by Employee and Assessor

DATE	Assignment/Summary Job/Duration	Supervisor's Feedback (Please indicate if employee is able to execute the job <u>UNDER SUPERVISION</u> or <u>STANDALONE</u> )
29-4-22 30-4-22	<p>CT perforation on well A# 7</p> <ul style="list-style-type: none"> <li>- I was assigned as a CT operator for night shift.</li> <li>- Job successfully done perforation with archive the target</li> </ul>	<p>- good job prepare and perform job safely.</p>

Please tick (✓) category of services performed.

**Standard Services:**

Wellbore Cleanout  
CT Cementing  
Nitrogen Operations  
Pumping Services


**Advanced Services**

CT Fishing  
CT Milling  
CT Logging  
CT Perforation

✓