

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 1: To be completed by Assessor [WEIGHT: 40%]

Name	IAINUDDIN YAACOB	COB Date	3/10/24
Position	GEO	RTB Date	15/10/24
Client	PCSB	Location	ANGSI B
Platform	ANGSI B	Well	B1S
Assessed By	Name: KHAIRUL RIDWAN	Position: CTS FSM	

RATING LEGEND:

STRONG	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent
ADEQUATE	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good
IMPROVEMENT NEEDED	Performance did not consistently meet expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please ✓ where appropriate)								
	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
10	9	8	7	6	5	4	3	2	
Safety Awareness (20%)									
a. Usage of Personal Protective Equipment	✓								
b. Participation in UAUC	✓								
c. Understanding of PTW System	✓								
d. Worksite House Keeping	✓								
Work Performance (20%)									
e. Initiative and Creativity		✓							
f. Decision Making Capability			✓						
g. Understanding of Job Scope		✓							
h. Tools Inventory and Reporting			✓						
i. Work Quality		✓							
j. Reporting			✓						
k. Punctuality and Time Keeping		✓							
l. Teamwork		✓							
m. Communication			✓						
n. Leadership Skills		✓							
o. Adaptability to Work Environment/Surrounding		✓							
p. Attitude		✓							
q. Discipline		✓							

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

Able to manage operation very well. Show a good communication with crew and client.

Assessed By [Supervisor]	<u>Abdul</u>
Name	KHAIRUL RIDWAN
Date	6/11/24

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																												
1. Pre-Job Preparation	<ul style="list-style-type: none"> - Attend morning and toolbox meeting with WSS onboard - Attend pre-job meeting - pre-check EMC1 all pumping unit 																													
	<table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="4">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </thead> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2									
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																							
	10	9	8	7	6	5	4	3	2																					
2. Surface Equipment Rig-up	<ul style="list-style-type: none"> - Rig up surface line - spot equipment on deck - Rig up 4" hose - Rig up water injection line - Rig up Wilden pump 																													
	<table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="4">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </thead> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2									
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																							
	10	9	8	7	6	5	4	3	2																					
3. Tools / Equipment Preparation	<ul style="list-style-type: none"> - Perform EMC1 on pumping unit - prepare chemical 																													
	<table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th rowspan="2">Rating (by Operator)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="4">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </thead> </table>	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2									
Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																							
	10	9	8	7	6	5	4	3	2																					
4. Equipment	4.1 Batch Mixer																													
	<ul style="list-style-type: none"> - Perform EMC 1 - Top up hydraulic oil 																													
	<table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="4">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </thead> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2									
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																							
	10	9	8	7	6	5	4	3	2																					
Employee was able to OPERATE the equipment:					Under Supervision																									
					Standalone																									

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment									
	4.2 Pump Unit - Top up lubricate oil for plungers - Perform BMC 1										
	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	8	7	6	5	4	3	2	
Employee was able to OPERATE the equipment:					Under Supervision		Standalone				
	4.3 Nitrogen Pump unit & Nitrogen Tank										
	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	8	7	6	5	4	3	2	
Employee was able to OPERATE the equipment:					Under Supervision		Standalone				
	4.4 Power Pack										
	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	8	7	6	5	4	3	2	
Employee was able to OPERATE the equipment:					Under Supervision		Standalone				
	4.5 Control Cabin										
	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	8	7	6	5	4	3	2	
Employee was able to OPERATE the equipment:					Under Supervision		Standalone				

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed			Assessor Comment																											
4.6 CT Reel	4.6 CT Reel																														
	<table border="1"> <tr> <td colspan="3">Rating (by SUPERVISOR)</td> <td colspan="3">STRONG</td> <td colspan="3">ADEQUATE</td> <td colspan="3">IMPROVEMENT NEEDED</td> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>			Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2							
	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED																					
	10	9	8	7	6	5	4	3	2																						
Employee was able to OPERATE the equipment:			Under Supervision			Standalone																									
4.7 Injector Head	4.7 Injector Head																														
	<table border="1"> <tr> <td colspan="3">Rating (by SUPERVISOR)</td> <td colspan="3">STRONG</td> <td colspan="3">ADEQUATE</td> <td colspan="3">IMPROVEMENT NEEDED</td> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>			Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2							
	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED																					
	10	9	8	7	6	5	4	3	2																						
Employee was able to OPERATE the equipment:			Under Supervision			Standalone																									
4.8 Pressure Control Equipment	4.8 Pressure Control Equipment																														
	<table border="1"> <tr> <td colspan="3">Rating (by SUPERVISOR)</td> <td colspan="3">STRONG</td> <td colspan="3">ADEQUATE</td> <td colspan="3">IMPROVEMENT NEEDED</td> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>			Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2							
	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED																					
	10	9	8	7	6	5	4	3	2																						
Employee was able to OPERATE the equipment:			Under Supervision			Standalone																									
4.9 Basic BHA Components	4.9 Basic BHA Components																														
	<table border="1"> <tr> <td colspan="3">Rating (by SUPERVISOR)</td> <td colspan="3">STRONG</td> <td colspan="3">ADEQUATE</td> <td colspan="3">IMPROVEMENT NEEDED</td> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>			Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2							
	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED																					
	10	9	8	7	6	5	4	3	2																						
Employee was able to OPERATE the tools:			Under Supervision			Standalone																									

Doc.Ref.No.: CTS-FORM-90

Revision No.: 01

Effective Date: 21/08/2023

(Rev.00, Dated: 22/09/19-OBSOLETE)

CONTROLLED COPY

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed			Assessor Comment					
5. Job Supervision (if applicable) <i>Please complete this section if you perform any supervisory role during operation</i>									
Rating (by SUPERVISOR)	STRONG			ADEQUATE		IMPROVEMENT NEEDED			
	10	9	8	7	6	5	4	3	2
Please <input checked="" type="checkbox"/> according to confirm the role of the employee during operation			Full Supervisor						
			2nd / Night Supervisor						

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 3: To be completed by Employee and Assessor

DATE	Assignment/Summary Job/Duration	Supervisor's Feedback (Please indicate if employee is able to execute the job <u>UNDER SUPERVISION</u> or <u>STANDALONE</u>)
3/10/24	Reform SISQ Treatment	
15/10/24	<p>Reform SISQ Treatment</p> <ul style="list-style-type: none"> - I was assigned as a pump supervisor to perform SISQ job - Perform injectivity with 100 bbls of IW - Pump 50 bbls of pre-flush solvent, 800 bbls of SISQ main treatment and 2575 bbls of over flush and tubing displacement - Job was completed and archive target 	

Please tick (✓) category of services performed:

Standard Services:

Wellbore Cleanout	<input type="checkbox"/>
CT Cementing	<input type="checkbox"/>
Nitrogen Operations	<input type="checkbox"/>
Pumping Services	<input checked="" type="checkbox"/>

Advanced Services

CT Fishing	<input type="checkbox"/>
CT Milling	<input type="checkbox"/>
CT Logging	<input type="checkbox"/>
CT Perforation	<input type="checkbox"/>