

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 1: To be completed by Assessor [WEIGHT: 40%]

Name	MOHD BURHAN BIN YUSOF	COB Date	15-Sept-24
Position	EQUIPMENT OPERATOR 2	RTB Date	12-Okt-24
Client	PCSB	Location	DULANG A
Platform	DULANG	Well	A-12
Assessed By	NAME : MAT NOR HISSAM BIN HUOB Position: SUPERVISOR COIL TUBING		

RATING LEGEND:

STRONG	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent
ADEQUATE	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good
IMPROVEMENT NEEDED	Performance did not consistently met expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please ✓ where appropriate)								
---------------------	-------------------------------------	--	--	--	--	--	--	--	--

Safety Awareness (20%)

- a. Usage of Personal Protective Equipment
- b. Participation in UAUC
- c. Understanding of PTW System
- d. Worksite House Keeping

STRONG			ADEQUATE			IMPROVEMENT NEEDED		
10	9	8	7	6	5	4	3	2
✓								
	✓							
✓								
	✓							


Work Performance (20%)

- e. Initiative and Creativity
- f. Decision Making Capability
- g. Understanding of Job Scope
- h. Tools Inventory and Reporting
- i. Work Quality
- j. Reporting
- k. Punctuality and Time Keeping
- l. Teamwork
- m. Communication
- n. Leadership Skills
- o. Adaptability to Work Environment/Surrounding
- p. Attitude
- q. Discipline

		✓						
		✓						
		✓						
		✓						
		✓						
		✓						
	✓							
		✓						
		✓						
		✓						
	✓							
	✓							

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

- show good communication
- good team work.

Assessed By [Supervisor]	
Name	mat nor hissam b mahamad huob.
Date	12/10/2024.

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																				
1. Pre-Job Preparation	1. Attend toolbox and morning meeting with CSR. 2. Pre-check/EMC1 all CTU equipment before run the job. 3. Assisted crew in lifting all CTU equipment and spot unit.	- Done on location.																				
	<table border="1"> <tr> <th>Rating (by SUPERVISOR)</th><th colspan="3">STRONG</th><th colspan="3">ADEQUATE</th><th colspan="3">IMPROVEMENT NEEDED</th></tr> <tr> <td></td><td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td></tr> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2	
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED															
	10	9	8	7	6	5	4	3	2													
2. Surface Equipment Rig-up	1. Rig up treating iron from single pump to combi BOP. (Kill line port) 2. Assist Flowback crew to rig up line flowback to overboard line and flowline well 3. Rig up Deployment BOP on Well	- Done - Good team work.																				
	<table border="1"> <tr> <th>Rating (by SUPERVISOR)</th><th colspan="3">STRONG</th><th colspan="3">ADEQUATE</th><th colspan="3">IMPROVEMENT NEEDED</th></tr> <tr> <td></td><td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td></tr> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2	
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED															
	10	9	8	7	6	5	4	3	2													
3. Tools / Equipment Preparation	1. Installing air hose from compressor to SP02, BMX02 and wilden pump 2. Perform EMC1 on SP02 for pre job. 3. Fuel up all CTU equipment. 4. Redress/Lubricate 2x1 plug valve and Swivel	- Done - Good buddy system. - Able to operate -																				
	<table border="1"> <tr> <th>Rating (by Operator)</th><th colspan="3">STRONG</th><th colspan="3">ADEQUATE</th><th colspan="3">IMPROVEMENT NEEDED</th></tr> <tr> <td></td><td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td></tr> </table>	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2	
Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED															
	10	9	8	7	6	5	4	3	2													
4. Equipment	4.1 Batch Mixer 1. Assist BMX operator to mixing chemical 2. Function test C-pump and actuator of batch mixer 3. Assist BMX operator to mix TIW on fluid storage tank	- Done - Good buddy system. - Able to operate.																				
	<table border="1"> <tr> <th>Rating (by SUPERVISOR)</th><th colspan="3">STRONG</th><th colspan="3">ADEQUATE</th><th colspan="3">IMPROVEMENT NEEDED</th></tr> <tr> <td></td><td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td></tr> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2	
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED															
	10	9	8	7	6	5	4	3	2													
Employee was able to OPERATE the equipment:		<table border="1"> <tr> <td>Under Supervision</td><td></td></tr> <tr> <td>Standalone</td><td><input checked="" type="checkbox"/></td></tr> </table>	Under Supervision		Standalone	<input checked="" type="checkbox"/>																
Under Supervision																						
Standalone	<input checked="" type="checkbox"/>																					

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																			
	4.2 Pump Unit 1. Connect hydraulic hose. 2. Install universal shaft. 3. Greasing shaft. 4. Replace rubber insert and packing plunger. 5. Rig up pumping line to CT reel and kill line to BOP 6. Priming pump before start pumping. 7. Keep monitoring pressure at pump while pumping	- Done on location.																			
	<table border="1"> <tr> <td rowspan="2">Rating (by SUPERVISOR)</td> <td colspan="3">STRONG</td> <td colspan="3">ADEQUATE</td> <td colspan="3">IMPROVEMENT NEEDED</td> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED														
	10	9	8	7	6	5	4	3	2												
	Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td>✓</td> </tr> </table>	Under Supervision		Standalone	✓															
Under Supervision																					
Standalone	✓																				
	4.3 Nitrogen Pump unit & Nitrogen Tank 1. Assist crew to rig up 2" HP treating line to CT reel and include bleed off line. 2. Assist crew to rig up cryogenic hose from N2 tank to inlet and outlet line on NCV. 3. Assist N2 operator lifting N2 tank from boat to platform main deck 4. Assist N2 Operator during Cooldown NCV	- good assist.																			
	<table border="1"> <tr> <td rowspan="2">Rating (by SUPERVISOR)</td> <td colspan="3">STRONG</td> <td colspan="3">ADEQUATE</td> <td colspan="3">IMPROVEMENT NEEDED</td> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED														
	10	9	8	7	6	5	4	3	2												
	Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td> <td>✓</td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision	✓	Standalone																
Under Supervision	✓																				
Standalone																					
	4.4 Power Pack 1. Assist to rig up hydraulic power hose to Injector Head. 2. Assist to rig up hose from CTU Power Pack to Control Cabin	- good assist.																			
	<table border="1"> <tr> <td rowspan="2">Rating (by SUPERVISOR)</td> <td colspan="3">STRONG</td> <td colspan="3">ADEQUATE</td> <td colspan="3">IMPROVEMENT NEEDED</td> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED														
	10	9	8	7	6	5	4	3	2												
	Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td> <td>✓</td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision	✓	Standalone																
Under Supervision	✓																				
Standalone																					
	4.5 Control Cabin 1. Assist crew rig up hydraulic hose and connected to CT Reel, Injector Head and BOP.	- good assist.																			
	<table border="1"> <tr> <td rowspan="2">Rating (by SUPERVISOR)</td> <td colspan="3">STRONG</td> <td colspan="3">ADEQUATE</td> <td colspan="3">IMPROVEMENT NEEDED</td> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED														
	10	9	8	7	6	5	4	3	2												
	Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td> <td>✓</td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision	✓	Standalone																
Under Supervision	✓																				
Standalone																					

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																								
	4.6 CT Reel 1. Assist to connect hydraulic hose from control cabin. 2. Assist crew to flag coil at target depth 3. Assist crew to install crash guard on CIDF reel. 4. Rig up swivel in reel. 5. Assist crew install CT Drum into CIDF. 6. Assist crew to install horse head at CIDF 7. Spooling Coil during POOH	- good assist. - Expertise in spooling activity -																								
	<table border="1"> <tr> <th>Rating (by SUPERVISOR)</th><th colspan="3">STRONG</th><th colspan="3">ADEQUATE</th><th colspan="3">IMPROVEMENT NEEDED</th></tr> <tr> <td></td><td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td></tr> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2	<table border="1"> <tr> <td>Under Supervision</td><td><input checked="" type="checkbox"/></td></tr> <tr> <td>Standalone</td><td><input type="checkbox"/></td></tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input type="checkbox"/>
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																			
	10	9	8	7	6	5	4	3	2																	
Under Supervision	<input checked="" type="checkbox"/>																									
Standalone	<input type="checkbox"/>																									
	4.7 Injector Head 1. Assist crew to install injector head on top of jacking frame. 2. Assist crew to install goose neck on top of injector head. 3. Assist crew to install auxiliary hose at injector head. 4. Assist crew to stab in coil to injector head. 5. Assist crew during stab out coil from injector head 6. Assist crew top up Injector Lube Oil before start job	- good assist.																								
	<table border="1"> <tr> <th>Rating (by SUPERVISOR)</th><th colspan="3">STRONG</th><th colspan="3">ADEQUATE</th><th colspan="3">IMPROVEMENT NEEDED</th></tr> <tr> <td></td><td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td></tr> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2	<table border="1"> <tr> <td>Under Supervision</td><td><input checked="" type="checkbox"/></td></tr> <tr> <td>Standalone</td><td><input type="checkbox"/></td></tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input type="checkbox"/>
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																			
	10	9	8	7	6	5	4	3	2																	
Under Supervision	<input checked="" type="checkbox"/>																									
Standalone	<input type="checkbox"/>																									
	4.8 Pressure Control Equipment 1. Assist to connect hydraulic hose from Control Cabin to SBOP and Combi. 2. Assist crew to redress Combi BOP. Clean up blind sheer and pipe slip. 3. Assist crew replace rubber stripper	- good assist.																								
	<table border="1"> <tr> <th>Rating (by SUPERVISOR)</th><th colspan="3">STRONG</th><th colspan="3">ADEQUATE</th><th colspan="3">IMPROVEMENT NEEDED</th></tr> <tr> <td></td><td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td></tr> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2	<table border="1"> <tr> <td>Under Supervision</td><td><input checked="" type="checkbox"/></td></tr> <tr> <td>Standalone</td><td><input type="checkbox"/></td></tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input type="checkbox"/>
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																			
	10	9	8	7	6	5	4	3	2																	
Under Supervision	<input checked="" type="checkbox"/>																									
Standalone	<input type="checkbox"/>																									
	4.9 Basic BHA Components 1. Assist crew to make up BHA. 2. Assist CT Supervisor to prepare BHA to be use during job. 3. Assist crew to install down hole filter (BHA)	- good assist.																								
	<table border="1"> <tr> <th>Rating (by SUPERVISOR)</th><th colspan="3">STRONG</th><th colspan="3">ADEQUATE</th><th colspan="3">IMPROVEMENT NEEDED</th></tr> <tr> <td></td><td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td></tr> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2	<table border="1"> <tr> <td>Under Supervision</td><td><input checked="" type="checkbox"/></td></tr> <tr> <td>Standalone</td><td><input type="checkbox"/></td></tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input type="checkbox"/>
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																			
	10	9	8	7	6	5	4	3	2																	
Under Supervision	<input checked="" type="checkbox"/>																									
Standalone	<input type="checkbox"/>																									

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																				
5. Job Supervision (if applicable) <i>Please complete this section if you perform any supervisory role during operation</i>	1. Conduct short briefing to new incomer prior to rig up treating iron,bmx,single pump and widen pump. 2. Conduct training for new incomer how to prepare permit,certificate on site. 3. Conduct and explain to EOT about Rig up line 4. Assist and monitor new incomer EOT/JFE to preparation chemical before mixing. 5. Conduct training to EOT to disamble fluid end at single pump,swivel and plug valve.	- Not applicable.																				
	<table border="1"> <thead> <tr> <th>Rating (by SUPERVISOR)</th><th colspan="3">STRONG</th><th colspan="3">ADEQUATE</th><th colspan="3">IMPROVEMENT NEEDED</th></tr> <tr> <td></td><td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td></tr> </thead> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2	
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED															
	10	9	8	7	6	5	4	3	2													
	Please ✓ accordingly to confirm the role of the employee during operation	<table border="1"> <tr> <td>Full Supervisor</td><td></td></tr> <tr> <td>2nd / Night Supervisor</td><td></td></tr> </table>	Full Supervisor		2nd / Night Supervisor																	
Full Supervisor																						
2nd / Night Supervisor																						

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 3: To be completed by Employee and Assessor

DATE	Assignment/Summary Job/Duration	Supervisor's Feedback (Please indicate if employee is able to execute the job <u>UNDER SUPERVISION</u> or <u>STANDALONE</u>)
15 SEP TO 12 OCT	PERFORM VENTURI JUNK BASKET CLEANOUT : 1. Make up 2.063" VENTURI JUNK BASKET BHA 2. Perform function test VJB to determine pump rate and pressure parameter for the tool (do not exceed 5000psi) 3. RIH until target depth 4. Increase pump rate gradually until 1bpm and monitor circulating pressure 5. Stop BHA above top of fish and continue pumping at 1bpm while monitoring circulating pressure 6. When pressure increased to 4000psi, stop pumping and POOH to surface 7. Close MV and CV	<p>- Good communication during operation.</p> <p><i>Latif</i> Mat Nor Ussam b Mohamed Hurob</p>

Please tick (✓) category of services performed:

Standard Services:		Advanced Services	
Wellbore Cleanout	<input checked="" type="checkbox"/>	CT Fishing	<input type="checkbox"/>
CT Cementing	<input type="checkbox"/>	CT Milling	<input type="checkbox"/>
Nitrogen Operations	<input type="checkbox"/>	CT Logging	<input type="checkbox"/>
Pumping Services	<input type="checkbox"/>	CT Perforation	<input type="checkbox"/>