

# DIMENSION BID

## COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 1: To be completed by Assessor [WEIGHT: 40%]

Name	MOHD BURHAN BIN YUSOF	COB Date	09-Jun-24
Position	EQUIPMENT OPERATOR 2	RTB Date	03-Jul-24
Client	PCSB	Location	Tiong B
Platform	TIONG	Well	B05
Assessed By	Name: ENGU NAZRI BIN ENGU JALIL		Position: PUMPING SUPERVISOR


### RATING LEGEND:

STRONG	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent
ADEQUATE	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good
IMPROVEMENT NEEDED	Performance did not consistently meet expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please ✓ where appropriate)								
	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
Safety Awareness (20%)	10	9	8	7	6	5	4	3	2
a. Usage of Personal Protective Equipment	✓								
b. Participation in UAUC		✓							
c. Understanding of PTW System		✓							
d. Worksite House Keeping	✓								
Work Performance (20%)									
e. Initiative and Creativity		✓							
f. Decision Making Capability			✓						
g. Understanding of Job Scope		✓							
h. Tools Inventory and Reporting			✓						
i. Work Quality	✓								
j. Reporting			✓						
k. Punctuality and Time Keeping		✓							
l. Teamwork		✓							
m. Communication			✓						
n. Leadership Skills			✓						
o. Adaptability to Work Environment/Surrounding				✓					
p. Attitude				✓					
q. Discipline		✓							

### REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

- Good attitude and discipline .
- Need to learn more about operate N2 convert trouble shoot Single pump .

Assessed By [Supervisor]	
Name	ENGKU NAZRI B. CHE ENGU JALIL
Date	3 JULY 2024 .

# DIMENSION BID

## COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed			Assessor Comment								
1. Pre-Job Preparation	1. Attend toolbox and morning meeting with CSR. 2. Assisted crew in lifting all Pumping equipment and spot unit. 3. Pre-check/EMC1 all Pumping equipment before the job.			good .								
	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED		
2. Surface Equipment Rig-up	1.Rig up pumping surface line From Pump unit to Pumping Tee Geowell 2. Assist crew to rig up BMX Line to Pump unit 3. Rig up 4" hose from Tank to BMX and Pump unit. 4.Spot Flood light,container electric cable to junction box. 5. Rig up wilden pump,2" spring hose and air hose from sea deck to main deck.			10	9	8	7	6	5	4	3	2
	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED		
3. Tools / Equipment Preparation	1. Install air hose from compressor to SINGLE PUMP, BMX and wilden pump. 2. Perform EMC1 on SINGLE PUMP, BMX, Genset,Acomp for pre job. 3. Perform pressure test on pumping line 4. Fuel up all CTU equipment. 5.Assist crew Prepared chemical on top of BMX tank for mixing activiy.			10	9	8	7	6	5	4	3	2
	Rating (by Operator)			STRONG			ADEQUATE			IMPROVEMENT NEEDED		
4. Equipment	4.1 Batch Mixer 1. Install guard rail. 2. Rig up hydraulic hose from BM power pack to BM tank. 3. Rig up 4" hose for overboard line. 5. Visually check for any oil leakage at BMX engine and hdraulic line. 6.Function test for BMX, agitator and c-pump working properly. 7. Start and run BMX for mixing activity.			10	9	8	7	6	5	4	3	2
	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED		
	Employee was able to OPERATE the equipment:						Under Supervision			Standalone		

# DIMENSION BID

## COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed						Assessor Comment																				
<p><b>4.2 Pump Unit</b></p> <p>1. Function test and make sure all hydraulic hose connected and does not have any leakage (EMC1).      2. Assemble pump shaft      3. Check OPSD functionality.      5. Always monitor pumping pressure while pumping.      6. Always alert on panel control indicator while performing pumping to avoid worse damage to single pump.</p>							<p><i>- need to learn more about troubleshoot</i></p>																				
	<table border="1"> <thead> <tr> <th colspan="3">STRONG</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> </tr> </thead> </table>			STRONG			10	9	8	<table border="1"> <thead> <tr> <th colspan="3">ADEQUATE</th> </tr> <tr> <th>7</th> <th>6</th> <th>5</th> </tr> </thead> </table>			ADEQUATE			7	6	5	<table border="1"> <thead> <tr> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> </table>			IMPROVEMENT NEEDED			4	3	2
	STRONG																										
	10	9	8																								
ADEQUATE																											
7	6	5																									
IMPROVEMENT NEEDED																											
4	3	2																									
<p>Employee was able to OPERATE the equipment:</p> <table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td><i>/</i></td> </tr> </table>						Under Supervision		Standalone	<i>/</i>																		
Under Supervision																											
Standalone	<i>/</i>																										
<p><b>4.3 Nitrogen Pump unit &amp; Nitrogen Tank</b></p>	<table border="1"> <thead> <tr> <th colspan="3">STRONG</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> </tr> </thead> </table>			STRONG			10	9	8	<table border="1"> <thead> <tr> <th colspan="3">ADEQUATE</th> </tr> <tr> <th>7</th> <th>6</th> <th>5</th> </tr> </thead> </table>			ADEQUATE			7	6	5	<table border="1"> <thead> <tr> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> </table>			IMPROVEMENT NEEDED			4	3	2
	STRONG																										
	10	9	8																								
	ADEQUATE																										
7	6	5																									
IMPROVEMENT NEEDED																											
4	3	2																									
<p>Employee was able to OPERATE the equipment:</p> <table border="1"> <tr> <td>Under Supervision</td> <td><i>/</i></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>						Under Supervision	<i>/</i>	Standalone																			
Under Supervision	<i>/</i>																										
Standalone																											
<p><b>4.4 Power Pack</b></p>	<table border="1"> <thead> <tr> <th colspan="3">STRONG</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> </tr> </thead> </table>			STRONG			10	9	8	<table border="1"> <thead> <tr> <th colspan="3">ADEQUATE</th> </tr> <tr> <th>7</th> <th>6</th> <th>5</th> </tr> </thead> </table>			ADEQUATE			7	6	5	<table border="1"> <thead> <tr> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> </table>			IMPROVEMENT NEEDED			4	3	2
	STRONG																										
	10	9	8																								
	ADEQUATE																										
7	6	5																									
IMPROVEMENT NEEDED																											
4	3	2																									
<p>Employee was able to OPERATE the equipment:</p> <table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>						Under Supervision		Standalone																			
Under Supervision																											
Standalone																											
<p><b>4.5 Control Cabin</b></p>	<table border="1"> <thead> <tr> <th colspan="3">STRONG</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> </tr> </thead> </table>			STRONG			10	9	8	<table border="1"> <thead> <tr> <th colspan="3">ADEQUATE</th> </tr> <tr> <th>7</th> <th>6</th> <th>5</th> </tr> </thead> </table>			ADEQUATE			7	6	5	<table border="1"> <thead> <tr> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> </table>			IMPROVEMENT NEEDED			4	3	2
	STRONG																										
	10	9	8																								
	ADEQUATE																										
7	6	5																									
IMPROVEMENT NEEDED																											
4	3	2																									
<p>Employee was able to OPERATE the equipment:</p> <table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>						Under Supervision		Standalone																			
Under Supervision																											
Standalone																											

# DIMENSION BID

## COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed			Assessor Comment								
4.6 CT Reel	4.6 CT Reel											
				STRONG			ADEQUATE			IMPROVEMENT NEEDED		
				10	9	8	7	6	5	4	3	2
	Employee was able to OPERATE the equipment:						Under Supervision					
4.7 Injector Head	4.7 Injector Head											
				STRONG			ADEQUATE			IMPROVEMENT NEEDED		
				10	9	8	7	6	5	4	3	2
	Employee was able to OPERATE the equipment:						Under Supervision					
4.8 Pressure Control Equipment	4.8 Pressure Control Equipment											
				STRONG			ADEQUATE			IMPROVEMENT NEEDED		
				10	9	8	7	6	5	4	3	2
	Employee was able to OPERATE the equipment:						Under Supervision					
4.9 Basic BHA Components	4.9 Basic BHA Components											
				STRONG			ADEQUATE			IMPROVEMENT NEEDED		
				10	9	8	7	6	5	4	3	2
	Employee was able to OPERATE the tools:						Under Supervision					

# DIMENSION BID

## COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed			Assessor Comment					
5. Job Supervision (if applicable) <i>Please complete this section if you perform any supervisory role during operation</i>									
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
	10	9	8	7	6	5	4	3	2
Please <input checked="" type="checkbox"/> accordingly to confirm the role of the employee during operation			Full Supervisor			2nd / Night Supervisor			

# DIMENSION BID

## COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 3: To be completed by Employee and Assessor

DATE	Assignment/Summary Job/Duration	Supervisor's Feedback (Please indicate if employee is able to execute the job <u>UNDER SUPERVISION</u> or <u>STANDALONE</u> )
6/2024 to 03/07	<p>PUMPING ON WELL B-05</p> <ul style="list-style-type: none"> <li>-Rig up pumping line to pumping tee geowell at Well B-01 to perform TIT with slickplug.</li> <li>-Perform pressure test line(500psi-3000psi)</li> <li>-Pressure up 600psi prior open Master Valve and Crown valve</li> <li>-Start pumping 0.3bpm up to 1bpm,Perform TIT with PXX Plug at Well B-05</li> <li>-Monitor Pumping pressure at Pump</li> <li>-After Pump 66bbls,Pressure drop to 0 psi,Stop pumping and secure Well</li> </ul>	<ul style="list-style-type: none"> <li>- Can stand alone operate the single pump</li> <li>- Good communication during pumping operation</li> <li>- have initiative to learn more about operation</li> </ul> <p><i>Qulip</i></p> <p>TENGKU NAZRI B. CHE TENGKU JAUH</p>

Please tick (✓) category of services performed:

**Standard Services:**

Wellbore Cleanout  
CT Cementing  
Nitrogen Operations  
Pumping Services

✓

**Advanced Services**

CT Fishing  
CT Milling  
CT Logging  
CT Perforation
