

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 1: To be completed by Assessor [WEIGHT: 40%]

Name	WAHID MUHAMMAD HANIF bin WAHID MUKHTAR	COB Date	17/10/2023
Position	EQUIPMENT OPERATOR TRAINEE	RTB Date	14/11/2023
Client	PETRONAS CARIGALI	Location	DULANG.
Platform	DULANG CHARLIE	Well	C-45.
Assessed By	Name: Position:		


RATING LEGEND:

STRONG	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent
ADEQUATE	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good
IMPROVEMENT NEEDED	Performance did not consistently meet expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please ✓ where appropriate)								
	STRONG		ADEQUATE		IMPROVEMENT NEEDED				
Safety Awareness (20%)	10	9	8	7	6	5	4	3	2
a. Usage of Personal Protective Equipment	✓								
b. Participation in UAUC		✓							
c. Understanding of PTW System		✓							
d. Worksite House Keeping		✓							
Work Performance (20%)									
e. Initiative and Creativity			✓						
f. Decision Making Capability		✓							
g. Understanding of Job Scope				✓					
h. Tools Inventory and Reporting				✓					
i. Work Quality					✓				
j. Reporting						✓			
k. Punctuality and Time Keeping							✓		
l. Teamwork		✓							
m. Communication				✓					
n. Leadership Skills				✓					
o. Adaptability to Work Environment/Surrounding					✓				
p. Attitude						✓			
q. Discipline						✓			

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

* Overall Good
* Can stand alone operate DDX.

Assessed By [Supervisor]	
Name	MOHD SYUKRI B. ISMAIL
Date	13/11/2023

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment											
1. Pre-Job Preparation	1. Attend Toolbox And Morning Meeting with CSR 2. Do Lifting All CTU Equipment To Main Deck And Spot Unit 3. Prepare EPTW Before Do The Job.	* Done											
	Rating (by SUPERVISOR)	STRONG	10	9	8	ADEQUATE	7	6	5	IMPROVEMENT NEEDED	4	3	2
2. Surface Equipment Rig-up	1. Assist Crew Rig Up Pumping Surface line From SP02 To CTU Reel, Bleed Out Line And Kill Port Line To Combi BOP. 2. Rig Up 4" Hose From FST To Pump O2 And BMX O2.	* Done											
	Rating (by SUPERVISOR)	STRONG	10	9	8	ADEQUATE	7	6	5	IMPROVEMENT NEEDED	4	3	2
3. Tools / Equipment Preparation	1. Connect Air Hose To All CTU Equipment 2. Perform EMC 1 Before Do The Job. 3. Top Up Diesel On Equipment.	* Done											
	Rating (by Operator)	STRONG	10	9	8	ADEQUATE	7	6	5	IMPROVEMENT NEEDED	4	3	2
4. Equipment	4.1 Batch Mixer 1. Mix Drag Reducer 2. Mixing 15% HCL 3. Assist Mechanic On Board Do EMC 2, Change New Belting Set.	* Done											
	Rating (by SUPERVISOR)	STRONG	10	9	8	ADEQUATE	7	6	5	IMPROVEMENT NEEDED	4	3	2
	Employee was able to OPERATE the equipment:				Under Supervision	0							
					Standalone	0							

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																	
4.2 Pump Unit	<p>4.2 Pump Unit</p> <p>1. Assist Pump Man to open close bleed Out Line Valve . 2. Assist Crew Rig up surface pump Line . 3. Assist Pump Man Top up Engine Oil And change Oil Filter .</p>	<p>* Done</p>																	
	<table border="1" style="margin-bottom: 5px;"> <tr> <td style="padding: 2px;">Rating (by SUPERVISOR)</td> <td style="text-align: center; padding: 2px;">STRONG</td> <td style="text-align: center; padding: 2px;">ADEQUATE</td> <td style="text-align: center; padding: 2px;">IMPROVEMENT NEEDED</td> </tr> <tr> <td style="text-align: center; padding: 2px;">10</td> <td style="text-align: center; padding: 2px;">9</td> <td style="text-align: center; padding: 2px;">8</td> <td style="text-align: center; padding: 2px;">7</td> <td style="text-align: center; padding: 2px;">6</td> <td style="text-align: center; padding: 2px;">5</td> <td style="text-align: center; padding: 2px;">4</td> <td style="text-align: center; padding: 2px;">3</td> <td style="text-align: center; padding: 2px;">2</td> </tr> </table> <table border="1" style="margin-bottom: 5px;"> <tr> <td colspan="2" style="padding: 2px;">Employee was able to OPERATE the equipment:</td> <td style="text-align: center; padding: 2px;">Under Supervision</td> <td style="text-align: center; padding: 2px;">Standalone</td> </tr> </table>	Rating (by SUPERVISOR)	STRONG	ADEQUATE	IMPROVEMENT NEEDED	10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:		Under Supervision	Standalone	
	Rating (by SUPERVISOR)	STRONG	ADEQUATE	IMPROVEMENT NEEDED															
10	9	8	7	6	5	4	3	2											
Employee was able to OPERATE the equipment:		Under Supervision	Standalone																
4.3 Nitrogen Pump unit & Nitrogen Tank	<p>4.3 Nitrogen Pump unit & Nitrogen Tank</p> <p>1. Assist Crew to Buckle load Empty N2 tank And manage N2 tank Area . 2. Assist Transfer Nitrogen</p>	<p>* Done</p>																	
	<table border="1" style="margin-bottom: 5px;"> <tr> <td style="padding: 2px;">Rating (by SUPERVISOR)</td> <td style="text-align: center; padding: 2px;">STRONG</td> <td style="text-align: center; padding: 2px;">ADEQUATE</td> <td style="text-align: center; padding: 2px;">IMPROVEMENT NEEDED</td> </tr> <tr> <td style="text-align: center; padding: 2px;">10</td> <td style="text-align: center; padding: 2px;">9</td> <td style="text-align: center; padding: 2px;">8</td> <td style="text-align: center; padding: 2px;">7</td> <td style="text-align: center; padding: 2px;">6</td> <td style="text-align: center; padding: 2px;">5</td> <td style="text-align: center; padding: 2px;">4</td> <td style="text-align: center; padding: 2px;">3</td> <td style="text-align: center; padding: 2px;">2</td> </tr> </table> <table border="1" style="margin-bottom: 5px;"> <tr> <td colspan="2" style="padding: 2px;">Employee was able to OPERATE the equipment:</td> <td style="text-align: center; padding: 2px;">Under Supervision</td> <td style="text-align: center; padding: 2px;">Standalone</td> </tr> </table>	Rating (by SUPERVISOR)	STRONG	ADEQUATE	IMPROVEMENT NEEDED	10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:		Under Supervision	Standalone	
	Rating (by SUPERVISOR)	STRONG	ADEQUATE	IMPROVEMENT NEEDED															
10	9	8	7	6	5	4	3	2											
Employee was able to OPERATE the equipment:		Under Supervision	Standalone																
4.4 Power Pack	<p>4.4 Power Pack</p> <p>1. Assist To Rig up Power Hose Hydraulic to Injector Head 2. Assist To Rig UP Hose From Power Pack To Control Cabin .</p>	<p>* Done</p>																	
	<table border="1" style="margin-bottom: 5px;"> <tr> <td style="padding: 2px;">Rating (by SUPERVISOR)</td> <td style="text-align: center; padding: 2px;">STRONG</td> <td style="text-align: center; padding: 2px;">ADEQUATE</td> <td style="text-align: center; padding: 2px;">IMPROVEMENT NEEDED</td> </tr> <tr> <td style="text-align: center; padding: 2px;">10</td> <td style="text-align: center; padding: 2px;">9</td> <td style="text-align: center; padding: 2px;">8</td> <td style="text-align: center; padding: 2px;">7</td> <td style="text-align: center; padding: 2px;">6</td> <td style="text-align: center; padding: 2px;">5</td> <td style="text-align: center; padding: 2px;">4</td> <td style="text-align: center; padding: 2px;">3</td> <td style="text-align: center; padding: 2px;">2</td> </tr> </table> <table border="1" style="margin-bottom: 5px;"> <tr> <td colspan="2" style="padding: 2px;">Employee was able to OPERATE the equipment:</td> <td style="text-align: center; padding: 2px;">Under Supervision</td> <td style="text-align: center; padding: 2px;">Standalone</td> </tr> </table>	Rating (by SUPERVISOR)	STRONG	ADEQUATE	IMPROVEMENT NEEDED	10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:		Under Supervision	Standalone	
	Rating (by SUPERVISOR)	STRONG	ADEQUATE	IMPROVEMENT NEEDED															
10	9	8	7	6	5	4	3	2											
Employee was able to OPERATE the equipment:		Under Supervision	Standalone																
4.5 Control Cabin	<p>4.5 Control Cabin</p> <p>1. Assist To Rig up Hydraulic Hose To CT Reel, Injector Head And BOP .</p>	<p>* Done</p>																	
	<table border="1" style="margin-bottom: 5px;"> <tr> <td style="padding: 2px;">Rating (by SUPERVISOR)</td> <td style="text-align: center; padding: 2px;">STRONG</td> <td style="text-align: center; padding: 2px;">ADEQUATE</td> <td style="text-align: center; padding: 2px;">IMPROVEMENT NEEDED</td> </tr> <tr> <td style="text-align: center; padding: 2px;">10</td> <td style="text-align: center; padding: 2px;">9</td> <td style="text-align: center; padding: 2px;">8</td> <td style="text-align: center; padding: 2px;">7</td> <td style="text-align: center; padding: 2px;">6</td> <td style="text-align: center; padding: 2px;">5</td> <td style="text-align: center; padding: 2px;">4</td> <td style="text-align: center; padding: 2px;">3</td> <td style="text-align: center; padding: 2px;">2</td> </tr> </table> <table border="1" style="margin-bottom: 5px;"> <tr> <td colspan="2" style="padding: 2px;">Employee was able to OPERATE the equipment:</td> <td style="text-align: center; padding: 2px;">Under Supervision</td> <td style="text-align: center; padding: 2px;">Standalone</td> </tr> </table>	Rating (by SUPERVISOR)	STRONG	ADEQUATE	IMPROVEMENT NEEDED	10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:		Under Supervision	Standalone	
	Rating (by SUPERVISOR)	STRONG	ADEQUATE	IMPROVEMENT NEEDED															
10	9	8	7	6	5	4	3	2											
Employee was able to OPERATE the equipment:		Under Supervision	Standalone																

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																																																
	<p>4.6 CT Reel</p> <p>1. Assist CT operator To spool In Or Out Cot Time Doing The Job .</p> <p>2. Lubricant CT string with corrosion Fuel oil And Diesel .</p>	* Done																																																
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td rowspan="2" style="width: 20%;">Rating (by SUPERVISOR)</td> <td style="width: 10%; text-align: center;">STRONG</td> <td colspan="3" style="width: 30%; text-align: center;">ADEQUATE</td> <td colspan="4" style="width: 30%; text-align: center;">IMPROVEMENT NEEDED</td> </tr> <tr> <td style="text-align: center;">10</td> <td style="text-align: center;">9</td> <td style="text-align: center;">8</td> <td style="text-align: center;">7</td> <td style="text-align: center;">6</td> <td style="text-align: center;">5</td> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> </tr> <tr> <td colspan="10" style="text-align: center;">Employee was able to OPERATE the equipment:</td> </tr> <tr> <td colspan="10" style="text-align: center;">Under Supervision</td> </tr> <tr> <td colspan="10" style="text-align: center;">Standalone</td> </tr> </table>	Rating (by SUPERVISOR)	STRONG	ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:										Under Supervision										Standalone										
	Rating (by SUPERVISOR)		STRONG	ADEQUATE			IMPROVEMENT NEEDED																																											
10		9	8	7	6	5	4	3	2																																									
Employee was able to OPERATE the equipment:																																																		
Under Supervision																																																		
Standalone																																																		
<p>4.7 Injector Head</p> <p>1. Assist Crew change New SLEEVES .</p>	* Done																																																	
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td rowspan="2" style="width: 20%;">Rating (by SUPERVISOR)</td> <td style="width: 10%; text-align: center;">STRONG</td> <td colspan="3" style="width: 30%; text-align: center;">ADEQUATE</td> <td colspan="4" style="width: 30%; text-align: center;">IMPROVEMENT NEEDED</td> </tr> <tr> <td style="text-align: center;">10</td> <td style="text-align: center;">9</td> <td style="text-align: center;">8</td> <td style="text-align: center;">7</td> <td style="text-align: center;">6</td> <td style="text-align: center;">5</td> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> </tr> <tr> <td colspan="10" style="text-align: center;">Employee was able to OPERATE the equipment:</td> </tr> <tr> <td colspan="10" style="text-align: center;">Under Supervision</td> </tr> <tr> <td colspan="10" style="text-align: center;">Standalone</td> </tr> </table>	Rating (by SUPERVISOR)	STRONG	ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:										Under Supervision										Standalone										
Rating (by SUPERVISOR)	STRONG		ADEQUATE			IMPROVEMENT NEEDED																																												
	10	9	8	7	6	5	4	3	2																																									
Employee was able to OPERATE the equipment:																																																		
Under Supervision																																																		
Standalone																																																		
	<p>4.8 Pressure Control Equipment</p> <p>1. Assist To Connect Hydraulic Hose From Control Cabin To single BOP And COMBI .</p>	* Done																																																
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td rowspan="2" style="width: 20%;">Rating (by SUPERVISOR)</td> <td style="width: 10%; text-align: center;">STRONG</td> <td colspan="3" style="width: 30%; text-align: center;">ADEQUATE</td> <td colspan="4" style="width: 30%; text-align: center;">IMPROVEMENT NEEDED</td> </tr> <tr> <td style="text-align: center;">10</td> <td style="text-align: center;">9</td> <td style="text-align: center;">8</td> <td style="text-align: center;">7</td> <td style="text-align: center;">6</td> <td style="text-align: center;">5</td> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> </tr> <tr> <td colspan="10" style="text-align: center;">Employee was able to OPERATE the equipment:</td> </tr> <tr> <td colspan="10" style="text-align: center;">Under Supervision</td> </tr> <tr> <td colspan="10" style="text-align: center;">Standalone</td> </tr> </table>	Rating (by SUPERVISOR)	STRONG	ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:										Under Supervision										Standalone										
	Rating (by SUPERVISOR)		STRONG	ADEQUATE			IMPROVEMENT NEEDED																																											
10		9	8	7	6	5	4	3	2																																									
Employee was able to OPERATE the equipment:																																																		
Under Supervision																																																		
Standalone																																																		
<p>4.9 Basic BHA Components</p> <p>1. Assist Crew Make UP Bit Tools For Job ,</p>	* Done																																																	
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td rowspan="2" style="width: 20%;">Rating (by SUPERVISOR)</td> <td style="width: 10%; text-align: center;">STRONG</td> <td colspan="3" style="width: 30%; text-align: center;">ADEQUATE</td> <td colspan="4" style="width: 30%; text-align: center;">IMPROVEMENT NEEDED</td> </tr> <tr> <td style="text-align: center;">10</td> <td style="text-align: center;">9</td> <td style="text-align: center;">8</td> <td style="text-align: center;">7</td> <td style="text-align: center;">6</td> <td style="text-align: center;">5</td> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> </tr> <tr> <td colspan="10" style="text-align: center;">Employee was able to OPERATE the tools:</td> </tr> <tr> <td colspan="10" style="text-align: center;">Under Supervision</td> </tr> <tr> <td colspan="10" style="text-align: center;">Standalone</td> </tr> </table>	Rating (by SUPERVISOR)	STRONG	ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the tools:										Under Supervision										Standalone										
Rating (by SUPERVISOR)	STRONG		ADEQUATE			IMPROVEMENT NEEDED																																												
	10	9	8	7	6	5	4	3	2																																									
Employee was able to OPERATE the tools:																																																		
Under Supervision																																																		
Standalone																																																		

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																
<p>5. Job Supervision (if applicable) <i>Please complete this section if you perform any supervisory role during operation</i></p>	<p>1. Stand alone As batch Mixer Operator, Perform Mixing Chemical HCl 15%, Drug Reducer And Prepare TSW .</p>	<p>→ Done</p>																
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 20%;">Rating (by SUPERVISOR)</th> <th style="width: 10%;">STRONG</th> <th style="width: 10%;">ADEQUATE</th> <th style="width: 10%;">IMPROVEMENT NEEDED</th> </tr> </thead> <tbody> <tr> <td></td> <td style="text-align: center;">10</td> <td style="text-align: center;">9</td> <td style="text-align: center;">8</td> </tr> <tr> <td></td> <td style="text-align: center;">7</td> <td style="text-align: center;">6</td> <td style="text-align: center;">5</td> </tr> <tr> <td></td> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> </tr> </tbody> </table>	Rating (by SUPERVISOR)	STRONG	ADEQUATE	IMPROVEMENT NEEDED		10	9	8		7	6	5		4	3	2	
	Rating (by SUPERVISOR)	STRONG	ADEQUATE	IMPROVEMENT NEEDED														
	10	9	8															
	7	6	5															
	4	3	2															
<p>Please ✓ accordingly to confirm the role of the employee during operation</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">Full Supervisor</td> <td style="width: 50%;"></td> </tr> <tr> <td>2nd / Night Supervisor</td> <td></td> </tr> </table>	Full Supervisor		2nd / Night Supervisor															
Full Supervisor																		
2nd / Night Supervisor																		

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 3: To be completed by Employee and Assessor

DATE	Assignment/Summary Job/Duration	Supervisor's Feedback (Please indicate if employee is able to execute the job <u>UNDER SUPERVISION</u> or <u>STANDALONE</u>)
17/10/23	<ul style="list-style-type: none"> - CTU Perform Scale Cleanout Until SSD Below First Packer. 	<ul style="list-style-type: none"> - Done
14/11/23	<ul style="list-style-type: none"> - Crew change with crew on board At Charlie 17 October 2023. Start assist crew rearrange the main deck for Job G-4S. Perform mixing drug Reducer, 15% HCl, Neutralization fluid (Soda Ash) And TSW. After done all job, back to PDFT 14 November 2023 Already completed 4 weeks on board. 	<ul style="list-style-type: none"> - Good Job

Please tick (✓) category of services performed:

Standard Services:

Wellbore Cleanout	/
CT Cementing	
Nitrogen Operations	
Pumping Services	

Advanced Services

CT Fishing	
CT Milling	
CT Logging	
CT Perforation	