

DIMENSION BID

SLICKLINE ASSISTANT PERFORMANCE ASSESSMENT FEEDBACK

(PART 1: To be completed by Assessor)

Name	Christopher Mathew	COB Date	14/05/2024
Position	Senior Slickline Assistant I	RTB Date	10.06.2024
Client	ROC	Location	D35DP-A, D35DP-B
Platform	D35	Well	D35-102, D35-214
Assessed By	Name: Collin Justine	Position: Slickline Operator	


RATING LEGEND:

STRONG	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent
ADEQUATE	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good
IMPROVEMENT NEEDED	Performance did not consistently meet expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please ✓ where appropriate)								
	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
	10	9	8	7	6	5	4	3	2
Safety Awareness (20%)		✓							
a. Usage of Personal Protective Equipment		✓							
b. Participation in ACT		✓							
c. Understanding of PTW System		✓							
d. Worksite House Keeping	✓								
Work Performance (20%)		✓							
e. Initiative and Creativity		✓							
f. Decision Making Capability		✓							
g. Understanding of Job Scope		✓							
h. Tools Inventory and Reporting		✓							
i. Work Quality		✓							
j. Reporting			✓						
k. Punctuality and Time Keeping		✓							
l. Teamwork		✓							
m. Communication			✓						
n. Leadership Skills			✓						
o. Adaptability to Work Environment/Surrounding		✓							
p. Attitude		✓							
q. Discipline		✓							

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

- Hard working and reliable person. Managed his work task independently with minimum supervision.
- He display a strong personal commitment in completing all task and consistently demonstrate high quality of work.
- Overall performance excellent. He is highly potential and strongly qualify for advancement.
- Area of improvement: More exposure to slickline routine activity.

Assessed By [Operator]	
Name	Collin Justine
Date	10.06.2024

DIMENSION BID

SLICKLINE ASSISTANT PERFORMANCE ASSESSMENT FEEDBACK

(PART 2: To be completed by Employee and Assessor)

Type of Task	Tasks Performed			Assessor Comment					
1. Pre-Job Preparation	Morning briefing by Supervisor on site and Operator. Talk about safety and job plan as per program to ensure all crew aware about hazard on worksite. Using full PPE during working (Safety Helmet, Safety Glasses, Hand Gloves, Safety Boots). Performed safety talk sharing on morning meeting								
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED	
10		9	8	7	6	5	4	3	2
2. Surface Equipment Rig-up	Reposition Equipment (Power Pack, Reel Skid Unit, Lubricator Skid, BOP skid, SWCP, Wireline Mast). Make up PCE on surface. PCE configuration. 3" Ball Valve + 3"x 8ft Lubricator + 3" x 2 Pup Joint + 3" Dual Ram BOP + 3" Quick Test Sub + 8ft x 4 Lubricator + 3" Stuffing Box.								
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED	
10		9	8	7	6	5	4	3	2
3. Tools / Equipment Preparation	Prepare tool strings. 1.7/8" Rope Socket, 1.7/8" Swivel Joint, 1.7/8" x 5ft Roller Stem, 1.7/8" Knuckle Joint, 1.3/4" Hydraulic Jar, 1.7/8" Link Jar. Tubing Punch Tool String. 1.7/8" Rope Socket, 1.7/8" Swivel Joint, 1.7/8" x 5ft Normal Stem, 1.7/8" Knuckle Jar. Prepared Tools To Set A-Stop. 2.62" LIB, 3" GS Pulling Tool. Prepared Tools For Fishing Operation. 1.7/8" Rope Socket (0.140" Wire), 1.7/8" Swivel Joint, 1.7/8" x 5ft Normal Stem, 1.7/8" Knuckle Joint, 1.3/4" Hydraulic Jar, 1.7/8" Tubular Jar. 2.79" Wire Finder, 2.81" UB, 2.30" PEAK Side Wall Cutter, 2.79" Combination Wire Finder, 2.5" RB Pulling Tool, 2.70"x 2 Prong Wire Grab								
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED	
10		9	8	7	6	5	4	3	2
4. Equipment Problem Troubleshooting <i>[Please state type of equipment and describe troubleshooting job performed]</i>									
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED	
10		9	8	7	6	5	4	3	2
5. Downhole Tools Servicing/Redressing/Maintenance	Preparing tools as per program, 2.62" LIB, 3" GS Pulling Tool to set A-Stop. To check and function test tools on surface before proceed RIH. Check tools once it was on surface, Check on pin and the connection. Preventive maintenance tools onsite after POOH to keep tools maintain and function well for next operation. To check all tool connection and pin before proceed RIH.								
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED	
10		9	8	7	6	5	4	3	2

Type of Task	Tasks Performed						Assessor Comment				
6. Tools Inventory & Reporting											
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
10		9	8	7	6	5	4	3	2		
7. Equipment Operation	[Operator to rate TSA / SA / SSA competency in operating the equipment]										
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	8	7	6	5	4	3	2	
		Power Pack	/								
		Air Compressor									
		GenSet									
		Control Panel	/								
		Test Pump	/								
		Pressure Control Equipment	/								
		Mast	/								
Weight & Measuring Devices		/									
Downhole Tools	/										
Total	0	0	0	0	0	0	0	0	0		
Comments by Operator [please specify competency gaps / area of improvement]											
EXECUTE THE WELL SERVICES OPERATION (IF ANY) (Operating Winch)											
Date / Location / Well No. / Job Type	Activity Summary						Toolstring Configuration				
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			
		10	9	8	7	6	5	4	3	2	
		Comments by Operator [please specify competency gaps / area of improvement]									

To be completed by verifier (FSM)

SUMMARY OF OVERALL PERFORMANCE

		Score		
		Weight	Total	%
A	Safety Awareness		20	#REF!
B	Work Performance		20	#REF!
C	Technical Skills	60	52	44.571
	1. Pre-Job Preparation	8		
	2. Surface Equipment Rig-up	7		
	3. Tools / Equipment Preparation	8		
	4. Equipment Problem Troubleshooting	9		
	5. Downhole Tools Servicing/Redressing/Maintenance	6		
	6. Tools Inventory & Reporting	7		
	7. Equipment Operation	7		
D	TOTAL (A+B+C)	100		#REF!