

# DIMENSION BID

## COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 1: To be completed by Assessor [WEIGHT: 40%]

Name	MOHD BURHAN BIN YUSOF	COB Date	08-Ogos-23
Position	Equipment Operator 2	RTB Date	05-Sept-23
Client	PCSB	Location	DULANG D
Platform	DULANG	Well	D-15S
Assessed By	NAMA : MOHD SYUKRI BIN AWANG	Position:	Supervisor Coil Tubing

### RATING LEGEND:

STRONG	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent
ADEQUATE	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good
IMPROVEMENT NEEDED	Performance did not consistently meet expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please ✓ where appropriate)								
	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
Safety Awareness (20%)	10	9	8	7	6	5	4	3	2
a. Usage of Personal Protective Equipment	✓								
b. Participation in UAUC		✓							
c. Understanding of PTW System			✓						
d. Worksite House Keeping		✓							
Work Performance (20%)									
e. Initiative and Creativity			✓						
f. Decision Making Capability			✓						
g. Understanding of Job Scope			✓						
h. Tools Inventory and Reporting			✓						
i. Work Quality			✓						
j. Reporting			✓						
k. Punctuality and Time Keeping		✓							
l. Teamwork		✓							
m. Communication			✓						
n. Leadership Skills			✓						
o. Adaptability to Work Environment/Surrounding			✓						
p. Attitude	✓								
q. Discipline	✓								

### REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

Good Job !

Assessed By [Supervisor]	
Name	MOHD SYUKRI BIN AWANG
Date	

# DIMENSION BID

## COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed						Assessor Comment					
1. Pre-Job Preparation	1. Attend toolbox and morning meeting with CSR. 2. Pre-check/EMC1 all CTU equipment before run the job. 3. Assisted crew in lifting all CTU equipment and spot unit. 4. Pre-check/EMC1 all CTU equipment before run the job. 5. Prepare supporting document prior load out. 6. Split crew to day and night shift after complete rig up CTU equipment.						* Done					
	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED		
2. Surface Equipment Rig-up	1. Rig up 4" hose from FST to batch mixer and single pump . 2. Rig up treating iron from single pump to combi bop . (Kill line port) 3. Assist Cetco to rig up line flowback to overboard line and flowline well 4. Spot/arrange flood light, control cabin and tool container electric cable to junction box. 5. Rig up water injection line from wel to fluid storage tank. 6. Rig up wilden pump, 2" spring hose and air hose						10	9	8	7	6	5
	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED		
3. Tools / Equipment Preparation	1. Installing air hose from compressor to SP02, BMX02 and wilden pump 2. Perform EMC1 on Air Compressor and Genset for pre job. 3. Fuel up all CTU equipment. 4. Redress/Regrease Plug valve and swivel						10	9	8	7	6	5
	Rating (by Operator)			STRONG			ADEQUATE			IMPROVEMENT NEEDED		
4. Equipment	<b>4.1 Batch Mixer</b> 1. Assist operator to mixing Chemical for operation 2. Function test C-pump and actuator of batch mixer 3. Assist to mix TIW on fluid storage tank 4. Assist chemical specialist to mixing acid						* Done					
	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED		
	Employee was able to OPERATE the equipment:						Under Supervision			Standalone		

# DIMENSION BID

## COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment														
<p><b>4.2 Pump Unit</b></p> <p>1. Connect hydraulic hose. 2. Install universal shaft. 3. Greasing shaft. 4. Replace rubber insert and packing plunger. 5. Rig up pumping line to CT reel and kill line to bop. 6. Priming pump before start pumping. 7. Keep monitor pressure at pump during operation</p>	<p>* Done</p>															
	<p><b>Rating (by SUPERVISOR)</b></p> <table border="1"> <tr> <td colspan="3">STRONG</td> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> </tr> </table>			STRONG			10	9	8	ADEQUATE			IMPROVEMENT NEEDED			
				STRONG												
	10	9	8													
7	6	5	4	3	2											
<p><b>Employee was able to OPERATE the equipment:</b></p> <table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td>✓</td> </tr> </table>										Under Supervision		Standalone	✓			
Under Supervision																
Standalone	✓															
<p><b>4.3 Nitrogen Pump unit &amp; Nitrogen Tank</b></p> <p>1. Assist crew to rig up 2" HP treating line to CT reel and include bleed off line. 2. Assist crew to rig up cryogenic hose from N2 tank to inlet and outlet line on NCV.</p>	<p>* Done</p>															
	<p><b>Rating (by SUPERVISOR)</b></p> <table border="1"> <tr> <td colspan="3">STRONG</td> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> </tr> </table>			STRONG			10	9	8	ADEQUATE			IMPROVEMENT NEEDED			
				STRONG												
	10	9	8													
7	6	5	4	3	2											
<p><b>Employee was able to OPERATE the equipment:</b></p> <table border="1"> <tr> <td>Under Supervision</td> <td>✓</td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>										Under Supervision	✓	Standalone				
Under Supervision	✓															
Standalone																
<p><b>4.4 Power Pack</b></p> <p>1. Assist to rig up hydraulic power hose to Injector Head. 2. Assist to rig up hose from CTU Power Pack to Control Cabin</p>	<p>* Done</p>															
	<p><b>Rating (by SUPERVISOR)</b></p> <table border="1"> <tr> <td colspan="3">STRONG</td> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> </tr> </table>			STRONG			10	9	8	ADEQUATE			IMPROVEMENT NEEDED			
				STRONG												
	10	9	8													
7	6	5	4	3	2											
<p><b>Employee was able to OPERATE the equipment:</b></p> <table border="1"> <tr> <td>Under Supervision</td> <td>✓</td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>										Under Supervision	✓	Standalone				
Under Supervision	✓															
Standalone																
<p><b>4.5 Control Cabin</b></p> <p>1. Assist crew rig up hydraulic hose and connected to CT Reel, Injector Head and BOP.</p>	<p>* Done</p>															
	<p><b>Rating (by SUPERVISOR)</b></p> <table border="1"> <tr> <td colspan="3">STRONG</td> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> </tr> </table>			STRONG			10	9	8	ADEQUATE			IMPROVEMENT NEEDED			
				STRONG												
	10	9	8													
7	6	5	4	3	2											
<p><b>Employee was able to OPERATE the equipment:</b></p> <table border="1"> <tr> <td>Under Supervision</td> <td>✓</td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>										Under Supervision	✓	Standalone				
Under Supervision	✓															
Standalone																

# DIMENSION BID

## COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment										
<p><b>4.6 CT Reel</b></p> <p>1. Assist to connect hydraulic hose from control cabin.      2. Assist crew to flag coil at target depth      3. Assist crew to install crash guard on CIDF reel.      4. Rig up swivel in reel.      5. Assist crew install CT Drum into cidf.      6. Assist crew to install horse head at CIDF</p>	<i>A Done</i>											
	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED		
				10	9	8	7	6	5	4	3	2
	Employee was able to OPERATE the equipment:			Under Supervision			Standalone			<input checked="" type="checkbox"/>		
<p><b>4.7 Injector Head</b></p> <p>1. Assist crew to install injector head on top of jacking frame.      2. Assist crew to install goose neck on top of injector head.      3. Assist crew to install auxiliary hose at injector head.      4. Assist crew to stab in coil to injector head.      5. Assist crew top up Injector Lube Oil before start job.</p>	<i>A Done</i>											
	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED		
				10	9	8	7	6	5	4	3	2
	Employee was able to OPERATE the equipment:			Under Supervision			Standalone			<input checked="" type="checkbox"/>		
<p><b>4.8 Pressure Control Equipment</b></p> <p>1. Assist to connect hydraulic hose from Control Cabin to SBOP and Combi.      2. Assist crew to redress Combi Bop .Clean up blind sheer and pipe slip.      3. Assist crew replace rubber stripper      4. Rig up Riser from BOP to Wellhead crossover</p>	<i>A Done</i>											
	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED		
				10	9	8	7	6	5	4	3	2
	Employee was able to OPERATE the equipment:			Under Supervision			Standalone			<input checked="" type="checkbox"/>		
<p><b>4.9 Basic BHA Components</b></p> <p>1. Assist crew to make up BHA.      2. Assist CT Supervisor to prepare BHA to be use during job.      3. Assist crew to install down hole filter (BHA)      4. Assist to break tools while surface</p>	<i>A Done</i>											
	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED		
				10	9	8	7	6	5	4	3	2
	Employee was able to OPERATE the tools:			Under Supervision			Standalone			<input checked="" type="checkbox"/>		

# DIMENSION BID

## COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed			Assessor Comment						
5. Job Supervision (if applicable) <i>Please complete this section if you perform any supervisory role during operation</i>										
Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED		
		10	9	8	7	6	5	4	3	2
Please <input checked="" type="checkbox"/> accordingly to confirm the role of the employee during operation						Full Supervisor				
						2nd / Night Supervisor				

# DIMENSION BID

## COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK


PART 3: To be completed by Employee and Assessor

DATE	Assignment/Summary Job/Duration	Supervisor's Feedback (Please indicate if employee is able to execute the job <u>UNDER SUPERVISION</u> or <u>STANDALONE</u> )
3/2023 TO 05/09	<p>CTU perform Scale and Sand clean out well D155.</p> <p>1.Surface preparation</p> <p>2.Make up tool(MHA,STRAIGHT BAR,DOWNHOLE FILTER,SPINCAT)</p> <p>3.Start RIH while pumping TIW to perform clean out until EOT</p> <p>4.MSTP 5000psi</p> <p>5.pump acid and soaking acid for 2 hours</p> <p>6.pump soda ash after soaking</p> <p>7.POOH Coil to surface</p> <p>8.Secure well(Close MV and CV)</p>	<p><i>* Done</i></p>

Please tick (✓) category of services performed:

**Standard Services:**

Wellbore Cleanout  
CT Cementing  
Nitrogen Operations  
Pumping Services



**Advanced Services**

CT Fishing  
CT Milling  
CT Logging  
CT Perforation

