

# DIMENSION BID

## COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 1: To be completed by Assessor [WEIGHT: 40%]

Name	AHMAD SHAZMEER BIN MOHAMAD	COB Date	22.12.2023
Position	EQUIPMENT OPERATOR TRAINEE	RTB Date	4.1.2024
Client	PCSB	Location	RDPA
Platform	RESAK	Well	A-17
Assessed By	Name: MAT NOR HISSAM Position: COILED TUBING SUPERVISOR		

### RATING LEGEND:

STRONG	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent
ADEQUATE	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good
IMPROVEMENT NEEDED	Performance did not consistently meet expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please ✓ where appropriate)								
	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
Safety Awareness (20%)	10	9	8	7	6	5	4	3	2
a. Usage of Personal Protective Equipment	/								
b. Participation in UAUC		/							
c. Understanding of PTW System		/							
d. Worksite House Keeping			/						
<u>Work Performance (20%)</u>									
e. Initiative and Creativity				/					
f. Decision Making Capability					/				
g. Understanding of Job Scope					/				
h. Tools Inventory and Reporting						/			
i. Work Quality						/			
j. Reporting							/		
k. Punctuality and Time Keeping							/		
l. Teamwork							/		
m. Communication							/		
n. Leadership Skills							/		
o. Adaptability to Work Environment/Surrounding							/		
p. Attitude							/		
q. Discipline							/		

### REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

Assign as PTW applicant and BMX operator during working period.

Able to stand alone operator BMX for normal operation.

Assessed By (Supervisor)	<i>Mat Nor Hissam</i>
Name	Mat Nor Hissam
Date	3/1/2024

Doc Ref.No : CTS-FORM-90

Revision No : 01

Effective Date 21/08/2023

(Rev.00,Dated:22/09/19-OBSOLETE)

CONTROLLED COPY




Scanned with CamScanner

Scanned with CamScanner

# DIMENSION BID

## COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2. To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																											
1. Pre-Job Preparation	<p>1) Attend platform coordination meeting.          2) Meeting with WSS and all crew discuss for next planning.          Safety sharing by crew.          3) Revalidate E-PTW.          4) Do EMC1 for pre-job.</p>	<span style="font-size: 2em;">Done</span> 																											
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width: 20%;">Rating (by SUPERVISOR)</th> <th colspan="3" style="text-align: center;">STRONG</th> <th colspan="3" style="text-align: center;">ADEQUATE</th> <th colspan="3" style="text-align: center;">IMPROVEMENT NEEDED</th> </tr> <tr> <th style="width: 10%;">10</th> <th style="width: 10%;">9</th> <th style="width: 10%; text-align: center;">8</th> <th style="width: 10%;">7</th> <th style="width: 10%;">6</th> <th style="width: 10%;">5</th> <th style="width: 10%;">4</th> <th style="width: 10%;">3</th> <th style="width: 10%;">2</th> </tr> </thead> <tbody> <tr> <td></td> <td>10</td> <td>9</td> <td style="text-align: center;">8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </tbody> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2		10	9	8	7	6	5	4	3
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																						
	10	9	8	7	6	5	4	3	2																				
	10	9	8	7	6	5	4	3	2																				
2. Surface Equipment Rig-up	<p>1) Assist crew to skid well from A-09 to A-17.          2) Assist crew to rig up pumping surface line from SP01 to coil reel and killport to combi BOP.          3) Assist crew to rig up N2 line from NCV to CT Reel.          4) Rig up 4" hose from fluid storage tank to SP01.          5) Rig up 4" hose from BMX tank to SP01.          6) Open hatch cover, rig up well head X-over, single BOP.</p>	<span style="font-size: 2em;">Good Job</span> 																											
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width: 20%;">Rating (by SUPERVISOR)</th> <th colspan="3" style="text-align: center;">STRONG</th> <th colspan="3" style="text-align: center;">ADEQUATE</th> <th colspan="3" style="text-align: center;">IMPROVEMENT NEEDED</th> </tr> <tr> <th style="width: 10%;">10</th> <th style="width: 10%;">9</th> <th style="width: 10%; text-align: center;">8</th> <th style="width: 10%;">7</th> <th style="width: 10%;">6</th> <th style="width: 10%;">5</th> <th style="width: 10%;">4</th> <th style="width: 10%;">3</th> <th style="width: 10%;">2</th> </tr> </thead> <tbody> <tr> <td></td> <td>10</td> <td>9</td> <td style="text-align: center;">8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </tbody> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2		10	9	8	7	6	5	4	3
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																						
	10	9	8	7	6	5	4	3	2																				
	10	9	8	7	6	5	4	3	2																				
3. Tools / Equipment Preparation	<p>1) Installing air hose from compressor to SP01, BMX01 and warden pump.          2) Perform EMC1 on Air Compressor and Genset for pre job.          3) Function test spin cap nozzle and break BHA.          4) Break surface filter line and clean surface filter.</p>	<span style="font-size: 2em;">Good Job</span> 																											
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width: 20%;">Rating (by Operator)</th> <th colspan="3" style="text-align: center;">STRONG</th> <th colspan="3" style="text-align: center;">ADEQUATE</th> <th colspan="3" style="text-align: center;">IMPROVEMENT NEEDED</th> </tr> <tr> <th style="width: 10%;">10</th> <th style="width: 10%;">9</th> <th style="width: 10%; text-align: center;">8</th> <th style="width: 10%;">7</th> <th style="width: 10%;">6</th> <th style="width: 10%;">5</th> <th style="width: 10%;">4</th> <th style="width: 10%;">3</th> <th style="width: 10%;">2</th> </tr> </thead> <tbody> <tr> <td></td> <td>10</td> <td>9</td> <td style="text-align: center;">8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </tbody> </table>	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2		10	9	8	7	6	5	4	3
Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																						
	10	9	8	7	6	5	4	3	2																				
	10	9	8	7	6	5	4	3	2																				
4. Equipment	<p>4.1 Batch Mixer</p> <p>1) Mix 100 TSW inside FST.          2) Spot chemical basket on maindeck.          3) Assist to mix TIW.          4) Mix GEL 300bbl into BMX tank.          5) Mix 200bbl pre flush solvent.          6) Mix 40bbl main treatment 15% HCL.</p>	<span style="font-size: 2em;">Good assist -</span> 																											
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width: 20%;">Rating (by SUPERVISOR)</th> <th colspan="3" style="text-align: center;">STRONG</th> <th colspan="3" style="text-align: center;">ADEQUATE</th> <th colspan="3" style="text-align: center;">IMPROVEMENT NEEDED</th> </tr> <tr> <th style="width: 10%;">10</th> <th style="width: 10%;">9</th> <th style="width: 10%; text-align: center;">8</th> <th style="width: 10%;">7</th> <th style="width: 10%;">6</th> <th style="width: 10%;">5</th> <th style="width: 10%;">4</th> <th style="width: 10%;">3</th> <th style="width: 10%;">2</th> </tr> </thead> <tbody> <tr> <td></td> <td>10</td> <td>9</td> <td style="text-align: center;">8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </tbody> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2		10	9	8	7	6	5	4	3
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																						
	10	9	8	7	6	5	4	3	2																				
	10	9	8	7	6	5	4	3	2																				
	<span style="font-size: 1.5em;">Employee was able to OPERATE the equipment:</span>	<input checked="" type="checkbox"/> Under Supervision <input type="checkbox"/> Standalone																											

Doc.Ref.No.: CTS-FORM-90

Revision No.: 01

Effective Date: 21/08/2023

(Rev.00,Dated:22/09/19-OBSOLETE)

CONTROLLED COPY

2

Scanned with CamScanner

Scanned with CamScanner

# DIMENSION BID

## COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2 To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment											
<b>4.2 Pump Unit</b> 1) Assist crew to rig up surface pumping line. 2) Assist crew to change spring and rubber seal fluid end. 3) Pressure test pumping line at 5000psi for 3minutes. 4) Flushing coil with 26bbl.	Good assist												
	Rating (by SUPERVISOR) <table border="1" style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td style="width: 10%;">STRONG</td> <td style="width: 10%;">ADEQUATE</td> <td style="width: 10%;">IMPROVEMENT NEEDED</td> </tr> <tr> <td style="text-align: center;">10</td> <td style="text-align: center;">9</td> <td style="text-align: center;">8</td> </tr> <tr> <td style="text-align: center;">7</td> <td style="text-align: center;">6</td> <td style="text-align: center;">5</td> </tr> <tr> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> </tr> </table>	STRONG	ADEQUATE	IMPROVEMENT NEEDED	10	9	8	7	6	5	4	3	2
	STRONG	ADEQUATE	IMPROVEMENT NEEDED										
	10	9	8										
7	6	5											
4	3	2											
Employee was able to OPERATE the equipment: <table border="1" style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td style="width: 10%;">Under Supervision</td> <td style="width: 10%;">/</td> </tr> <tr> <td style="text-align: center;">Standalone</td> <td style="text-align: center;">/</td> </tr> </table>			Under Supervision	/	Standalone	/							
Under Supervision	/												
Standalone	/												
<b>4.3 Nitrogen Pump unit &amp; Nitrogen Tank</b> 1) Assist crew to rig up 2" HP Treating line to CT Reel and include bleed off line. 2) Assist crew to rig up cryogenic hose from N2 tank to inlet and outlet line on NCV.	Good assist												
	Rating (by SUPERVISOR) <table border="1" style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td style="width: 10%;">STRONG</td> <td style="width: 10%;">ADEQUATE</td> <td style="width: 10%;">IMPROVEMENT NEEDED</td> </tr> <tr> <td style="text-align: center;">10</td> <td style="text-align: center;">9</td> <td style="text-align: center;">8</td> </tr> <tr> <td style="text-align: center;">7</td> <td style="text-align: center;">6</td> <td style="text-align: center;">5</td> </tr> <tr> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> </tr> </table>	STRONG	ADEQUATE	IMPROVEMENT NEEDED	10	9	8	7	6	5	4	3	2
	STRONG	ADEQUATE	IMPROVEMENT NEEDED										
	10	9	8										
7	6	5											
4	3	2											
Employee was able to OPERATE the equipment: <table border="1" style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td style="width: 10%;">Under Supervision</td> <td style="width: 10%;">/</td> </tr> <tr> <td style="text-align: center;">Standalone</td> <td style="text-align: center;">/</td> </tr> </table>			Under Supervision	/	Standalone	/							
Under Supervision	/												
Standalone	/												
<b>4.4 Power Pack</b> 1) Assist to rig up hydraulic power hose to injector head. 2) Assist to rig up hose from CTU Power Pack to Control Cabin. 3) Disconnect CBOP and SBOP hose and roll into control cabin.	Good assist												
	Rating (by SUPERVISOR) <table border="1" style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td style="width: 10%;">STRONG</td> <td style="width: 10%;">ADEQUATE</td> <td style="width: 10%;">IMPROVEMENT NEEDED</td> </tr> <tr> <td style="text-align: center;">10</td> <td style="text-align: center;">9</td> <td style="text-align: center;">8</td> </tr> <tr> <td style="text-align: center;">7</td> <td style="text-align: center;">6</td> <td style="text-align: center;">5</td> </tr> <tr> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> </tr> </table>	STRONG	ADEQUATE	IMPROVEMENT NEEDED	10	9	8	7	6	5	4	3	2
	STRONG	ADEQUATE	IMPROVEMENT NEEDED										
	10	9	8										
7	6	5											
4	3	2											
Employee was able to OPERATE the equipment: <table border="1" style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td style="width: 10%;">Under Supervision</td> <td style="width: 10%;">/</td> </tr> <tr> <td style="text-align: center;">Standalone</td> <td style="text-align: center;">/</td> </tr> </table>			Under Supervision	/	Standalone	/							
Under Supervision	/												
Standalone	/												
<b>4.5 Control Cabin</b> 1) Assist crew to rig up hydraulic hose and connected to CT Reel, Injector Head and BOP.	Good assist												
	Rating (by SUPERVISOR) <table border="1" style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td style="width: 10%;">STRONG</td> <td style="width: 10%;">ADEQUATE</td> <td style="width: 10%;">IMPROVEMENT NEEDED</td> </tr> <tr> <td style="text-align: center;">10</td> <td style="text-align: center;">9</td> <td style="text-align: center;">8</td> </tr> <tr> <td style="text-align: center;">7</td> <td style="text-align: center;">6</td> <td style="text-align: center;">5</td> </tr> <tr> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> </tr> </table>	STRONG	ADEQUATE	IMPROVEMENT NEEDED	10	9	8	7	6	5	4	3	2
	STRONG	ADEQUATE	IMPROVEMENT NEEDED										
	10	9	8										
7	6	5											
4	3	2											
Employee was able to OPERATE the equipment: <table border="1" style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td style="width: 10%;">Under Supervision</td> <td style="width: 10%;">/</td> </tr> <tr> <td style="text-align: center;">Standalone</td> <td style="text-align: center;">/</td> </tr> </table>			Under Supervision	/	Standalone	/							
Under Supervision	/												
Standalone	/												

# DIMENSION BID

## COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																	
<b>4.6 CT Reel</b> 1) Assist crew install CT Drum into CIDF. 2) Assist crew to connect all hydraulic hose from control cabin. 3) Mixing corroded inhibitor with diesel and pour into the tank of CIDF. 4) Spray CI at coil to avoid from rusty.																			
	<b>Rating (by SUPERVISOR)</b> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td colspan="3" style="text-align: center;">STRONG</td> </tr> <tr> <td style="text-align: center;">10</td> <td style="text-align: center;">9</td> <td style="text-align: center;">8</td> </tr> </table>			STRONG			10	9	8	<b>ADEQUATE</b> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="text-align: center;">7</td> <td style="text-align: center;">6</td> <td style="text-align: center;">5</td> </tr> </table>		7	6	5	<b>IMPROVEMENT NEEDED</b> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> </tr> </table>		4	3	2
	STRONG																		
10	9	8																	
7	6	5																	
4	3	2																	
<b>Employee was able to OPERATE the equipment:</b> <input checked="" type="checkbox"/> Under Supervision <input type="checkbox"/> Standalone			<i>Good assist.</i>																
<b>4.7 Injector Head</b> 1) Assist to slap in CT Injector Head																			
	<b>Rating (by SUPERVISOR)</b> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td colspan="3" style="text-align: center;">STRONG</td> </tr> <tr> <td style="text-align: center;">10</td> <td style="text-align: center;">9</td> <td style="text-align: center;">8</td> </tr> </table>			STRONG			10	9	8	<b>ADEQUATE</b> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="text-align: center;">7</td> <td style="text-align: center;">6</td> <td style="text-align: center;">5</td> </tr> </table>		7	6	5	<b>IMPROVEMENT NEEDED</b> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> </tr> </table>		4	3	2
	STRONG																		
10	9	8																	
7	6	5																	
4	3	2																	
<b>Employee was able to OPERATE the equipment:</b> <input checked="" type="checkbox"/> Under Supervision <input type="checkbox"/> Standalone			<i>Good assist.</i>																
<b>4.8 Pressure Control Equipment</b> 1) Assist to connect hydraulic hose from Control Cabin to SBOP and Combi.																			
	<b>Rating (by SUPERVISOR)</b> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td colspan="3" style="text-align: center;">STRONG</td> </tr> <tr> <td style="text-align: center;">10</td> <td style="text-align: center;">9</td> <td style="text-align: center;">8</td> </tr> </table>			STRONG			10	9	8	<b>ADEQUATE</b> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="text-align: center;">7</td> <td style="text-align: center;">6</td> <td style="text-align: center;">5</td> </tr> </table>		7	6	5	<b>IMPROVEMENT NEEDED</b> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> </tr> </table>		4	3	2
	STRONG																		
10	9	8																	
7	6	5																	
4	3	2																	
<b>Employee was able to OPERATE the equipment:</b> <input checked="" type="checkbox"/> Under Supervision <input type="checkbox"/> Standalone			<i>Good.</i>																
<b>4.9 Basic BHA Components</b> 1) Assist crew make up connector and BHA. 2) Assist crew pull test and pressure test CT connector. 3) Assist CT Supervisor to prepare BHA to be use during job.																			
	<b>Rating (by SUPERVISOR)</b> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td colspan="3" style="text-align: center;">STRONG</td> </tr> <tr> <td style="text-align: center;">10</td> <td style="text-align: center;">9</td> <td style="text-align: center;">8</td> </tr> </table>			STRONG			10	9	8	<b>ADEQUATE</b> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="text-align: center;">7</td> <td style="text-align: center;">6</td> <td style="text-align: center;">5</td> </tr> </table>		7	6	5	<b>IMPROVEMENT NEEDED</b> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> </tr> </table>		4	3	2
	STRONG																		
10	9	8																	
7	6	5																	
4	3	2																	
<b>Employee was able to OPERATE the tools:</b> <input checked="" type="checkbox"/> Under Supervision <input type="checkbox"/> Standalone			<i>Good assist.</i>																

Doc Ref. No : CTS-FORM-90

Revision No.: 01

Effective Date: 21/08/2023

(Rev.00,Dated:22/09/19-OBSOLETE)

CONTROLLED COPY

4

Scanned with CamScanner

Scanned with CamScanner

# DIMENSION BID

## COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed						Assessor Comment							
S. Job Supervision (if applicable) <i>Please complete this section if you perform any supervisory role during operation</i>														
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED							
	10	9	8	7	6	5	4	3	2					
<i>Please ✓ accordingly to confirm the role of the employee during operation</i>														
<table border="1"><tr><td>Full Supervisor</td><td></td></tr><tr><td>2nd / Night Supervisor</td><td></td></tr></table>											Full Supervisor		2nd / Night Supervisor	
Full Supervisor														
2nd / Night Supervisor														

Doc. Ref. No.: CTS-FORM-90  
Revision No.: 01  
Effective Date: 21/08/2023  
(Rev. 00, Dated: 22/09/19 - OBSOLETE)

CONTROLLED COPY

5

Scanned with CamScanner

Scanned with CamScanner

# DIMENSION BID

## COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 3 To be completed by Employee and Assessor

DATE	Assignment/Summary Job/Duration	Supervisor's Feedback (Please indicate if employee is able to execute the job <u>UNDER SUPERVISION</u> or <u>STANDALONE</u> )
24 DEC 2023 to 4 JAN 2024	CTU activities : Scale Cleanout. - To preform CT scale cleanout from slickline HUD - Pressure test SPIN CAP NOZZLE - Pull test connector BHA	<p>- Good learning - Good teamwork - Able to stand alone operate BHA.</p> 

Please tick (✓) category of services performed:

Standard Services:	Wellbore Cleanout <input checked="" type="checkbox"/>	Advanced Services	CT Fishing <input type="checkbox"/>
	CT Cementing <input type="checkbox"/>		CT Milling <input type="checkbox"/>
	Nitrogen Operations <input type="checkbox"/>		CT Logging <input type="checkbox"/>
	Pumping Services <input type="checkbox"/>		CT Perforation <input type="checkbox"/>

Doc. Ref. No.: CTS-FORM-90

Revision No.: 01

Effective Date: 21/08/2023

(Rev. 00, Dated: 22/09/19 - OBSOLETE)

CONTROLLED COPY

6

Scanned with CamScanner

Scanned with CamScanner