

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 1: To be completed by Assessor [WEIGHT: 40%]

Name	FIRMAN LAKSANA	COB Date	1-May-23
Position	GENERAL EQUIPMENT OPERATOR	RTB Date	14-May-23
Client	PETRONAS CARIGALI	Location	BEKOK
Platform	BEKOK	Well	A-04
Assessed By	MUHAMAD TAUFIQ ISMAIL		Position: COILED TUBING SUPERVISOR

RATING LEGEND:

STRONG	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent
ADEQUATE	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good
IMPROVEMENT NEEDED	Performance did not consistently meet expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please <input checked="" type="checkbox"/> where appropriate)								
	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
Safety Awareness (20%)	10	9	8	7	6	5	4	3	2
a. Usage of Personal Protective Equipment		<input checked="" type="checkbox"/>							
b. Participation in UAUC		<input checked="" type="checkbox"/>							
c. Understanding of PTW System		<input checked="" type="checkbox"/>							
d. Worksite House Keeping			<input checked="" type="checkbox"/>						
Work Performance (20%)									
e. Initiative and Creativity			<input checked="" type="checkbox"/>						
f. Decision Making Capability				<input checked="" type="checkbox"/>					
g. Understanding of Job Scope			<input checked="" type="checkbox"/>						
h. Tools Inventory and Reporting			<input checked="" type="checkbox"/>						
i. Work Quality			<input checked="" type="checkbox"/>						
j. Reporting			<input checked="" type="checkbox"/>						
k. Punctuality and Time Keeping			<input checked="" type="checkbox"/>						
l. Teamwork			<input checked="" type="checkbox"/>						
m. Communication			<input checked="" type="checkbox"/>						
n. Leadership Skills			<input checked="" type="checkbox"/>						
o. Adaptability to Work Environment/Surrounding				<input checked="" type="checkbox"/>					
p. Attitude		<input checked="" type="checkbox"/>							
q. Discipline		<input checked="" type="checkbox"/>							

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

All to stand alone Supervisor CTU Operation.

Assessed By (Supervisor)	
Name	MUHAMAD TAUFIQ ISMAIL
Date	14-5-2023

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment							
1. Pre-Job Preparation	1. Attend toolbox and morning meeting with CSR. 2. Attend pre job meeting with client PCSB 3. Pre-check/EMC1 all CTU equipment before run the job.	Done							
	Rating (by SUPERVISOR)	STRONG		ADEQUATE		IMPROVEMENT NEEDED			
	10	9	8	7	6	5	4	3	2
2. Surface Equipment Rig-up	1. Assist crew to rig up pumping surface line from RIG pump to coil reel and kill port to combi BOP. 2. Assist crew to rig up N2 line from NCV to CT reel. 3. Rig up hydraulic hose all equipment 4. Set up equipment on deck 5. Spot/arrange flood light, control cabin and tool container electric cable to junction box. 6. Rig up water injection line from well to fluid storage tank. 7. Rig up wilden pump, 2" spring hose and air hose from sea deck to main deck	Done							
	Rating (by SUPERVISOR)	STRONG		ADEQUATE		IMPROVEMENT NEEDED			
	10	9	8	7	6	5	4	3	2
3. Tools / Equipment Preparation	1. Perform EMC1 on Control Cabin, Stripper, Single and Combi BOP, CT reel, CIDF 01, Injector Head, Jacking Frame and Power Pack for pre job. 2. Prepare Downhole tools to be use during job.	Done							
	Rating (by Operator)	STRONG		ADEQUATE		IMPROVEMENT NEEDED			
	10	9	8	7	6	5	4	3	2
4. Equipment	4.1 Batch Mixer - Function test & mixing chemical	Done.							
	Rating (by SUPERVISOR)	STRONG		ADEQUATE		IMPROVEMENT NEEDED			
		10	9	8	7	6	5	4	3
Employee was able to OPERATE the equipment:				Under Supervision					
				Standalone					

Doc.Ref.No.: CTS-FORM-90

Revision No.: 01

Effective Date: 21/08/2023

(Rev.00,Dated:22/09/19-OBSOLETE)

CONTROLLED COPY

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																												
4.2 Pump Unit	<p>4.2 Pump Unit</p> <ul style="list-style-type: none"> - Understand system pump - Redress fluid end. - Rig up pumping line 	<p>Done.</p>																												
	<p>Rating (by SUPERVISOR)</p> <table border="1" style="display: inline-table; vertical-align: middle;"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="4">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2										
	STRONG			ADEQUATE			IMPROVEMENT NEEDED																							
10	9	8	7	6	5	4	3	2																						
<p>Employee was able to OPERATE the equipment:</p> <table border="1" style="display: inline-table; vertical-align: middle;"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision		Standalone																											
Under Supervision																														
Standalone																														
4.3 Nitrogen Pump unit & Nitrogen Tank	<p>4.3 Nitrogen Pump unit & Nitrogen Tank</p> <ol style="list-style-type: none"> 1. Assist crew to rig up 2" HP treating line to CT reel and include bleed off line. 2. Assist crew to rig up cryogenic hose from N2 tank to inlet and outlet line on NCV 	<p>Done</p>																												
	<p>Rating (by SUPERVISOR)</p> <table border="1" style="display: inline-table; vertical-align: middle;"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="4">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2										
	STRONG			ADEQUATE			IMPROVEMENT NEEDED																							
10	9	8	7	6	5	4	3	2																						
<p>Employee was able to OPERATE the equipment:</p> <table border="1" style="display: inline-table; vertical-align: middle;"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision		Standalone																											
Under Supervision																														
Standalone																														
4.4 Power Pack	<p>4.4 Power Pack</p> <ol style="list-style-type: none"> 1. Perform EMC 1 for pre and post job 	<p>Done</p>																												
	<p>Rating (by SUPERVISOR)</p> <table border="1" style="display: inline-table; vertical-align: middle;"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="4">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2										
	STRONG			ADEQUATE			IMPROVEMENT NEEDED																							
10	9	8	7	6	5	4	3	2																						
<p>Employee was able to OPERATE the equipment:</p> <table border="1" style="display: inline-table; vertical-align: middle;"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision		Standalone																											
Under Supervision																														
Standalone																														
4.5 Control Cabin	<p>4.5 Control Cabin</p> <ol style="list-style-type: none"> 1. Setup job file before start any run. 2. Perform EMC 1 for pre and post job. 3. Update job ticket including chemical tracking and chemical ticket 	<p>Done</p>																												
	<p>Rating (by SUPERVISOR)</p> <table border="1" style="display: inline-table; vertical-align: middle;"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="4">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2										
	STRONG			ADEQUATE			IMPROVEMENT NEEDED																							
10	9	8	7	6	5	4	3	2																						
<p>Employee was able to OPERATE the equipment:</p> <table border="1" style="display: inline-table; vertical-align: middle;"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision		Standalone																											
Under Supervision																														
Standalone																														

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																
	<p>4.6 CT Reel 1. Perform EMC 1 for pre and post job</p>	Done																
	<p>Rating (by SUPERVISOR)</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <th>STRONG</th> <th>ADEQUATE</th> <th>IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> </tr> <tr> <td>7</td> <td>6</td> <td>5</td> </tr> <tr> <td>4</td> <td>3</td> <td>2</td> </tr> </table> <p>Employee was able to OPERATE the equipment:</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	STRONG	ADEQUATE	IMPROVEMENT NEEDED	10	9	8	7	6	5	4	3	2	Under Supervision		Standalone		
STRONG	ADEQUATE	IMPROVEMENT NEEDED																
10	9	8																
7	6	5																
4	3	2																
Under Supervision																		
Standalone																		
	<p>4.7 Injector Head 1. Top up Injector Lube Oil before start job. 2. Top up Injector gear box oil prior to start job. 3. Perform EMC 1 for pre and post job</p>	Done																
	<p>Rating (by SUPERVISOR)</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <th>STRONG</th> <th>ADEQUATE</th> <th>IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> </tr> <tr> <td>7</td> <td>6</td> <td>5</td> </tr> <tr> <td>4</td> <td>3</td> <td>2</td> </tr> </table> <p>Employee was able to OPERATE the equipment:</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	STRONG	ADEQUATE	IMPROVEMENT NEEDED	10	9	8	7	6	5	4	3	2	Under Supervision		Standalone		
STRONG	ADEQUATE	IMPROVEMENT NEEDED																
10	9	8																
7	6	5																
4	3	2																
Under Supervision																		
Standalone																		
	<p>4.8 Pressure Control Equipment 1. Function test Single and Combi BOP prior to start job. 2. Function test Stripper prior to start job. 3. Perform EMC 1 for pre and post job.</p>	Done																
	<p>Rating (by SUPERVISOR)</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <th>STRONG</th> <th>ADEQUATE</th> <th>IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> </tr> <tr> <td>7</td> <td>6</td> <td>5</td> </tr> <tr> <td>4</td> <td>3</td> <td>2</td> </tr> </table> <p>Employee was able to OPERATE the equipment:</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	STRONG	ADEQUATE	IMPROVEMENT NEEDED	10	9	8	7	6	5	4	3	2	Under Supervision		Standalone		
STRONG	ADEQUATE	IMPROVEMENT NEEDED																
10	9	8																
7	6	5																
4	3	2																
Under Supervision																		
Standalone																		
	<p>4.9 Basic BHA Components 1. Prepare BHA configuration to be use on the job</p>	Done																
	<p>Rating (by SUPERVISOR)</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <th>STRONG</th> <th>ADEQUATE</th> <th>IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> </tr> <tr> <td>7</td> <td>6</td> <td>5</td> </tr> <tr> <td>4</td> <td>3</td> <td>2</td> </tr> </table> <p>Employee was able to OPERATE the tools:</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	STRONG	ADEQUATE	IMPROVEMENT NEEDED	10	9	8	7	6	5	4	3	2	Under Supervision		Standalone		
STRONG	ADEQUATE	IMPROVEMENT NEEDED																
10	9	8																
7	6	5																
4	3	2																
Under Supervision																		
Standalone																		

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																											
S. Job Supervision (if applicable) Please complete this section if you perform any supervisory role during operation	Stand above supervisor CTU operation	Done.																											
Rating (by SUPERVISOR)	<table border="1"><thead><tr><th colspan="3">STRONG</th><th colspan="3">ADEQUATE</th><th colspan="3">IMPROVEMENT NEEDED</th></tr><tr><td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td></tr></thead><tbody><tr><td colspan="3">Please check accordingly to confirm the role of the employee during operation</td><td colspan="3">Full Supervisor</td><td colspan="3"><input checked="" type="checkbox"/> 2nd / Night Supervisor</td></tr></tbody></table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Please check accordingly to confirm the role of the employee during operation			Full Supervisor			<input checked="" type="checkbox"/> 2nd / Night Supervisor			
STRONG			ADEQUATE			IMPROVEMENT NEEDED																							
10	9	8	7	6	5	4	3	2																					
Please check accordingly to confirm the role of the employee during operation			Full Supervisor			<input checked="" type="checkbox"/> 2nd / Night Supervisor																							

Doc.Ref.No.: CTS-FORM-90

Revision No.: 01

Effective Date: 21/08/2023

(Rev.00,Dated:22/09/19-OBSOLETE)

CONTROLLED COPY

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 3: To be completed by Employee and Assessor

DATE	Assignment/Summary Job/Duration	Supervisor's Feedback (Please indicate if employee is able to execute the job <u>UNDER SUPERVISION</u> or <u>STANDALONE</u>)
1-May-23 14-May-23	CTU Zone Shut Off and Cementing on well A-04L Mobilized from Angsi Andra to Bekok A to perform Zone Shut Off and Cementing on well A-04L Rig up all CTU equipment and hydraulic hoses. Stab in 1.5" CT to injector head and make up 2.125 external dimple connector. Pull test connector for 15k lbs then pressure test connector to 5K PSI. Perform zone shut off on J-sand prior to plug and abandonment activity in order to completely secure the well for Loss of Primary Containment incident. perform drift run and depth corelation until XN Nipple. Perform spot cement at PSTD, after 18 hours Run CT for tag top of cement. Job complete and rig down CTU and demob to KSB.	<p>Able to stand alone to execute the job</p> <p> Taufiq Iman L</p>

Please tick (✓) category of services performed:

Standard Services:	Wellbore Cleanout	<input type="checkbox"/>	Advanced Services	CT Fishing	<input type="checkbox"/>
	CT Cementing	<input checked="" type="checkbox"/>		CT Milling	<input type="checkbox"/>
	Nitrogen Operations	<input type="checkbox"/>		CT Logging	<input type="checkbox"/>
	Pumping Services	<input type="checkbox"/>		CT Perforation	<input type="checkbox"/>

Doc.Ref.No.: CTS-FORM-90

Revision No.: 01

Effective Date: 21/08/2023

(Rev.00,Dated:22/09/19-OBsolete)

CONTROLLED COPY

1