

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 1: To be completed by Assessor [WEIGHT: 40%]

Name	ZAINUDEEN YAACOB	COB Date	23/10/24
Position	GEO	RTB Date	29/10/24
Client	PCSB	Location	ANGSI D
Platform	ANGSI D	Well	D#07
Assessed By	Name: KHAIRUL RIDWAN	Position: CTS FSM	


RATING LEGEND:

STRONG	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent
ADEQUATE	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good
IMPROVEMENT NEEDED	Performance did not consistently meet expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please ✓ where appropriate)								
	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
10	9	8	7	6	5	4	3	2	
Safety Awareness (20%)									
a. Usage of Personal Protective Equipment	✓								
b. Participation in UAUC	✓								
c. Understanding of PTW System	✓								
d. Worksite House Keeping	✓								
Work Performance (20%)									
e. Initiative and Creativity									
f. Decision Making Capability									
g. Understanding of Job Scope									
h. Tools Inventory and Reporting									
i. Work Quality									
j. Reporting									
k. Punctuality and Time Keeping									
l. Teamwork									
m. Communication									
n. Leadership Skills									
o. Adaptability to Work Environment/Surrounding									
p. Attitude									
q. Discipline									

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

Able to manage operation very well.

Assessed By [Supervisor]	
Name	KHAIRUL RIDWAN
Date	6/11/24

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																													
1. Pre-Job Preparation	<ul style="list-style-type: none"> - Attend morning and toolbox meeting with WSS on board - Attend pre job meeting - pre-check EMC1 all pumping unit 																														
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="4">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </thead> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2										
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																								
	10	9	8	7	6	5	4	3	2																						
2. Surface Equipment Rig-up	<ul style="list-style-type: none"> - Rig up surface line - Spot and set up equipment on deck - Rig up 4" hose - Rig up water injection line - Rig up wildcat pump from seabed to mandeck 																														
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="4">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </thead> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2										
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																								
	10	9	8	7	6	5	4	3	2																						
3. Tools / Equipment Preparation	<ul style="list-style-type: none"> - Perform EMC1 on pumping unit - Prepare chemical 																														
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Rating (by Operator)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="4">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </thead> </table>	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2										
Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																								
	10	9	8	7	6	5	4	3	2																						
4. Equipment	4.1 Batch Mixer																														
	<ul style="list-style-type: none"> - Perform EMC 1 - Top up hydraulic oil 																														
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="4">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </thead> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2										
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																								
	10	9	8	7	6	5	4	3	2																						
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="3">Employee was able to OPERATE the equipment:</td> <td>Under Supervision</td> <td>Standalone</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	Employee was able to OPERATE the equipment:			Under Supervision	Standalone																									
Employee was able to OPERATE the equipment:			Under Supervision	Standalone																											

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																												
4.2 Pump Unit	<p>4.2 Pump Unit</p> <p>- Top up lubricate oil for plunger - perform DMC 1</p>																													
	<p>Rating (by SUPERVISOR)</p> <table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="4">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2										
	STRONG			ADEQUATE			IMPROVEMENT NEEDED																							
10	9	8	7	6	5	4	3	2																						
<p>Employee was able to OPERATE the equipment:</p> <table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision		Standalone																											
Under Supervision																														
Standalone																														
4.3 Nitrogen Pump unit & Nitrogen Tank																														
	<p>Rating (by SUPERVISOR)</p> <table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="4">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2										
	STRONG			ADEQUATE			IMPROVEMENT NEEDED																							
10	9	8	7	6	5	4	3	2																						
<p>Employee was able to OPERATE the equipment:</p> <table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision		Standalone																											
Under Supervision																														
Standalone																														
4.4 Power Pack																														
	<p>Rating (by SUPERVISOR)</p> <table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="4">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2										
	STRONG			ADEQUATE			IMPROVEMENT NEEDED																							
10	9	8	7	6	5	4	3	2																						
<p>Employee was able to OPERATE the equipment:</p> <table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision		Standalone																											
Under Supervision																														
Standalone																														
4.5 Control Cabin																														
	<p>Rating (by SUPERVISOR)</p> <table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="4">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2										
	STRONG			ADEQUATE			IMPROVEMENT NEEDED																							
10	9	8	7	6	5	4	3	2																						
<p>Employee was able to OPERATE the equipment:</p> <table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td></td> </tr> </table>	Under Supervision		Standalone																											
Under Supervision																														
Standalone																														

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment										
	4.6 CT Reel											
	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED		
				10	9	8	7	6	5	4	3	2
	Employee was able to OPERATE the equipment:						Under Supervision					
							Standalone					
	4.7 Injector Head											
	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED		
				10	9	8	7	6	5	4	3	2
	Employee was able to OPERATE the equipment:						Under Supervision					
							Standalone					
	4.8 Pressure Control Equipment											
	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED		
				10	9	8	7	6	5	4	3	2
	Employee was able to OPERATE the equipment:						Under Supervision					
							Standalone					
	4.9 Basic BHA Components											
	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED		
				10	9	8	7	6	5	4	3	2
	Employee was able to OPERATE the tools:						Under Supervision					
							Standalone					

Doc.Ref.No.: CTS-FORM-90

Revision No.: 01

Effective Date: 21/08/2023

(Rev.00,Dated:22/09/19-OBSOLETE)

CONTROLLED COPY

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment									
5. Job Supervision (if applicable) <i>Please complete this section if you perform any supervisory role during operation</i>											
Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED		
			10	9	8	7	6	5	4	3	2
Please <input checked="" type="checkbox"/> accordingly to confirm the role of the employee during operation			Full Supervisor		2nd / Night Supervisor						

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 3: To be completed by Employee and Assessor

DATE	Assignment/Summary Job/Duration	Supervisor's Feedback (Please indicate if employee is able to execute the job <u>UNDER SUPERVISION</u> or <u>STANDALONE</u>)
23/10/24	Perform acid wash	
29/10/24	<ul style="list-style-type: none"> - I was assigned as a pumping supervisor to perform acid wash on well DA07 - Perform tubing picking with 25 bbls of PFA 200. Soaking for 4 hrs. - Perform injectivity test with 100 bbls of IW - Perform 778 bbls for-flush: 778 bbls of PDA-15 and 100 bbls of IN - Job completed and archive target 	

Please tick (✓) category of services performed:

Standard Services:

Wellbore Cleanout	<input type="checkbox"/>
CT Cementing	<input type="checkbox"/>
Nitrogen Operations	<input type="checkbox"/>
Pumping Services	<input checked="" type="checkbox"/>

Advanced Services

CT Fishing	<input type="checkbox"/>
CT Milling	<input type="checkbox"/>
CT Logging	<input type="checkbox"/>
CT Perforation	<input type="checkbox"/>