

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 1: To be completed by Assessor [WEIGHT: 40%]

Name	ZAINUDDIN YAACOB	COB Date	10-5-23
Position	GEO	RTB Date	15-5-23
Client	PCSB	Location	DULANG B
Platform	DULANG B	Well	B# 31 ST 1
Assessed By	Name: M.TAUFIQ	Position:	COILED TUBING SUPERVISOR

RATING LEGEND:

STRONG	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent								
ADEQUATE	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good								
IMPROVEMENT NEEDED	Performance did not consistently meet expectations - performance failed to meet expectations in one or more essential areas of responsibility								

Assessment Criteria	Rating (Please ✓ where appropriate)								
	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
10	9	8	7	6	5	4	3	2	
Safety Awareness (20%)	✓								
a. Usage of Personal Protective Equipment									
b. Participation in UAUC		✓							
c. Understanding of PTW System		✓							
d. Worksite House Keeping	✓								
Work Performance (20%)									
e. Initiative and Creativity		✓							
f. Decision Making Capability		✓							
g. Understanding of Job Scope		✓							
h. Tools Inventory and Reporting		✓							
i. Work Quality		✓							
j. Reporting			✓						
k. Punctuality and Time Keeping			✓						
l. Teamwork			✓						
m. Communication			✓						
n. Leadership Skills			✓						
o. Adaptability to Work Environment/Surrounding			✓						
p. Attitude			✓						
q. Discipline			✓						

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

Assign and CT operator during working period and always assign supervisor during operation.

Assessed By [Supervisor]	
Name	M.TAUFIQ
Date	20-5-23

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																					
1. Pre-Job Preparation	<ul style="list-style-type: none"> - Attend morning and tool box meeting with WSS on board - Attend pre job meeting - pre check all CTE equipment prior start the job 	Done																					
	<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="5">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </thead> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED					10	9	8	7	6	5	4	3	2	
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																
	10	9	8	7	6	5	4	3	2														
2. Surface Equipment Rig-up	<ul style="list-style-type: none"> - Assist crew to rig up surface line - Set up equipment on board - spot and arrange flood light, cc and junction box - Rig up water injection line - Rig up wildcat pump 	Done																					
	<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="5">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </thead> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED					10	9	8	7	6	5	4	3	2	
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																
	10	9	8	7	6	5	4	3	2														
3. Tools / Equipment Preparation	<ul style="list-style-type: none"> - Perform EMC on CC, stripper, BOP, CT reel, injector, JF and power pack - prepare downhole tools 	Done																					
	<table border="1"> <thead> <tr> <th rowspan="2">Rating (by Operator)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="5">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </thead> </table>	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED					10	9	8	7	6	5	4	3	2	
Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																
	10	9	8	7	6	5	4	3	2														
4. Equipment	4.1. Batch Mixer																						
	<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="5">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </thead> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED					10	9	8	7	6	5	4	3	2	
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																
	10	9	8	7	6	5	4	3	2														
	<table border="1"> <tr> <td>Employee was able to OPERATE the equipment:</td> <td>Under Supervision</td> <td></td> </tr> <tr> <td></td> <td>Standalone</td> <td></td> </tr> </table>	Employee was able to OPERATE the equipment:	Under Supervision			Standalone																	
Employee was able to OPERATE the equipment:	Under Supervision																						
	Standalone																						

Doc Ref. No.: CTS-FORM-90

Revision No.: 01

Effective Date: 21/08/2023

(Rev.00,Dated:22/09/19-OBSOLETE)

CONTROLLED COPY

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																			
4.2 Pump Unit	<p>4.2 Pump Unit</p> <ul style="list-style-type: none"> - Pump always check cuttrick oil - check discharge and suction valve - pump always to get ready to perform job 	Done																			
	<table border="1" style="width: 100%;"> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
	Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED												
10		9	8	7	6	5	4	3	2												
<p>Employee was able to OPERATE the equipment:</p> <table border="1" style="width: 100%;"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input checked="" type="checkbox"/></td> </tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input checked="" type="checkbox"/>																	
Under Supervision	<input checked="" type="checkbox"/>																				
Standalone	<input checked="" type="checkbox"/>																				
4.3 Nitrogen Pump unit & Nitrogen Tank	<p>4.3 Nitrogen Pump unit & Nitrogen Tank</p> <ol style="list-style-type: none"> 1) Assist crew to rig up N2 line 2) Assist crew to rig up cryogenic hose 3) Monitor operator for cooldown N2 	Done																			
	<table border="1" style="width: 100%;"> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
	Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED												
10		9	8	7	6	5	4	3	2												
<p>Employee was able to OPERATE the equipment:</p> <table border="1" style="width: 100%;"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input checked="" type="checkbox"/></td> </tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input checked="" type="checkbox"/>																	
Under Supervision	<input checked="" type="checkbox"/>																				
Standalone	<input checked="" type="checkbox"/>																				
4.4 Power Pack	<p>4.4 Power Pack</p> <ol style="list-style-type: none"> 1) perform EMC 1 for pre and post job 	Done																			
	<table border="1" style="width: 100%;"> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
	Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED												
10		9	8	7	6	5	4	3	2												
<p>Employee was able to OPERATE the equipment:</p> <table border="1" style="width: 100%;"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input checked="" type="checkbox"/></td> </tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input checked="" type="checkbox"/>																	
Under Supervision	<input checked="" type="checkbox"/>																				
Standalone	<input checked="" type="checkbox"/>																				
4.5 Control Cabin	<p>4.5 Control Cabin</p> <ul style="list-style-type: none"> - set up job file - perform EMC 1 - update jobs ticketed - update chemical tracking 	Done																			
	<table border="1" style="width: 100%;"> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
	Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED												
10		9	8	7	6	5	4	3	2												
<p>Employee was able to OPERATE the equipment:</p> <table border="1" style="width: 100%;"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input checked="" type="checkbox"/></td> </tr> </table>	Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input checked="" type="checkbox"/>																	
Under Supervision	<input checked="" type="checkbox"/>																				
Standalone	<input checked="" type="checkbox"/>																				

Doc.Ref.No.: CTS FORM-90

Revision No.: 01

Effective Date: 21/08/2023

(Rev.00,Dated:22/09/19-OBSOLETE)

CONTROLLED COPY

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																		
4.6 CT Reel	<p>4.6 CT Reel</p> <ul style="list-style-type: none"> • perform EMC 1 	Done																		
	<p>Rating (by SUPERVISOR)</p> <table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>(9)</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	(9)	8	7	6	5	4	3	2	
	STRONG			ADEQUATE			IMPROVEMENT NEEDED													
10	(9)	8	7	6	5	4	3	2												
<p>Employee was able to OPERATE the equipment:</p> <table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td>/</td> </tr> </table>	Under Supervision		Standalone	/																
Under Supervision																				
Standalone	/																			
4.7 Injector Head	<p>4.7 Injector Head</p> <ul style="list-style-type: none"> • Top up injector lube oil • Check and top up gear box oil • Perform EMC 1 	Done																		
	<p>Rating (by SUPERVISOR)</p> <table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>(9)</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	(9)	8	7	6	5	4	3	2	
	STRONG			ADEQUATE			IMPROVEMENT NEEDED													
10	(9)	8	7	6	5	4	3	2												
<p>Employee was able to OPERATE the equipment:</p> <table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td>/</td> </tr> </table>	Under Supervision		Standalone	/																
Under Supervision																				
Standalone	/																			
4.8 Pressure Control Equipment	<p>4.8 Pressure Control Equipment</p> <ul style="list-style-type: none"> • Function test all BOP • Function test stripper • Perform EMC 1 	Done																		
	<p>Rating (by SUPERVISOR)</p> <table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>(9)</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	(9)	8	7	6	5	4	3	2	
	STRONG			ADEQUATE			IMPROVEMENT NEEDED													
10	(9)	8	7	6	5	4	3	2												
<p>Employee was able to OPERATE the equipment:</p> <table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td>/</td> </tr> </table>	Under Supervision		Standalone	/																
Under Supervision																				
Standalone	/																			
4.9 Basic BHA Components	<p>4.9 Basic BHA Components</p> <ul style="list-style-type: none"> • Prepare and make up BHA configuration to be use 	Done																		
	<p>Rating (by SUPERVISOR)</p> <table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>(9)</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	(9)	8	7	6	5	4	3	2	
	STRONG			ADEQUATE			IMPROVEMENT NEEDED													
10	(9)	8	7	6	5	4	3	2												
<p>Employee was able to OPERATE the tools:</p> <table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td>/</td> </tr> </table>	Under Supervision		Standalone	/																
Under Supervision																				
Standalone	/																			

Doc.Ref.No.: CTS-FORM-90

Revision No.: 01

Effective Date: 21/08/2023

(Rev.00,Dated:22/09/19-OBSOLETE)

CONTROLLED COPY

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																											
5. Job Supervision (if applicable) <i>Please complete this section if you perform any supervisory role during operation</i>	Night supervisor	Done																											
Rating (by SUPERVISOR)	<table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </thead> <tbody> <tr> <td colspan="3">Please check accordingly to confirm the role of the employee during operation</td> <td colspan="3">Full Supervisor</td> <td colspan="3">2nd / Night Supervisor</td> </tr> </tbody> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Please check accordingly to confirm the role of the employee during operation			Full Supervisor			2nd / Night Supervisor			
STRONG			ADEQUATE			IMPROVEMENT NEEDED																							
10	9	8	7	6	5	4	3	2																					
Please check accordingly to confirm the role of the employee during operation			Full Supervisor			2nd / Night Supervisor																							

Doc.Ref.No.: CTS FORM 90

Revision No.: 01

Effective Date: 21/08/2023

(Rev.00,Dated:22/09/19-OBSOLETE)

CONTROLLED COPY

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 3: To be completed by Employee and Assessor

DATE	Assignment/Summary Job/Duration	Supervisor's Feedback (Please indicate if employee is able to execute the job <u>UNDER SUPERVISION</u> or <u>STANDALONE</u>)
10.5.23	<p>CTU SCO on well B #31</p> <ul style="list-style-type: none"> - I was assigned as acting supervisor and CT operator for the night shift - Able to perform as CT Supr for sand clean out job 	Stand alone

Please tick (✓) category of services performed:

Standard Services:

- Wellbore Cleanout
- CT Cementing
- Nitrogen Operations
- Pumping Services

Advanced Services

- CT Fishing
- CT Milling
- CT Logging
- CT Perforation