

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 1: To be completed by Assessor [WEIGHT: 40%]

Name	MOHD BURHAN BIN YUSOF	COB Date	26-Sept-23
Position	Equipment Operator 2	RTB Date	17-Okt-23
Client	PCSB	Location	DULANG C
Platform	DULANG	Well	C-24S
Assessed By	NAMA : MOHD SYUKRI BIN AWANG POSITION : SUPERVISOR COIL TUBING		

RATING LEGEND:

STRONG	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent
ADEQUATE	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good
IMPROVEMENT NEEDED	Performance did not consistently met expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please ✓ where appropriate)								
---------------------	-------------------------------------	--	--	--	--	--	--	--	--

Safety Awareness (20%)

- a. Usage of Personal Protective Equipment
- b. Participation in UAUC
- c. Understanding of PTW System
- d. Worksite House Keeping

STRONG			ADEQUATE			IMPROVEMENT NEEDED		
10	9	8	7	6	5	4	3	2
✓								
	✓							
		✓						
	✓							


Work Performance (20%)

- e. Initiative and Creativity
- f. Decision Making Capability
- g. Understanding of Job Scope
- h. Tools Inventory and Reporting
- i. Work Quality
- j. Reporting
- k. Punctuality and Time Keeping
- l. Teamwork
- m. Communication
- n. Leadership Skills
- o. Adaptability to Work Environment/Surrounding
- p. Attitude
- q. Discipline

		✓						
	✓							
		✓						
		✓						
	✓							
		✓						
	✓							
	✓							
		✓						
		✓						
		✓						
	✓							

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

* Good communication with super & crew and understand about CTU operation

Assessed By [Supervisor]	
Name	MOHD SYUKRI B AWANG
Date	17/10/2023

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment								
1. Pre-Job Preparation	1. Attend toolbox and morning meeting with WSS. 2. Pre-check/EMC1 all CTU equipment before run the job. 3. Assisted crew in lifting all CTU equipment and spot unit. 4. Pre-check/EMC1 all CTU equipment before run the job. 5. Split crew to day and night shift after complete rig up CTU equipment.	Done								
	<table border="1"> <tr> <th>Rating (by SUPERVISOR)</th><th>STRONG</th><th>ADEQUATE</th><th>IMPROVEMENT NEEDED</th></tr> <tr> <td></td><td>10 9 8</td><td>7 6 5</td><td>4 3 2</td></tr> </table>	Rating (by SUPERVISOR)	STRONG	ADEQUATE	IMPROVEMENT NEEDED		10 9 8	7 6 5	4 3 2	
Rating (by SUPERVISOR)	STRONG	ADEQUATE	IMPROVEMENT NEEDED							
	10 9 8	7 6 5	4 3 2							
2. Surface Equipment Rig-up	1. Rig up 4" hose from FST to batch mixer and single pump . 2. Rig up treating iron from single pump to combi bop . (Kill port line) 3. Assist flowback crew to rig up flowback line and flowline to well 4. Spot/arrange flood light, control cabin and tool container electric cable to junction box. 5. Rig up water injection line from wel to fluid storage tank. 6. Rig up wilden pump, 2" spring hose and air hose	* Done								
	<table border="1"> <tr> <th>Rating (by SUPERVISOR)</th><th>STRONG</th><th>ADEQUATE</th><th>IMPROVEMENT NEEDED</th></tr> <tr> <td></td><td>10 9 8</td><td>7 6 5</td><td>4 3 2</td></tr> </table>	Rating (by SUPERVISOR)	STRONG	ADEQUATE	IMPROVEMENT NEEDED		10 9 8	7 6 5	4 3 2	
Rating (by SUPERVISOR)	STRONG	ADEQUATE	IMPROVEMENT NEEDED							
	10 9 8	7 6 5	4 3 2							
3. Tools / Equipment Preparation	1. Installing air hose from compressor to Single pump, BMX and wilden pump . 2. Perform EMC1 on Air Compressor and Genset for pre job. 3. Fuel up all CTU equipment. 4. Regrease plug valve and swivel	* Done								
	<table border="1"> <tr> <th>Rating (by Operator)</th><th>STRONG</th><th>ADEQUATE</th><th>IMPROVEMENT NEEDED</th></tr> <tr> <td></td><td>10 9 8</td><td>7 6 5</td><td>4 3 2</td></tr> </table>	Rating (by Operator)	STRONG	ADEQUATE	IMPROVEMENT NEEDED		10 9 8	7 6 5	4 3 2	
Rating (by Operator)	STRONG	ADEQUATE	IMPROVEMENT NEEDED							
	10 9 8	7 6 5	4 3 2							
4. Equipment	4.1 Batch Mixer 1. Assist operator to mixing Chemical for operation 2. Function test C-pump and actuator of batch mixer 3. Assist Batch Mixer Operator to mix chemical. 4. Assist to mix TIW on fluid storage tank	* Done								
	<table border="1"> <tr> <th>Rating (by SUPERVISOR)</th><th>STRONG</th><th>ADEQUATE</th><th>IMPROVEMENT NEEDED</th></tr> <tr> <td></td><td>10 9 8</td><td>7 6 5</td><td>4 3 2</td></tr> </table>	Rating (by SUPERVISOR)	STRONG	ADEQUATE	IMPROVEMENT NEEDED		10 9 8	7 6 5	4 3 2	
Rating (by SUPERVISOR)	STRONG	ADEQUATE	IMPROVEMENT NEEDED							
	10 9 8	7 6 5	4 3 2							
	Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td><td></td></tr> <tr> <td>Standalone</td><td>✓</td></tr> </table>	Under Supervision		Standalone	✓				
Under Supervision										
Standalone	✓									

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																		
	4.2 Pump Unit 1.Connect hydraulic hose. 2.Install universal shaft. 3.Greasing shaft. 4.Replace rubber insert and pakcing plunger. 5.Rig up pumping line to ct reel and kill line to BOP. 6.Pressure test line Before RIH	* Done																		
	Rating (by SUPERVISOR) <table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td><td>9</td><td>8</td> <td>7</td><td>6</td><td>5</td> <td>4</td><td>3</td><td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
	Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td><td></td></tr> <tr> <td>Standalone</td><td></td></tr> </table>	Under Supervision		Standalone															
Under Supervision																				
Standalone																				
	4.3 Nitrogen Pump unit & Nitrogen Tank 1. Assist crew to rig up 2" HP treating line to CT reel and include bleed off line. 2. Assist crew to rig up cryogenic hose from N2 tank to inlet and outlet line on NCV. 3.Assist N2 operator to troubleshoot and maintenance NCV 4.Assist Spot NCV and N2 tank on main deck 5.Assist N2 Operator operate N2 during operation 6.Transfer N2 From spare tank to working tank 7.Cooldown NCV UNDER SUPERVISION from N2 operator and supervisor during operation	* Done																		
	Rating (by SUPERVISOR) <table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td><td>9</td><td>8</td> <td>7</td><td>6</td><td>5</td> <td>4</td><td>3</td><td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
	Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td><td></td></tr> <tr> <td>Standalone</td><td></td></tr> </table>	Under Supervision		Standalone															
Under Supervision																				
Standalone																				
	4.4 Power Pack 1. Assist to rig up hydraulic power hose to Injector Head. 2. Assist to rig up hose from CTU Power Pack to Control Cabin	* Done																		
	Rating (by SUPERVISOR) <table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td><td>9</td><td>8</td> <td>7</td><td>6</td><td>5</td> <td>4</td><td>3</td><td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
	Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td><td></td></tr> <tr> <td>Standalone</td><td></td></tr> </table>	Under Supervision		Standalone															
Under Supervision																				
Standalone																				
	4.5 Control Cabin 1. Assist crew rig up hydraulic hose and connected to CT Reel, Injector Head and BOP.	* Done																		
	Rating (by SUPERVISOR) <table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td><td>9</td><td>8</td> <td>7</td><td>6</td><td>5</td> <td>4</td><td>3</td><td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
	Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td><td></td></tr> <tr> <td>Standalone</td><td></td></tr> </table>	Under Supervision		Standalone															
Under Supervision																				
Standalone																				

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																		
	4.6 CT Reel 1. Assist to connect hydraulic hose from control cabin. 2. Assist crew to flag coil at target depth 3. Assist crew to install crash guard on CIDF reel. 4. Rig up swivel in reel. 5. Assist crew install CT Drum into CIDF. 6. Assist crew to install horse head at CIDF	* Done																		
	Rating (by SUPERVISOR) <table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td><td>9</td><td>8</td> <td>7</td><td>6</td><td>5</td> <td>4</td><td>3</td><td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
	Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td><td></td> </tr> <tr> <td>Standalone</td><td></td> </tr> </table>	Under Supervision		Standalone															
Under Supervision																				
Standalone																				
	4.7 Injector Head 1. Assist crew to install injector head on top of jacking frame. 2. Assist crew to install goose neck on top of injector head. 3. Assist crew to install auxiliary hose at injector head. 4. Assist crew to stab in coil to injector head. 5. Assist crew top up Injector Lube Oil before start job.	* Done																		
	Rating (by SUPERVISOR) <table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td><td>9</td><td>8</td> <td>7</td><td>6</td><td>5</td> <td>4</td><td>3</td><td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
	Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td><td></td> </tr> <tr> <td>Standalone</td><td></td> </tr> </table>	Under Supervision		Standalone															
Under Supervision																				
Standalone																				
	4.8 Pressure Control Equipment 1. Assist to connect hydraulic hose from Control Cabin to SBOP and Combi. 2. Assist crew to redress Combi Bop .Clean up blind sheer and pipe slip. 3. Assist crew replace rubber stripper 4. Rig up Riser from BOP to Wellhead crossover	* Done																		
	Rating (by SUPERVISOR) <table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td><td>9</td><td>8</td> <td>7</td><td>6</td><td>5</td> <td>4</td><td>3</td><td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
	Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td><td></td> </tr> <tr> <td>Standalone</td><td></td> </tr> </table>	Under Supervision		Standalone															
Under Supervision																				
Standalone																				
	4.9 Basic BHA Components 1. Assist crew to make up BHA. 2. Assist CT Supervisor to prepare BHA to be use during job. 3. Assist crew to make up tools(Connector,MHA) 4. Assist to break tools while surface and before RIH	* Done																		
	Rating (by SUPERVISOR) <table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td><td>9</td><td>8</td> <td>7</td><td>6</td><td>5</td> <td>4</td><td>3</td><td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
	Employee was able to OPERATE the tools:	<table border="1"> <tr> <td>Under Supervision</td><td></td> </tr> <tr> <td>Standalone</td><td></td> </tr> </table>	Under Supervision		Standalone															
Under Supervision																				
Standalone																				

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed						Assessor Comment					
5. Job Supervision (if applicable) <i>Please complete this section if you perform any supervisory role during operation</i>												
	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED		
				10	9	8	7	6	5	4	3	2
Please ✓ accordingly to confirm the role of the employee during operation							Full Supervisor					
							2nd / Night Supervisor					

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 3: To be completed by Employee and Assessor

DATE	Assignment/Summary Job/Duration	Supervisor's Feedback (Please indicate if employee is able to execute the job <u>UNDER SUPERVISION</u> or <u>STANDALONE</u>)
10/2023 TO 17/10/2023	CTU perform sand clean out with N2 until Top of tubing stop on Well C-24S. 1.Rig up BOP On wellhead and skid Jacking frame on Well C-24S 2.Prepare BHA for RIH (MHA,STRAIGHT BAR,DOWNHOLE FILTER,SPINCAT) 3.Pressure surface line 4.Start RIH and monitor Pumping pressure and N2 discharge during RIH 4.Pump Acid and soaking for 2 hours 5.Pumping 0.8bpm with 300scfm N2 5.pumping 0.5bpm with 300scfm N2 6.Min pump rate 0.3bpm max to 0.8bpm with N2 Min at 300scfm and max up to circulating pressure 7.Once complete,POOH Coil tubing to surface 8.Secure Wellhead(MV and CV)	* Done

Please tick (✓) category of services performed:

Standard Services:

Wellbore Cleanout
 CT Cementing
 Nitrogen Operations
 Pumping Services

<input type="checkbox"/>
<input type="checkbox"/>
<input checked="" type="checkbox"/>
<input type="checkbox"/>

Advanced Services

CT Fishing
 CT Milling
 CT Logging
 CT Perforation

<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>