

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 1: To be completed by Assessor [WEIGHT: 40%]

Name	ZAINUDDIN YACOB	COB Date	7-10-23
Position	GEO	RTB Date	11-10-23
Client	PCSB	Location	DULANG C
Platform	DULANG C	Well	C045
Assessed By	Name: JOHAIRI JOHOR	Position: CTS SUPV	


RATING LEGEND:

STRONG	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent
ADEQUATE	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good
IMPROVEMENT NEEDED	Performance did not consistently meet expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please ✓ where appropriate)								
	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
	10	9	8	7	6	5	4	3	2
Safety Awareness (20%)	✓								
a. Usage of Personal Protective Equipment	✓								
b. Participation in UAUC	✓								
c. Understanding of PTW System	✓								
d. Worksite House Keeping	✓								
Work Performance (20%)									
e. Initiative and Creativity	✓								
f. Decision Making Capability	✓								
g. Understanding of Job Scope	✓								
h. Tools Inventory and Reporting	✓								
i. Work Quality	✓								
j. Reporting	✓								
k. Punctuality and Time Keeping	✓								
l. Teamwork	✓								
m. Communication	✓								
n. Leadership Skills	✓								
o. Adaptability to Work Environment/Surrounding	✓								
p. Attitude	✓								
q. Discipline	✓								

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

Perform task and drive job with success.

Assessed By [Supervisor]	
Name	JOHAIRI JOHOR
Date	20-10-23

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																														
1. Pre-Job Preparation	<ul style="list-style-type: none"> - Attend morning and toolbox meeting - Attend pre job meeting - pre check / EMC 1 all CTU equipment prior CTU run 	- done																														
	<table border="1"> <thead> <tr> <th>Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="4">IMPROVEMENT NEEDED</th> </tr> <tr> <td></td> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </thead> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED					10	9	8	7	6	5	4	3	2										
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																									
	10	9	8	7	6	5	4	3	2																							
2. Surface Equipment Rig-up	<ul style="list-style-type: none"> - Rig up surface line - Rig up 4" hose - Rig up water injection - Spot and arrange flood light, Tool Container, CC electric cable to junction box 	- done																														
	<table border="1"> <thead> <tr> <th>Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="4">IMPROVEMENT NEEDED</th> </tr> <tr> <td></td> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </thead> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED					10	9	8	7	6	5	4	3	2										
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																									
	10	9	8	7	6	5	4	3	2																							
3. Tools / Equipment Preparation	<ul style="list-style-type: none"> - Perform EMC 1 on CC, stripper, Bop's, CT Reel, Injector, Jackup Frame and power pack for pre job - prepare down hole tools to be use during job 	- done																														
	<table border="1"> <thead> <tr> <th>Rating (by Operator)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="4">IMPROVEMENT NEEDED</th> </tr> <tr> <td></td> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </thead> </table>	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED					10	9	8	7	6	5	4	3	2										
Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																									
	10	9	8	7	6	5	4	3	2																							
4. Equipment	4.1 Batch Mixer	<ul style="list-style-type: none"> - Clean batch mixer after completing job 																														
		- done																														
	<table border="1"> <thead> <tr> <th>Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="4">IMPROVEMENT NEEDED</th> </tr> <tr> <td></td> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </thead> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED					10	9	8	7	6	5	4	3	2										
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																									
	10	9	8	7	6	5	4	3	2																							
	Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td>/</td> </tr> </table>										Under Supervision		Standalone	/																	
Under Supervision																																
Standalone	/																															

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment								
	<p>4.2 Pump Unit</p> <p>- Redress pump after completed cement job</p>	-done								
	<p>Rating (by SUPERVISOR)</p> <table border="1"> <tr> <td></td> <td>STRONG</td> <td>ADEQUATE</td> <td>IMPROVEMENT NEEDED</td> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7 6 5 4 3 2</td> </tr> </table>		STRONG	ADEQUATE	IMPROVEMENT NEEDED	10	9	8	7 6 5 4 3 2	
		STRONG	ADEQUATE	IMPROVEMENT NEEDED						
10	9	8	7 6 5 4 3 2							
<p>Employee was able to OPERATE the equipment:</p> <table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td>/</td> </tr> </table>	Under Supervision		Standalone	/						
Under Supervision										
Standalone	/									
	<p>4.3 Nitrogen Pump unit & Nitrogen Tank</p> <p>- No unit standby if required to pump after cement completed</p>	-done								
	<p>Rating (by SUPERVISOR)</p> <table border="1"> <tr> <td></td> <td>STRONG</td> <td>ADEQUATE</td> <td>IMPROVEMENT NEEDED</td> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7 6 5 4 3 2</td> </tr> </table>		STRONG	ADEQUATE	IMPROVEMENT NEEDED	10	9	8	7 6 5 4 3 2	
		STRONG	ADEQUATE	IMPROVEMENT NEEDED						
10	9	8	7 6 5 4 3 2							
<p>Employee was able to OPERATE the equipment:</p> <table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td>/</td> </tr> </table>	Under Supervision		Standalone	/						
Under Supervision										
Standalone	/									
	<p>4.4 Power Pack</p> <p>- perform EMC I</p>	-done								
	<p>Rating (by SUPERVISOR)</p> <table border="1"> <tr> <td></td> <td>STRONG</td> <td>ADEQUATE</td> <td>IMPROVEMENT NEEDED</td> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7 6 5 4 3 2</td> </tr> </table>		STRONG	ADEQUATE	IMPROVEMENT NEEDED	10	9	8	7 6 5 4 3 2	
		STRONG	ADEQUATE	IMPROVEMENT NEEDED						
10	9	8	7 6 5 4 3 2							
<p>Employee was able to OPERATE the equipment:</p> <table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td>/</td> </tr> </table>	Under Supervision		Standalone	/						
Under Supervision										
Standalone	/									
	<p>4.5 Control Cabin</p> <p>- Set up job file</p> <p>- perform EMC I</p> <p>- update job ticket</p> <p>- update chemical tracking</p>	-done								
	<p>Rating (by SUPERVISOR)</p> <table border="1"> <tr> <td></td> <td>STRONG</td> <td>ADEQUATE</td> <td>IMPROVEMENT NEEDED</td> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7 6 5 4 3 2</td> </tr> </table>		STRONG	ADEQUATE	IMPROVEMENT NEEDED	10	9	8	7 6 5 4 3 2	
		STRONG	ADEQUATE	IMPROVEMENT NEEDED						
10	9	8	7 6 5 4 3 2							
<p>Employee was able to OPERATE the equipment:</p> <table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td>/</td> </tr> </table>	Under Supervision		Standalone	/						
Under Supervision										
Standalone	/									

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task:	Tasks Performed	Assessor Comment																			
4.6 CT Reel	<p>4.6 CT Reel</p> <ul style="list-style-type: none"> - Perform EMC 1 	- done																			
	Rating (by SUPERVISOR)	<table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </thead> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
	STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2													
Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td>/</td> </tr> </table>	Under Supervision		Standalone	/																
Under Supervision																					
Standalone	/																				
4.7 Injector Head	<p>4.7 Injector Head</p> <ul style="list-style-type: none"> - Top up injector tube oil - Top up gear oil - Perform EMC 1 	- done																			
	Rating (by SUPERVISOR)	<table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </thead> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
	STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2													
Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td>/</td> </tr> </table>	Under Supervision		Standalone	/																
Under Supervision																					
Standalone	/																				
4.8 Pressure Control Equipment	<p>4.8 Pressure Control Equipment</p> <ul style="list-style-type: none"> - Function test single and combi BOP - Function test stripper - Redress BOPs after completed cement job - Fill up EMC 1 form 	- done																			
	Rating (by SUPERVISOR)	<table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </thead> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
	STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2													
Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td>/</td> </tr> </table>	Under Supervision		Standalone	/																
Under Supervision																					
Standalone	/																				
4.9 Basic BHA Components	<p>4.9 Basic BHA Components</p> <ul style="list-style-type: none"> - prepare and make up BHA for cementing - Redress after completing job 	- done																			
	Rating (by SUPERVISOR)	<table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </thead> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
	STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2													
Employee was able to OPERATE the tools:	<table border="1"> <tr> <td>Under Supervision</td> <td></td> </tr> <tr> <td>Standalone</td> <td>/</td> </tr> </table>	Under Supervision		Standalone	/																
Under Supervision																					
Standalone	/																				

Doc.Ref.No.: CTS-FORM-90

Revision No.: 01

Effective Date: 21/08/2023

(Rev.00, Dated: 22/09/19-OBSOLETE)

CONTROLLED COPY

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																		
5. Job Supervision (if applicable) <i>Please complete this section if you perform any supervisory role during operation</i>		- Complain job safely .																		
Rating (by SUPERVISOR)	<table border="1"> <thead> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </thead> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
Please <input checked="" type="checkbox"/> accordingly to confirm the role of the employee during operation		<table border="1"> <tr> <td>Full Supervisor</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>2nd / Night Supervisor</td> <td><input type="checkbox"/></td> </tr> </table>	Full Supervisor	<input checked="" type="checkbox"/>	2nd / Night Supervisor	<input type="checkbox"/>														
Full Supervisor	<input checked="" type="checkbox"/>																			
2nd / Night Supervisor	<input type="checkbox"/>																			

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 3: To be completed by Employee and Assessor

DATE	Assignment/Summary Job/Duration	Supervisor's Feedback (Please indicate if employee is able to execute the job <u>UNDER SUPERVISION</u> or <u>STANDALONE</u>)
7/10/23	<ul style="list-style-type: none"> - I was assign as CT operator for cement job. - Job complete successfull 	<ul style="list-style-type: none"> - Job complete safely and follow procedure from job program

Please tick (✓) category of services performed:

Standard Services:

- Wellbore Cleanout
- CT Casing
- Nitrogen Operations
- Pumping Services

Advanced Services

- CT Fishing
- CT Milling
- CT Logging
- CT Perforation