

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 1: To be completed by Assessor [WEIGHT: 40%]

Name	MOHD BURHAN BIN YUSOF	COB Date	09-Jun-24
Position	EQUIPMENT OPERATOR 2	RTB Date	03-Jul-24
Client	PCSB	Location	Tiong B
Platform	TIONG	Well	B01
Assessed By	Name: ENGKU NAZRI BIN ENGKU JALIL Position: PUMPING SUPERVISOR		

RATING LEGEND:	
STRONG	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent
ADEQUATE	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good
IMPROVEMENT NEEDED	Performance did not consistently met expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please ✓ where appropriate)								
---------------------	-------------------------------------	--	--	--	--	--	--	--	--

Safety Awareness (20%)

- a. Usage of Personal Protective Equipment
- b. Participation in UAUC
- c. Understanding of PTW System
- d. Worksite House Keeping

STRONG			ADEQUATE			IMPROVEMENT NEEDED		
10	9	8	7	6	5	4	3	2
	✓							
		✓						
		✓						
	✓							

Work Performance (20%)


- e. Initiative and Creativity
- f. Decision Making Capability
- g. Understanding of Job Scope
- h. Tools Inventory and Reporting
- i. Work Quality
- j. Reporting
- k. Punctuality and Time Keeping
- l. Teamwork
- m. Communication
- n. Leadership Skills
- o. Adaptability to Work Environment/Surrounding
- p. Attitude
- q. Discipline

		✓						
			✓					
		✓						
			✓					
	✓							
			✓					
	✓							
	✓							
		✓						
		✓						
			✓					
✓								
✓								

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

- Good knowledge on equipment given to operate

- Good communication and teamwork during operation

Assessed By [Supervisor]	
Name	ENGKU NAZRI B. CHE ENGKU JALIL
Date	03 JULY 2024

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment								
1. Pre-Job Preparation	1. Attend toolbox and morning meeting with CSR. 2. Assisted crew in lifting all Pumping equipment and spot unit. 3. Pre-check/EMC1 all Pumping equipment before the job.	Good.								
	<table border="1"> <tr> <td>Rating (by SUPERVISOR)</td><td>STRONG</td><td>ADEQUATE</td><td>IMPROVEMENT NEEDED</td></tr> <tr> <td>10</td><td>9</td><td>8</td><td>7 6 5 4 3 2</td></tr> </table>	Rating (by SUPERVISOR)	STRONG	ADEQUATE	IMPROVEMENT NEEDED	10	9	8	7 6 5 4 3 2	
Rating (by SUPERVISOR)	STRONG	ADEQUATE	IMPROVEMENT NEEDED							
10	9	8	7 6 5 4 3 2							
2. Surface Equipment Rig-up	1. Rig up pumping surface line From Pump unit to Pumping Tee Geowell 2. Assist crew to rig up BMX Line to Pump unit 3. Rig up 4" hose from Tank to BMX and Pump unit. 4. Spot Flood light, container electric cable to junction box. 5. Rig up wilden pump, 2" spring hose and air hose from sea deck to main deck.	can make decision to line up pumping line to well.								
	<table border="1"> <tr> <td>Rating (by SUPERVISOR)</td><td>STRONG</td><td>ADEQUATE</td><td>IMPROVEMENT NEEDED</td></tr> <tr> <td>10</td><td>9</td><td>8</td><td>7 6 5 4 3 2</td></tr> </table>	Rating (by SUPERVISOR)	STRONG	ADEQUATE	IMPROVEMENT NEEDED	10	9	8	7 6 5 4 3 2	
Rating (by SUPERVISOR)	STRONG	ADEQUATE	IMPROVEMENT NEEDED							
10	9	8	7 6 5 4 3 2							
3. Tools / Equipment Preparation	1. Install air hose from compressor to SINGLE PUMP, BMX and wilden pump. 2. Perform EMC1 on SINGLE PUMP, BMX, Genset, Acomp for pre job. 3. Perform pressure test on pumping line 4. Fuel up all CTU equipment. 5. Assist crew Prepared chemical on top of BMX tank for mixing activity.	- can operate - good preparation - Teamwork during rigup.								
	<table border="1"> <tr> <td>Rating (by Operator)</td><td>STRONG</td><td>ADEQUATE</td><td>IMPROVEMENT NEEDED</td></tr> <tr> <td>10</td><td>9</td><td>8</td><td>7 6 5 4 3 2</td></tr> </table>	Rating (by Operator)	STRONG	ADEQUATE	IMPROVEMENT NEEDED	10	9	8	7 6 5 4 3 2	
Rating (by Operator)	STRONG	ADEQUATE	IMPROVEMENT NEEDED							
10	9	8	7 6 5 4 3 2							
4. Equipment	4.1 Batch Mixer 1. Install guard rail. 2. Rig up hydraulic hose from BM power pack to BM tank. 3. Rig up 4" hose for overboard line. 5. Visually check for any oil leakage at BMX engine and hdraulic line. 6. Function test for BMX, agitator and c-pump working properly. 7. Start and run BMX for mixing activity.	- can stand alone operate BMX without supervision. - Team work during rigup.								
	<table border="1"> <tr> <td>Rating (by SUPERVISOR)</td><td>STRONG</td><td>ADEQUATE</td><td>IMPROVEMENT NEEDED</td></tr> <tr> <td>10</td><td>9</td><td>8</td><td>7 6 5 4 3 2</td></tr> </table>	Rating (by SUPERVISOR)	STRONG	ADEQUATE	IMPROVEMENT NEEDED	10	9	8	7 6 5 4 3 2	
Rating (by SUPERVISOR)	STRONG	ADEQUATE	IMPROVEMENT NEEDED							
10	9	8	7 6 5 4 3 2							
	Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td><td></td></tr> <tr> <td>Standalone</td><td><input checked="" type="checkbox"/></td></tr> </table>	Under Supervision		Standalone	<input checked="" type="checkbox"/>				
Under Supervision										
Standalone	<input checked="" type="checkbox"/>									

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																		
	4.2 Pump Unit 1. Function test and make sure all hydraulic hose connected and does not have any leakage (EMC1). 2. Assemble pump shaft 3. Check OPSD functionality. 5. Always monitor pumping pressure while pumping. 6. Always alert on panel control indicator while performing pumping to avoid worse damage to single pump.	- Can stand alone operate single pump without supervision. - Good communication during pumping operation.																		
	Rating (by SUPERVISOR) <table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
	Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td><td></td></tr> <tr> <td>Standalone</td><td></td></tr> </table>	Under Supervision		Standalone															
Under Supervision																				
Standalone																				
	4.3 Nitrogen Pump unit & Nitrogen Tank																			
	Rating (by SUPERVISOR) <table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
	Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td><td></td></tr> <tr> <td>Standalone</td><td></td></tr> </table>	Under Supervision		Standalone															
Under Supervision																				
Standalone																				
	4.4 Power Pack																			
	Rating (by SUPERVISOR) <table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
	Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td><td></td></tr> <tr> <td>Standalone</td><td></td></tr> </table>	Under Supervision		Standalone															
Under Supervision																				
Standalone																				
	4.5 Control Cabin																			
	Rating (by SUPERVISOR) <table border="1"> <tr> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td> </tr> </table>	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
STRONG			ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2												
	Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td><td></td></tr> <tr> <td>Standalone</td><td></td></tr> </table>	Under Supervision		Standalone															
Under Supervision																				
Standalone																				

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																			
	4.6 CT Reel																				
	<table border="1"> <tr> <td rowspan="2">Rating (by SUPERVISOR)</td><td colspan="3">STRONG</td><td colspan="3">ADEQUATE</td><td colspan="3">IMPROVEMENT NEEDED</td></tr> <tr> <td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td></tr> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED														
	10	9	8	7	6	5	4	3	2												
	Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td><td></td></tr> <tr> <td>Standalone</td><td></td></tr> </table>	Under Supervision		Standalone																
Under Supervision																					
Standalone																					
	4.7 Injector Head																				
	<table border="1"> <tr> <td rowspan="2">Rating (by SUPERVISOR)</td><td colspan="3">STRONG</td><td colspan="3">ADEQUATE</td><td colspan="3">IMPROVEMENT NEEDED</td></tr> <tr> <td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td></tr> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED														
	10	9	8	7	6	5	4	3	2												
	Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td><td></td></tr> <tr> <td>Standalone</td><td></td></tr> </table>	Under Supervision		Standalone																
Under Supervision																					
Standalone																					
	4.8 Pressure Control Equipment																				
	<table border="1"> <tr> <td rowspan="2">Rating (by SUPERVISOR)</td><td colspan="3">STRONG</td><td colspan="3">ADEQUATE</td><td colspan="3">IMPROVEMENT NEEDED</td></tr> <tr> <td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td></tr> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED														
	10	9	8	7	6	5	4	3	2												
	Employee was able to OPERATE the equipment:	<table border="1"> <tr> <td>Under Supervision</td><td></td></tr> <tr> <td>Standalone</td><td></td></tr> </table>	Under Supervision		Standalone																
Under Supervision																					
Standalone																					
	4.9 Basic BHA Components																				
	<table border="1"> <tr> <td rowspan="2">Rating (by SUPERVISOR)</td><td colspan="3">STRONG</td><td colspan="3">ADEQUATE</td><td colspan="3">IMPROVEMENT NEEDED</td></tr> <tr> <td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td></tr> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED														
	10	9	8	7	6	5	4	3	2												
	Employee was able to OPERATE the tools:	<table border="1"> <tr> <td>Under Supervision</td><td></td></tr> <tr> <td>Standalone</td><td></td></tr> </table>	Under Supervision		Standalone																
Under Supervision																					
Standalone																					

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK


PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																				
5. Job Supervision (if applicable) <i>Please complete this section if you perform any supervisory role during operation</i>																						
	<table> <tr> <th>Rating (by SUPERVISOR)</th><th colspan="3">STRONG</th><th colspan="3">ADEQUATE</th><th colspan="3">IMPROVEMENT NEEDED</th></tr> <tr> <td></td><td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td></tr> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2	
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED															
	10	9	8	7	6	5	4	3	2													
	Please ✓ accordingly to confirm the role of the employee during operation	<table> <tr> <td>Full Supervisor</td><td></td></tr> <tr> <td>2nd / Night Supervisor</td><td></td></tr> </table>	Full Supervisor		2nd / Night Supervisor																	
Full Supervisor																						
2nd / Night Supervisor																						

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 3: To be completed by Employee and Assessor

DATE	Assignment/Summary Job/Duration	Supervisor's Feedback (Please indicate if employee is able to execute the job <u>UNDER SUPERVISION</u> or <u>STANDALONE</u>)
6/2024 to 03/07	<p>PUMPING ON WELL B-01</p> <ul style="list-style-type: none"> -After MOB to TJONG B from KSB VIA SK Paramount,Start Lifting pumping equipment to Tiong B main deck. -Spot all pumping equipment before start job. -Rig up Pumping line from pump to pumping tee Geowell. -Rig up 4" Hose from FST to BMX and Single pump. -Connect hydraulic hose BMX and Single pump. -Rig up pumping line to pumping tee geowell at Well B-01 to perform TIT with slickplug. -Perform pressure test line(500psi-3000psi) 	<p>- Able to execute the job.</p> <p>- Can stand alone operator single pump and BMX without supervision.</p> <p> ENGKU NAZRI B. CHE ENGKU JALIL</p>

Please tick (✓) category of services performed:

Standard Services:

Wellbore Cleanout
CT Cementing
Nitrogen Operations
Pumping Services

<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>
<input checked="" type="checkbox"/>

Advanced Services

CT Fishing
CT Milling
CT Logging
CT Perforation

<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>