

DIMENSION BID

SLICKLINE ASSISTANT PERFORMANCE ASSESSMENT FEEDBACK

(PART 1: To be completed by Assessor)

Name	Muhamad Abdul Latif Bin Mohd	COB Date	10.10.2024
Position	Senior Slickline Assistant I	RTB Date	31.10.2024
Client	Carigali Hass	Location	SY-A , SY-B
Platform	Suriya	Well	SYA-16 , SYB-03
Assessed By	Name: Mohd Hafiz @ Umar bin Abdul Aziz Position: Senior Slickline Operator		

RATING LEGEND:

STRONG	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent
ADEQUATE	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good
IMPROVEMENT NEEDED	Performance did not consistently met expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please ✓ where appropriate)								
---------------------	-------------------------------------	--	--	--	--	--	--	--	--

Safety Awareness (20%)

- a. Usage of Personal Protective Equipment
- b. Participation in ACT
- c. Understanding of PTW System
- d. Worksite House Keeping

Work Performance (20%)

- e. Initiative and Creativity
- f. Decision Making Capability
- g. Understanding of Job Scope
- h. Tools Inventory and Reporting
- i. Work Quality
- j. Reporting
- k. Punctuality and Time Keeping
- l. Teamwork
- m. Communication
- n. Leadership Skills
- o. Adaptability to Work Environment/Surrounding
- p. Attitude
- q. Discipline


STRONG			ADEQUATE			IMPROVEMENT NEEDED		
10	9	8	7	6	5	4	3	2

✓								
✓								
	✓							
✓								

✓								
✓								
✓								
✓								
✓								
✓								
✓								
✓								
✓								
✓								
✓								
✓								
✓								
✓								

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

Promotion as Training Operator .

Assessed By [Operator]	
Name	Mohd Hafiz @ Umar bin Abdul Aziz
Date	31.10.2024

Doc Ref No.: SLS-FORM-13

Revision No.: 03

Effective Date: 22/05/2023

(Rev 02.Dated: 14/06/19-OBSOLETE)

CONTROLLED COPY

1

DIMENSION BID

SLICKLINE ASSISTANT PERFORMANCE ASSESSMENT FEEDBACK

(PART 2: To be completed by Employee and Assessor)

Type of Task	Tasks Performed	Assessor Comment																									
1. Pre-Job Preparation	<ul style="list-style-type: none"> - Toolbox meeting with team and WSS. - Review JHA and review job program - Get confirmation of size tree cap connection. - TBT with crew about work planning. - Discuss with SLB personnel and WSS - Discuss with SLB crew regarding rigging up the PCE stackup. Make confirmation the SLB connection and DB connection. 																										
	<table border="1"> <tr> <th>Rating (by Operator)</th><th colspan="3">STRONG</th><th colspan="3">ADEQUATE</th><th colspan="3">IMPROVEMENT NEEDED</th></tr> <tr> <td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td></tr> </table>	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2							
Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																				
10	9	8	7	6	5	4	3	2																			
2. Surface Equipment Rig-up	<ul style="list-style-type: none"> - Continue pressure test lower section of PCE 500 to 2000psi. - Connect 4 section 5 1/2" lubricator in vertical position. - Rigup PCE upper stackup and connect to SLB lower stackup. - Perform strength test 0.125" ZERON wire. Maximum breaking point @ 3100lbs. - Pressure test full section of PCE 500/2000psi. - Connect HMV & LV manifold. Cycle LV and get hyd. return 250ml. - Power up offshore cabin office. 																										
	<table border="1"> <tr> <th>Rating (by Operator)</th><th colspan="3">STRONG</th><th colspan="3">ADEQUATE</th><th colspan="3">IMPROVEMENT NEEDED</th></tr> <tr> <td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td></tr> </table>	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2							
Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																				
10	9	8	7	6	5	4	3	2																			
3. Tools / Equipment Preparation	<ul style="list-style-type: none"> - Prepare tool string for first run of TCC. - Prepare tool string configuration :- 2.50" Rope Socket + swivel joint + Accelerator + 5ft Normal Stem + 3ft Normal Stem + Peak Power jar (700lbs) + 30" mechanical Jar + 4.60" Fluted Drift. - Setting power jar 700lbs and function test it. - Make up new rope socket and connect all tool string configuration. - Prepare 4.60" wire scratcher - Prepare 5" nominal GS Pulling Tool. - Prepare 5" RXN Running Tool. - Prepare 5" X-line Running Tool. - Prepare X-Check Set Tool. 																										
	<table border="1"> <tr> <th>Rating (by Operator)</th><th colspan="3">STRONG</th><th colspan="3">ADEQUATE</th><th colspan="3">IMPROVEMENT NEEDED</th></tr> <tr> <td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td></tr> </table>	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2							
Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																				
10	9	8	7	6	5	4	3	2																			
4. Equipment Problem Troubleshooting <i>[Please state type of equipment and describe troubleshooting job performed]</i>	<p>Trouble shoot air compressor break down. - While crew perform standard well entry procedure. Suddenly the air compressor break down because of over heat. Check the engine and observed compressor oil low level. Remove the engine cover and top up the compressor oil. Test run the air compressor for 2 hours. Communicate with town and get information to send back the compressor to base.</p>																										
	<table border="1"> <tr> <th>Rating (by Operator)</th><th colspan="3">STRONG</th><th colspan="3">ADEQUATE</th><th colspan="3">IMPROVEMENT NEEDED</th></tr> <tr> <td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td></tr> </table>	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2							
Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																				
10	9	8	7	6	5	4	3	2																			
5. Downhole Tools Servicing/Redressing/Maintenance	<ul style="list-style-type: none"> - Re-setting the 2.50" EAJ to 700lbs for every run. - Check the wire scratcher OD 4.60". 																										
	<table border="1"> <tr> <th>Rating (by Operator)</th><th colspan="3">STRONG</th><th colspan="3">ADEQUATE</th><th colspan="3">IMPROVEMENT NEEDED</th></tr> <tr> <td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td></tr> </table>	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2							
Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																				
10	9	8	7	6	5	4	3	2																			

Doc. Ref. No.: SLS-FORM-13

Revision No.: 03

Effective Date: 22/05/2023

(Rev 02, Dated: 14/06/19- OBSOLETE)

CONTROLLED COPY

Type of Task	Tasks Performed	Assessor Comment																											
6. Tools Inventory & Reporting	- Perform all inventory of tools we have and get the WSS signature. - Make the Problem Report (PR) and sent to town.																												
	<table border="1"> <tr> <th>Rating (by Operator)</th><th colspan="3">STRONG</th><th colspan="3">ADEQUATE</th><th colspan="3">IMPROVEMENT NEEDED</th></tr> <tr> <td></td><td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td></tr> </table>	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2								
Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																						
	10	9	8	7	6	5	4	3	2																				
7. Equipment Operation	[Operator to rate TSA / SA / SSA competency in operating the equipment]																												
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																					
		10	9	8	7	6	5	4	3	2																			
	Power Pack	/																											
	Air Compressor	/																											
	GenSet	/																											
	Control Panel	/																											
	Test Pump	/																											
	Pressure Control Equipment	/																											
	Mast	/																											
Weight & Measuring Devices	/																												
Downhole Tools	/																												
Total		0	0	0	0	0	0	0	0	0																			
Comments by Operator [please specify competency gaps / area of improvement]																													
EXECUTE THE WELL SERVICES OPERATION (IF ANY) (Operating Winch)																													
Date / Location / Well No. / Job Type	Activity Summary				Toolstring Configuration																								
21.10.2024 / SYA / SYB-03 / Set KX Valve	-RIH 4.60" Fluted drift to tag top of RPT profile. -RIH 4.60" wire Scratcher. - RIH Nom.5.0" RXN running tool c/w KX Valve to set at RPT profile. - RIH 5" X-Line Running Tool to set KX Valve at X-Profile. - RIH 5" X-Check Set Tool to top of KX valve Lock mandrel to confirm proper set.				2.50" Rope Socket + swival joint + Accelerator + 5ft Normal Stem + 3ft Normal Stem + Peak Power jar (700lbs) + 30" mechanical Jar...																								
	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																					
		10	9	8	7	6	5	4	3	2																			
Comments by Operator [please specify competency gaps / area of improvement]																													

