

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 1: To be completed by Assessor [WEIGHT: 40%]

Name	SHAHRI IZHAM BIN ALIAS	COB Date	3/3/2024
Position	EQUIPMENT OPERATOR TRAINEE	RTB Date	19/3/2024
Client	PCSB	Location	DULANG
Platform	DULANG CHARLIE	Well	C-045
Assessed By	Name: <u>TAUFIQ ISMAIL</u>	Position: <u>CTU SP SUPV</u>	

RATING LEGEND:

STRONG	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent.
ADEQUATE	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good.
IMPROVEMENT NEEDED	Performance did not consistently meet expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please ✓ where appropriate)								
	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
Safety Awareness (20%)	10	9	8	7	6	5	4	3	2
a. Usage of Personal Protective Equipment	/								
b. Participation in UAUC		/							
c. Understanding of PTW System		/							
d. Worksite House Keeping			/						
Work Performance (20%)									
e. Initiative and Creativity				/					
f. Decision Making Capability				/					
g. Understanding of Job Scope				/					
h. Tools Inventory and Reporting					/				
i. Work Quality					/				
j. Reporting					/				
k. Punctuality and Time Keeping					/				
l. Teamwork					/				
m. Communication					/				
n. Leadership Skills					/				
o. Adaptability to Work Environment/Surrounding					/				
p. Attitude					/				
q. Discipline					/				

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

Assigned as PWD applicant and BMX operator
Able to operate BMX unit without supervision and stand alone

Assessed By [Supervisor]	<u>TAUFIQ ISMAIL</u>
Name	TAUFIQ ISMAIL
Date	18/3/2024

MISSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment										
1. Pre-Job Preparation	1. Attend pre-job meeting before mob 2. Prepare e-ptw 3. Attend toolbox meeting conduct by wss and all Intervention crew on board	Good Job										
		Rating (by SUPERVISOR)			STRONG		ADEQUATE			IMPROVEMENT NEEDED		
		10	9	8	7	6	5	4	3	2		
2. Surface Equipment Rig-up	1. Assist crew for heavy lifting and rearrange equipment and spot at the right place 2. Rig-up treating iron 3. Rig-up 4" hose from fst to batch mixer	Good Job										
		Rating (by SUPERVISOR)			STRONG		ADEQUATE			IMPROVEMENT NEEDED		
		10	9	8	7	6	5	4	3	2		
3. Tools / Equipment Preparation	1. Do emc1 on all equipment 2. Connect air hose from air compressor to all equipment 3. Top up diesel to all equipment everyday before start operation	Good Job										
		Rating (by Operator)			STRONG		ADEQUATE			IMPROVEMENT NEEDED		
		10	9	8	7	6	5	4	3	2		
4. Equipment	4.1 Batch Mixer 1. Assist crew to troubleshoot batch mixer because it cannot be started 2. Assist crew to rearrange chemicals and put some on batch mixer tank 3. Assist batch mixer operator for mixing chemicals.	Good Job										
		Rating (by SUPERVISOR)			STRONG		ADEQUATE			IMPROVEMENT NEEDED		
		10	9	8	7	6	5	4	3	2		
	Employee was able to OPERATE the equipment:	Under Supervision					Standalone					

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																																											
4.2 Pump Unit	<p>1.Assist pump operator to rig-up single pump 2.Assist pump operator to connect hydraulic hose 3.Assist pump operator to function test pumping unit 4.Assit pump operator to line up from single pump to kill port</p>	Good Assist																																											
	<table border="1"> <tr> <td rowspan="2">Rating (by SUPERVISOR)</td> <td colspan="3">STRONG</td> <td colspan="3">ADEQUATE</td> <td colspan="4">IMPROVEMENT NEEDED</td> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> <tr> <td colspan="10">Employee was able to OPERATE the equipment:</td> </tr> <tr> <td colspan="10"> <table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input type="checkbox"/></td> </tr> </table> </td> </tr> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:										<table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input type="checkbox"/></td> </tr> </table>										Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input type="checkbox"/>
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																																						
	10	9	8	7	6	5	4	3	2																																				
Employee was able to OPERATE the equipment:																																													
<table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input type="checkbox"/></td> </tr> </table>										Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input type="checkbox"/>																																
Under Supervision	<input checked="" type="checkbox"/>																																												
Standalone	<input type="checkbox"/>																																												

	4.3 Nitrogen Pump unit & Nitrogen Tank	1.Assit n2 operator to rig-up bleed off line 2.Assist n2 operator for rapid cooldown 3.Assist n2 operator for on the fly during pumping nitrogen and always monitro pressure on nitrogen tank below 4 bar.	Good Assist																																																																																																																							
																	---	-------------------------------------	---	---	----------	---	---	--------------------	---	---	-------------------	-------------------------------------	------------	--------------------------		Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED									10	9	8	7	6	5	4	3	2						Employee was able to OPERATE the equipment:															<table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input type="checkbox"/></td> </tr> </table>										Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input type="checkbox"/>		Under Supervision	<input checked="" type="checkbox"/>														Standalone	<input type="checkbox"/>														
4.4 Power Pack	1.Assist crew to rig-up hydraulic hose from power pack to cabin	Good Assist																																																																																																																								
																	---	-------------------------------------	---	---	----------	---	---	--------------------	---	---	-------------------	-------------------------------------	------------	--------------------------		Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED									10	9	8	7	6	5	4	3	2						Employee was able to OPERATE the equipment:															<table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input type="checkbox"/></td> </tr> </table>										Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input type="checkbox"/>		Under Supervision	<input checked="" type="checkbox"/>														Standalone	<input type="checkbox"/>														
4.5 Control Cabin	1.Assist crew to securue control cabin after jack up 2.Assist crew to rig-up hydarulic hose from control cabin to jacking frame	Good Assist																																																																																																																								
																	---	-------------------------------------	---	---	----------	---	---	--------------------	---	---	-------------------	-------------------------------------	------------	--------------------------		Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED									10	9	8	7	6	5	4	3	2						Employee was able to OPERATE the equipment:															<table border="1"> <tr> <td>Under Supervision</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Standalone</td> <td><input type="checkbox"/></td> </tr> </table>										Under Supervision	<input checked="" type="checkbox"/>	Standalone	<input type="checkbox"/>		Under Supervision	<input checked="" type="checkbox"/>														Standalone	<input type="checkbox"/>														

PERFORMANCE BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor (WEIGHT: 60%)

Type of Task	Tasks Performed	Assessor Comment									
		Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED
10	9	8	7	6	5	4	3	2			
4.6 CT Reel	<p>1. Assist crew to connect hydraulic hose from control cabin to ct reel 2. Assist crew to lifting drum into ctif 3. Perform greasing to all treating iron in ct reel</p>	<p>Good Assist</p>									
4.7 Injector Head	<p>1. Assist crew to spot injector head on jacking frame 2. Assist crew to stab in coil from ct reel to injector head</p>	<p>Good Assist</p>									
4.8 Pressure Control Equipment	<p>1. Assist crew to rig-up single bop and combi bop on well head 2. Assist crew to connect hydraulic hose to single bop and combi bop</p>	<p>Good Assist</p>									
4.9 Basic BHA Components	<p>1. Assist crew to make up bha 2. Assist crew to redress bha after operation so that it can be used later</p>	<p>Good Assist</p>									

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																																							
5. Job Supervision (if applicable) <i>Please complete this section if you perform any supervisory role during operation</i>																																									
	<table border="1"><thead><tr><th rowspan="2">Rating [by SUPERVISOR]</th><th colspan="3">STRONG</th><th colspan="3">ADEQUATE</th><th colspan="3">IMPROVEMENT NEEDED</th></tr><tr><th>10</th><th>9</th><th>8</th><th>7</th><th>6</th><th>5</th><th>4</th><th>3</th><th>2</th></tr></thead><tbody><tr><td><input type="checkbox"/> Full Supervisor</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td><input type="checkbox"/> 2nd / Night Supervisor</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></tbody></table>	Rating [by SUPERVISOR]	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	<input type="checkbox"/> Full Supervisor										<input type="checkbox"/> 2nd / Night Supervisor										
Rating [by SUPERVISOR]	STRONG			ADEQUATE			IMPROVEMENT NEEDED																																		
	10	9	8	7	6	5	4	3	2																																
<input type="checkbox"/> Full Supervisor																																									
<input type="checkbox"/> 2nd / Night Supervisor																																									
	<p>Please <input checked="" type="checkbox"/> accordingly to confirm the role of the employee during operation</p>																																								

MENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 3: To be completed by Employee and Assessor

DATE	Assignment/Summary Job/Duration	Supervisor's Feedback (Please indicate if employee is able to execute the job UNDER SUPERVISION or STANDALONE)
	<p>Mobilized from KSB to DULANG on 3 March 2024. When arrived at location, proceed to heavy lifting ctu equipment and start rig-up equipment and surface rig-up. Split crew after completed rig-up. I was assigned as helper on night shift.</p> <p>On well C-15L, we are perform cleanout until 20m below SSD#2 (2,215m/7,268ft MDTHF). During this job, I was assigned to assist ct operator to take care of level wind behind ct reel. I assisted batch mixer operator to mixing PFA and also assist pump operator to open up butterfly valve. I also learn how to troubleshoot batch mixer when it cannot be started.</p>	<p>able to operate BMR unit stand alone</p> <p><i>[Signature]</i></p> <p>Tan Fei Iman C</p>

Please tick (✓) category of services performed:

Standard Services:

Wellbore Cleanout
CT Cementing
Nitrogen Operations
Pumping Services

✓

Advanced Services

CT Fishing
CT Milling
CT Logging
CT Perforation
