

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 1: To be completed by Assessor (WEIGHT: 40%)

Name	WAN MUHAMMAD HANIF bin WAN MUHAMMAD	COB Date	28/8/2023
Position	EQUIPMENT OPERATOR TRAINEE	RTB Date	26/9/2023
Client	PETRONAS CARIGALI	Location	DULANG
Platform	DULANG CHARLIE	Well	C-85
Assessed By	Name: Position:		

RATING LEGEND:

STRONG	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent
ADEQUATE	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good
IMPROVEMENT NEEDED	Performance did not consistently meet expectations - performance failed to meet expectations in one or more essential areas of responsibility

Assessment Criteria	Rating (Please ✓ where appropriate)											
	STRONG	ADEQUATE	IMPROVEMENT NEEDED	10	9	8	7	6	5	4	3	2
Safety Awareness (20%)												
a. Usage of Personal Protective Equipment	✓											
b. Participation in UAUC		✓										
c. Understanding of PTW System		✓										
d. Worksite House Keeping		✓										
Work Performance (20%)												
e. Initiative and Creativity		✓										
f. Decision Making Capability		✓										
g. Understanding of Job Scope			✓									
h. Tools Inventory and Reporting			✓									
i. Work Quality			✓									
j. Reporting			✓									
k. Punctuality and Time Keeping				✓								
l. Teamwork				✓								
m. Communication					✓							
n. Leadership Skills					✓							
o. Adaptability to Work Environment/Surrounding					✓							
p. Attitude					✓							
q. Discipline						✓						

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

* overall good

Assessed By [Supervisor]	
Name	MUHAMMAD SYAHROL ABDULLAH
Date	25/9/2023

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																			
1. Pre-Job Preparation	1. Attend Toolbox And Morning Meeting with WSS. 2. Prepare EPIW Before Do the Job.	* Done																			
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width: 20%;">Rating (by SUPERVISOR)</th> <th colspan="3" style="text-align: center;">STRONG</th> <th colspan="3" style="text-align: center;">ADEQUATE</th> <th colspan="3" style="text-align: center;">IMPROVEMENT NEEDED</th> </tr> <tr> <td style="text-align: center;">10</td> <td style="text-align: center;">9</td> <td style="text-align: center;">8</td> <td style="text-align: center;">7</td> <td style="text-align: center;">6</td> <td style="text-align: center;">5</td> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> </tr> </thead> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED														
	10	9	8	7	6	5	4	3	2												
2. Surface Equipment Rig-up	1. Assist Crew Rig UP Surface Line From FST TO SPO2.	* Done																			
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width: 20%;">Rating (by SUPERVISOR)</th> <th colspan="3" style="text-align: center;">STRONG</th> <th colspan="3" style="text-align: center;">ADEQUATE</th> <th colspan="3" style="text-align: center;">IMPROVEMENT NEEDED</th> </tr> <tr> <td style="text-align: center;">10</td> <td style="text-align: center;">9</td> <td style="text-align: center;">8</td> <td style="text-align: center;">7</td> <td style="text-align: center;">6</td> <td style="text-align: center;">5</td> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> </tr> </thead> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED														
	10	9	8	7	6	5	4	3	2												
3. Tools / Equipment Preparation	1. TOP UP Diesel On Equipment 2. Assist Crew / Learn Do EMC Y.	* Done																			
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width: 20%;">Rating (by Operator)</th> <th colspan="3" style="text-align: center;">STRONG</th> <th colspan="3" style="text-align: center;">ADEQUATE</th> <th colspan="3" style="text-align: center;">IMPROVEMENT NEEDED</th> </tr> <tr> <td style="text-align: center;">10</td> <td style="text-align: center;">9</td> <td style="text-align: center;">8</td> <td style="text-align: center;">7</td> <td style="text-align: center;">6</td> <td style="text-align: center;">5</td> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> </tr> </thead> </table>	Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
Rating (by Operator)	STRONG			ADEQUATE			IMPROVEMENT NEEDED														
	10	9	8	7	6	5	4	3	2												
4. Equipment	4.1 Batch Mixer																				
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width: 20%;">Rating (by SUPERVISOR)</th> <th colspan="3" style="text-align: center;">STRONG</th> <th colspan="3" style="text-align: center;">ADEQUATE</th> <th colspan="3" style="text-align: center;">IMPROVEMENT NEEDED</th> </tr> <tr> <td style="text-align: center;">10</td> <td style="text-align: center;">9</td> <td style="text-align: center;">8</td> <td style="text-align: center;">7</td> <td style="text-align: center;">6</td> <td style="text-align: center;">5</td> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> </tr> </thead> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	
	Rating (by SUPERVISOR)		STRONG			ADEQUATE			IMPROVEMENT NEEDED												
10		9	8	7	6	5	4	3	2												
Employee was able to OPERATE the equipment:	Under Supervision																				
	Standalone																				

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																			
<p>4.2 Pump Unit</p> <p>1. Assist Crew Rfg UP Pumping Line from SP02 To The Wellhead Pumping Tee Slickline (Gowell).</p>	<p style="text-align: right;">* Done</p>																				
							<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Rating (by SUPERVISOR)</td> <td colspan="2" style="width: 15%;">STRONG</td> <td colspan="3" style="width: 30%;">ADEQUATE</td> <td colspan="3" style="width: 20%;">IMPROVEMENT NEEDED</td> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>			Rating (by SUPERVISOR)	STRONG		ADEQUATE			IMPROVEMENT NEEDED			10	9	8
	Rating (by SUPERVISOR)	STRONG		ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2													
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="3" style="width: 100%;">Employee was able to OPERATE the equipment:</td> <td style="width: 15%;">Under Supervision</td> <td style="width: 15%;">Standalone</td> </tr> </table>						Employee was able to OPERATE the equipment:			Under Supervision	Standalone											
Employee was able to OPERATE the equipment:			Under Supervision	Standalone																	
<p>4.3 Nitrogen Pump unit & Nitrogen Tank</p>																					
							<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Rating (by SUPERVISOR)</td> <td colspan="2" style="width: 15%;">STRONG</td> <td colspan="3" style="width: 30%;">ADEQUATE</td> <td colspan="3" style="width: 20%;">IMPROVEMENT NEEDED</td> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>			Rating (by SUPERVISOR)	STRONG		ADEQUATE			IMPROVEMENT NEEDED			10	9	8
	Rating (by SUPERVISOR)	STRONG		ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2													
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="3" style="width: 100%;">Employee was able to OPERATE the equipment:</td> <td style="width: 15%;">Under Supervision</td> <td style="width: 15%;">Standalone</td> </tr> </table>						Employee was able to OPERATE the equipment:			Under Supervision	Standalone											
Employee was able to OPERATE the equipment:			Under Supervision	Standalone																	
<p>4.4 Power Pack</p>																					
							<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Rating (by SUPERVISOR)</td> <td colspan="2" style="width: 15%;">STRONG</td> <td colspan="3" style="width: 30%;">ADEQUATE</td> <td colspan="3" style="width: 20%;">IMPROVEMENT NEEDED</td> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>			Rating (by SUPERVISOR)	STRONG		ADEQUATE			IMPROVEMENT NEEDED			10	9	8
	Rating (by SUPERVISOR)	STRONG		ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2													
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="3" style="width: 100%;">Employee was able to OPERATE the equipment:</td> <td style="width: 15%;">Under Supervision</td> <td style="width: 15%;">Standalone</td> </tr> </table>						Employee was able to OPERATE the equipment:			Under Supervision	Standalone											
Employee was able to OPERATE the equipment:			Under Supervision	Standalone																	
<p>4.5 Control Cabin</p>																					
							<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Rating (by SUPERVISOR)</td> <td colspan="2" style="width: 15%;">STRONG</td> <td colspan="3" style="width: 30%;">ADEQUATE</td> <td colspan="3" style="width: 20%;">IMPROVEMENT NEEDED</td> </tr> <tr> <td>10</td> <td>9</td> <td>8</td> <td>7</td> <td>6</td> <td>5</td> <td>4</td> <td>3</td> <td>2</td> </tr> </table>			Rating (by SUPERVISOR)	STRONG		ADEQUATE			IMPROVEMENT NEEDED			10	9	8
	Rating (by SUPERVISOR)	STRONG		ADEQUATE			IMPROVEMENT NEEDED														
10	9	8	7	6	5	4	3	2													
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="3" style="width: 100%;">Employee was able to OPERATE the equipment:</td> <td style="width: 15%;">Under Supervision</td> <td style="width: 15%;">Standalone</td> </tr> </table>						Employee was able to OPERATE the equipment:			Under Supervision	Standalone											
Employee was able to OPERATE the equipment:			Under Supervision	Standalone																	

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor (WEIGHT: 60%)

Type of Task	Tasks Performed	Assessor Comment										
	4.6 CT Reel											
	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED		
	10	9	8	7	6	5	4	3	2			
	Employee was able to OPERATE the equipment:			Under Supervision			Standalone					
	4.7 Injector Head											
	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED		
	10	9	8	7	6	5	4	3	2			
	Employee was able to OPERATE the equipment:			Under Supervision			Standalone					
	4.8 Pressure Control Equipment											
	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED		
	10	9	8	7	6	5	4	3	2			
	Employee was able to OPERATE the equipment:			Under Supervision			Standalone					
	4.9 Basic BHA Components											
	Rating (by SUPERVISOR)			STRONG			ADEQUATE			IMPROVEMENT NEEDED		
	10	9	8	7	6	5	4	3	2			
	Employee was able to OPERATE the tools:			Under Supervision			Standalone					

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment		
<p>5. Job Supervision (if applicable) <i>Please complete this section if you perform any supervisory role during operation</i></p>				
	Rating (by SUPERVISOR)	STRONG 10 9 8 7 6 5 4 3 2	ADEQUATE Full Supervisor <input type="checkbox"/> 2nd / Night Supervisor <input type="checkbox"/>	IMPROVEMENT NEEDED
	Please <input checked="" type="checkbox"/> accordingly to confirm the role of the employee during operation			

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 3 To be completed by Employee and Assessor

DATE	Assignment/Summary Job/Duration	Supervisor's Feedback (Please indicate if employee is able to execute the job <u>UNDER SUPERVISION</u> or <u>STANDALONE</u>)
28 AUGST 2023 - 26 SEPT 2023	<ul style="list-style-type: none"> - Perform Bulheading Injectivity Test into Potential Donor Well Prior For CTU Operation. - Change Location From Bulang Delta to Charlie And Start Injectivity Test into Donor Well. - Assist Crew To Rig Up Pumping Line From SP02 To Wellhead By Tec Slickline. Assist Crew Mixing TSW At FST. Assist Crew Rig Up 4" Hose From FST To SP02. Back To PDST 26 September 2023. 	<p style="text-align: center;">+ Done</p> <p style="text-align: center;">+ Good Job</p>

Please tick (✓) category of services performed:

Standard Services:

Wellbore Cleanout
CT Cementing
Nitrogen Operations
Pumping Services

Advanced Services

CT Fishing
CT Milling
CT Logging
CT Perforation