

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 1: To be completed by Assessor [WEIGHT: 40%]

Name	SHAHRI IZHAM BIN ALIAS	COB Date	21/12/2024
Position	EQUIPMENT OPERATOR TRAINEE	RTB Date	11/10/2024
Client	PCSB	Location	DULANG
Platform	DULANG ALPHA	Well	A-12
Assessed By	Name: Mat Nor Hissam	Position: CTU SUPERVISOR	

RATING LEGEND:

STRONG	Performance consistently exceeded expectations in all essential areas of responsibility, and the quality of work overall was excellent.
ADEQUATE	Performance consistently met expectations in all areas of responsibility, at times possibly exceeding expectations, and the quality of work overall was very good.
IMPROVEMENT NEEDED	Performance did not consistently meet expectations - performance failed to meet expectations in one or more essential areas of responsibility.

Assessment Criteria	Rating (Please ✓ where appropriate)								
	STRONG			ADEQUATE			IMPROVEMENT NEEDED		
Safety Awareness (20%)	10	9	8	7	6	5	4	3	2
a. Usage of Personal Protective Equipment	✓								
b. Participation in UAUC			✓						
c. Understanding of PTW System			✓						
d. Worksite House Keeping			✓						
Work Performance (20%)				✓					
e. Initiative and Creativity				✓					
f. Decision Making Capability				✓					
g. Understanding of Job Scope				✓					
h. Tools Inventory and Reporting					✓				
i. Work Quality					✓				
j. Reporting					✓				
k. Punctuality and Time Keeping					✓				
l. Teamwork					✓				
m. Communication					✓				
n. Leadership Skills					✓				
o. Adaptability to Work Environment/Surrounding					✓				
p. Attitude					✓				
q. Discipline					✓				

REMARKS/COMMENTS/FEEDBACK ON PERFORMANCE OR AREAS OF IMPROVEMENT:

Assign as PTW applicant and Signal man assistant during working period.

Assessed By [Supervisor]	
Name	Mat Nor Hissam b Mohamed Idrus
Date	30/9/2024

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment								
1. Pre-Job Preparation	1. Attend pre-job meeting before mob 2. Prepare e-ptw 3. Attend toolbox meeting conduct by wss and all intervention crew on board	Participate								
	Rating (by SUPERVISOR)	STRONG			ADEQUATE		IMPROVEMENT NEEDED			
2. Surface Equipment Rig-up	1. Assist crew for heavy lifting to spot the equipment according to space availability 2. Assist crew to rig-up 2" HP treating line from nitrogen convertor to the tree cap connection. 3. Assist crew to install bleedoff line and secure it firmly. 4. Assist crew to install a plug valve after the crossover.	10	9	8	7	6	5	4	3	2
	Rating (by SUPERVISOR)	STRONG			ADEQUATE		IMPROVEMENT NEEDED			
3. Tools / Equipment Preparation	1. Perform EMC1 for the nitrogen converter unit. 2. Connect air hose from air compressor to all equipment 3. Top up diesel to all equipment everyday before start operation 4. Assist crew to proceed to prepare pressure test.	10	9	8	7	6	5	4	3	2
	Rating (by Operator)	STRONG			ADEQUATE		IMPROVEMENT NEEDED			
4. Equipment	4.1 Batch Mixer	- Good job communication with supervisor -								
	Rating (by SUPERVISOR)	STRONG			ADEQUATE		IMPROVEMENT NEEDED			
	Employee was able to OPERATE the equipment:	Under Supervision				Standalone				

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																																							
4.2 Pump Unit																																									
	<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th><th>9</th><th>8</th> <th>7</th><th>6</th><th>5</th> <th>4</th><th>3</th><th>2</th> </tr> </thead> <tbody> <tr> <td>Employee was able to OPERATE the equipment:</td> <td colspan="3"></td> <td colspan="3">Under Supervision</td> <td colspan="3"></td> </tr> <tr> <td></td> <td colspan="3"></td> <td colspan="3">Standalone</td> <td colspan="3"></td> </tr> </tbody> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:				Under Supervision										Standalone						
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																																		
	10	9	8	7	6	5	4	3	2																																
Employee was able to OPERATE the equipment:				Under Supervision																																					
				Standalone																																					
4.3 Nitrogen Pump unit & Nitrogen Tank	<p>1. Assist N2 operator to rig-up cryogenic hose from nitrogen tank to nvc</p> <p>2. Assist N2 operator to rig-up bleed off line.</p> <p>3. Assist N2 operator during rapid cooldown.</p> <p>4. Assist N2 operator for on the fly during pumping nitrogen and always monitor pressure on nitrogen tank below 4 bar.</p>	<p>- Good assist.</p>																																							
4.4 Power Pack																																									
	<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th><th>9</th><th>8</th> <th>7</th><th>6</th><th>5</th> <th>4</th><th>3</th><th>2</th> </tr> </thead> <tbody> <tr> <td>Employee was able to OPERATE the equipment:</td> <td colspan="3"></td> <td colspan="3">Under Supervision</td> <td colspan="3"><input checked="" type="checkbox"/></td> </tr> <tr> <td></td> <td colspan="3"></td> <td colspan="3">Standalone</td> <td colspan="3"></td> </tr> </tbody> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:				Under Supervision			<input checked="" type="checkbox"/>							Standalone						
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																																		
	10	9	8	7	6	5	4	3	2																																
Employee was able to OPERATE the equipment:				Under Supervision			<input checked="" type="checkbox"/>																																		
				Standalone																																					
4.5 Control Cabin																																									
	<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th><th>9</th><th>8</th> <th>7</th><th>6</th><th>5</th> <th>4</th><th>3</th><th>2</th> </tr> </thead> <tbody> <tr> <td>Employee was able to OPERATE the equipment:</td> <td colspan="3"></td> <td colspan="3">Under Supervision</td> <td colspan="3"></td> </tr> <tr> <td></td> <td colspan="3"></td> <td colspan="3">Standalone</td> <td colspan="3"></td> </tr> </tbody> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:				Under Supervision										Standalone						
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																																		
	10	9	8	7	6	5	4	3	2																																
Employee was able to OPERATE the equipment:				Under Supervision																																					
				Standalone																																					

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed	Assessor Comment																																							
	4.6 CT Reel																																								
	<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td>Employee was able to OPERATE the equipment:</td> <td colspan="3"></td> <td colspan="3">Under Supervision</td> <td colspan="3"></td> </tr> <tr> <td></td> <td colspan="3"></td> <td colspan="3">Standalone</td> <td colspan="3"></td> </tr> </tbody> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:				Under Supervision										Standalone						
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																																		
	10	9	8	7	6	5	4	3	2																																
Employee was able to OPERATE the equipment:				Under Supervision																																					
				Standalone																																					
	4.7 Injector Head																																								
	<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td>Employee was able to OPERATE the equipment:</td> <td colspan="3"></td> <td colspan="3">Under Supervision</td> <td colspan="3"></td> </tr> <tr> <td></td> <td colspan="3"></td> <td colspan="3">Standalone</td> <td colspan="3"></td> </tr> </tbody> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:				Under Supervision										Standalone						
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																																		
	10	9	8	7	6	5	4	3	2																																
Employee was able to OPERATE the equipment:				Under Supervision																																					
				Standalone																																					
	4.8 Pressure Control Equipment																																								
	<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td>Employee was able to OPERATE the equipment:</td> <td colspan="3"></td> <td colspan="3">Under Supervision</td> <td colspan="3"></td> </tr> <tr> <td></td> <td colspan="3"></td> <td colspan="3">Standalone</td> <td colspan="3"></td> </tr> </tbody> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the equipment:				Under Supervision										Standalone						
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																																		
	10	9	8	7	6	5	4	3	2																																
Employee was able to OPERATE the equipment:				Under Supervision																																					
				Standalone																																					
	4.9 Basic BHA Components																																								
	<table border="1"> <thead> <tr> <th rowspan="2">Rating (by SUPERVISOR)</th> <th colspan="3">STRONG</th> <th colspan="3">ADEQUATE</th> <th colspan="3">IMPROVEMENT NEEDED</th> </tr> <tr> <th>10</th> <th>9</th> <th>8</th> <th>7</th> <th>6</th> <th>5</th> <th>4</th> <th>3</th> <th>2</th> </tr> </thead> <tbody> <tr> <td>Employee was able to OPERATE the tools:</td> <td colspan="3"></td> <td colspan="3">Under Supervision</td> <td colspan="3"></td> </tr> <tr> <td></td> <td colspan="3"></td> <td colspan="3">Standalone</td> <td colspan="3"></td> </tr> </tbody> </table>	Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED			10	9	8	7	6	5	4	3	2	Employee was able to OPERATE the tools:				Under Supervision										Standalone						
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED																																		
	10	9	8	7	6	5	4	3	2																																
Employee was able to OPERATE the tools:				Under Supervision																																					
				Standalone																																					

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 2: To be completed by Employee and Assessor [WEIGHT: 60%]

Type of Task	Tasks Performed							Assessor Comment			
5. Job Supervision (if applicable) <i>Please complete this section if you perform any supervisory role during operation</i>											
Rating (by SUPERVISOR)	STRONG			ADEQUATE			IMPROVEMENT NEEDED				
	10	9	8	7	6	5	4	3	2		
Please <input checked="" type="checkbox"/> accordingly to confirm the role of the employee during operation				Full Supervisor		2nd / Night Supervisor					

DIMENSION BID

COILED TUBING PERFORMANCE ASSESSMENT FEEDBACK

PART 3: To be completed by Employee and Assessor

DATE	Assignment/Summary Job/Duration	Supervisor's Feedback (Please indicate if employee is able to execute the job <u>UNDER SUPERVISION</u> or <u>STANDALONE</u>)
	<ul style="list-style-type: none"> -Start heavy lifting upon obtaining permission from OIM -Rig-up equipment and surface rigup after finish spot the equipment to space availability. -Install correct wellhead crossover on the wellhead. Ensure well is fully secured and record the MV and CV turns. -Perform EMC1 for the nitrogen converter unit. -Start up and run all equipment for few minutes. -Ensure the entire valve are lined up above the swab valve. -Perform pressure test for the treating lines up to 500psi for 5 minutes and increase to 3000 psi for 10 minutes. -Once completed, bleed off pressure through the bleed off line. 	<p>- Show good attitude during working period</p> <p>- Fast learning.</p>

Please tick (✓) category of services performed:

Standard Services:

Wellbore Cleanout	<input type="checkbox"/>
CT Cementing	<input type="checkbox"/>
Nitrogen Operations	<input type="checkbox"/>
Pumping Services	<input type="checkbox"/>
/	

Advanced Services

CT Fishing	<input type="checkbox"/>
CT Milling	<input type="checkbox"/>
CT Logging	<input type="checkbox"/>
CT Perforation	<input type="checkbox"/>